

Novel <u>DI</u>agnostic <u>T</u>echniques for future particle <u>A</u>ccelerators:
 A Marie Curie Initial Training <u>NET</u>work

Carsten P. Welsch

- On behalf of the DITANET Consortium -







Outline



- What is DITANET?
- Involvement of Industry
- Research
- Training
- What does it mean to you?












A "typical" Monitor





- Material sciences
- Thermodynamics
- Electro-Magnetism
- Optics
- Mechanics
- Electronics
- Nuclear Physics
- •



Multi-disciplinary field!











What is DITANET?



- One of the largest Marie Curie Initial Training Networks ever funded by European Union!
- Funding for 20 fellows (17 ESR and 3 ER)
- Gives industry an important role!
- Allows for inter-sectorial collaboration!
- Recognized importance of beam diagnostics at European level!

(in physics top 12, 2007 – under extreme competition)











The DITANET Consortium

























Associated Partners



































Including Partners From Industry



Full Network Partner	Offer research training & Recruit eligible researchers	Level 1
Associated Partner	Provide research training, complementary skills courses, (communication, enterprise cycles, innovation, IPR,) secondments	Level 2
	Member of the Supervisory Board : definition of skills requirements for targeted researchers	Level 3












Examples from the Research Program






CTF3



The XFEL Project





K. Wittenburg











Wire Scanners



..established for measurements in accelerators.

Advantages:

- Resolution: 1 µm
- Reliable
- **Direct**





carsten.welsch@quasar-group.org












Challenge: Heat Load on Wire @ X | 13th Beam Instrumentation Workshop Works

$$-\frac{dE}{dx} = \frac{4\pi}{m_e c^2} \cdot \frac{nz^2}{\beta^2} \cdot \left(\frac{e^2}{4\pi\varepsilon_0}\right)^2 \cdot \left[ln\left(\frac{2m_e c^2 \beta^2}{I \cdot (I - \beta^2)} - \beta^2\right)\right]$$



 $T_{\text{max}} \sim 2000^{\circ}C$

$$N = \frac{d' \cdot f_{rev}}{v} \cdot (NB \cdot n_{Bunch})$$



Required: Speed of 10-20 m/s with 1 μ m resolution.

K. Wittenburg













CTF3 - Overview







G. Blair, E. Bravin, T.Lefevre











CTF3: An Ideal Testing Platform



- Time-resolved spectroscopy
- Beam Halo Monitoring
- Simulation of CDR; compare to measurements
- Beam position monitors
- ITB instrumention

G. Blair, E. Bravin, T.Lefevre












FLAIR @ Facility for Antiproton and Ion Resea Norkshop May 4-8, 2008














USR - Challenges













Training



- Local training by host
- Network-wide schools on diagnostic techniques
- Inter-network exchange of researchers
- Secondments to partners from industry
- Training in complementary skills



Motivation: Ideal Training.











Outreach



- DITANET schools in 03/2009 (London) and 09/2010 (Stockholm)
- DITANET conferences in 2009 and 2011 (DIPAC ?!)
- Mini-Symposia, workshops throughout 4 years



Open to external participants.












What DITANET means to you















Conclusion



- Unique opportunity to push our field
- Developments through joint effort between research centers, Universities and the private sector;
- Innovative approach to training of young researchers;
- Many events interesting for whole community;
- Stimulation of research careers in beam diagnostics.









