

TICK CELL AND TISSUE CULTURE BIBLIOGRAPHY

This bibliography lists, in chronological order (alphabetically by year), publications pertaining to tick cell, tissue and organ culture. It is intended to be exhaustive, but if any reader knows of additional relevant publication(s) not listed here, please inform us by email to tickcellbiobankenquiries@liverpool.ac.uk

1950s

1. Weyer, F. 1952. Explantationsversuche bei Lausen in Verbindung mit der Kultur von Rickettsien. Cblatt Bakt. Parasitenk. Infektionskr. 159, 13-22.
2. Rehacek, J. 1958. Preliminary report on tick tissue cultures. Acta Virol. 2, 253-254.

1960s

3. Martin, H.M. and Vidler, B.O. 1962. *In vitro* growth of tick tissues (*Rhipicephalus appendiculatus* Neumann, 1901). Exp. Parasitol. 12, 192-203.
4. Rehacek, J. and Hana, L. 1964. Notes on tick tissue culture. Acta Virol. 5, 57-58.
5. Rehacek, J., Brezina, R. (1964). Propagation of *Coxiella burneti* [sic] in tick tissue cultures. Acta Virol. 8, 380
6. Rehacek, J. 1965. Preparation of tissue cultures from the tick *Hyalomma dromedarii* Koch. J. Med. Entomol. 2, 161-164.
7. Rehacek, J. 1965. Cultivation of different viruses in tick tissue cultures. Acta Virol. 9, 332-337.
8. Varma, M.G.R and Wallers, W. 1965. An improved method for obtaining, *in vitro*, uniform cell monolayer sheets from tissues of the tick, *Hyalomma dromedarii* (Ixodidae). Nature 208, 602-603.
9. Yunker, C.E. and Cory, J. 1965. Effectiveness of refrigerated nymphs in tick tissue culture experiments. J. Parasitol. 51, 686.
10. Yunker, C.E. and Cory, J. 1967. Growth of Colorado tick fever virus in primary tissue cultures of its vector, *Dermacentor andersoni* Stiles (Acarina: Ixodidae), with notes on tick tissue culture. Exp. Parasitol. 20, 267-277.
11. Rehacek, J., Brezina, R. and Majerska, M. 1968. Multiplication of rickettsiae in tick cells *in vitro*. Acta Virol. 12, 41-43.
12. Rehacek, J. and Brzostowski, H.W. 1969. A tick tissue culture medium based on analyses of tick haemolymph. J. Insect Physiol. 15, 1431-1436.
13. Rehacek, J. and Brzostowski, H.W. 1969. The utilization of amino acids and sugars by tick cells cultivated *in vitro*. J. Insect Physiol. 15, 1683-1686.
14. Rehacek, J., Rajcani, J., Gresikova, M. (1969). Relationship of Tribec virus to tick cells and tissues. Acta Virol. 13, 439-422.
15. Varma, M.G.R. and Pudney, M. 1969. Tick cell culture: a review of recent work. Proceedings of the II International Congress of Acarology, Budapest, 1967, p367.

1970s

16. Hoffmann, G., Schein, E. and Jagow, M. 1970. Untersuchungen an exstirpierten und in der Kultur gehaltenen Zeckengewebe. Z. Tropenmed. Parasit. 21, 46-61.
17. Cory, J., Yunker, C.E. (1971). Primary cultures of tick hemocytes as systems for arbovirus growth. Ann. Entomol. Soc. Amer. 64, 1249-1254.
18. Rehacek, J. 1971. Present status of tick tissue culture. In: Arthropod Cell Cultures and their Application to the Study of Viruses (Weiss, ed), pp 32-41, Springer-Verlag, Berlin.
19. Rehacek, J. 1971. Tissue cultures of blood-sucking arthropods and their use for the cultivation of viruses and Rickettsiae. Ann. Parasitol. Paris 46, 197-231.
20. Hoffmann, G. 1972. Haltung babesieninfizierter Zeckengewebe in kunstlichem Nahrmedium. Z. Ang. Ent. 71, 26-34.
21. Rehacek, J. 1972. Use of invertebrate cell culture for study of animal viruses and rickettsiae. In: Invertebrate Tissue Culture Vol II (Vago, ed), pp 279-320, Academic Press, New York.
22. Eide, P.E. and Caldwell, J.M. 1973. A method for obtaining primary cultures of dispersed embryonic tissue from the lone star tick, *Amblyomma americanum*. Ann. Ent. Soc. Am. 66, 891-893.

23. Pudney, M., Varma, M.G.R. and Leake, C.J. 1973. Culture of embryonic cells from the tick *Boophilus microplus* (Ixodidae). J. Med. Entomol. 10, 493-496.
24. Rehacek, J. 1973. Maintaining of tick-borne encephalitis (TBE) virus, western subtype, in tick cells in vitro. In: Proceedings of the Third International Colloquium on Invertebrate Tissue Culture (Rehacek, Blaskovic and Hink, eds), pp 439-443, Slovak Academy of Sciences, Bratislava.
25. Rehacek, J., Zupancicova, M., Brezina, R. and Urvolgyi, J. 1973. Use of primary tick tissue culture for propagation of rickettsiae of the RMSF group isolated in Slovakia. In: Proceedings of the Third International Colloquium on Invertebrate Tissue Culture (Rehacek, Blaskovic and Hink, eds), pp 445-450, Slovak Academy of Sciences, Bratislava.
26. Varma, M.G.R. and Pudney, M. 1973. Culture of cells from the tick, *Rhipicephalus appendiculatus* (Ixodoidea: Ixodidae). In: Proceedings of the Third International Colloquium on Invertebrate Tissue Culture (Rehacek, Blaskovic and Hink, eds), pp135-141, Slovak Academy of Sciences, Bratislava.
27. Andreasen, M.P. 1974. Multiplication of *Cowdria ruminantium* in monolayer of tick cells. Acta Path. Microbiol. Scand. Sect. B 82, 455-456.
28. Andreasen, M.P. 1974. Heartwater a study of *in vitro* and *in vivo* cultivation of *Cowdria ruminantium*. PhD thesis, University of Copenhagen.
29. Cunningham, I. 1974. The cultivation of trypanosomes in arthropod tissue culture. PhD thesis, University of Edinburgh.
30. David-West, T. 1974. Propagation and plaquing of Dugbe virus (an ungrouped Nigerian arbovirus) in various mammalian and arthropod cell lines. Arch. Ges. Virusforsch. 44, 330-336.
31. Fujisaki, K., Kitaoka, S. and Morii, T. 1975. Hemocyte types and their primary cultures in the argasid tick, *Ornithodoros moubata* Murray (Ixodoidea). Appl. Ent. Zool. 10, 30-39.
32. Varma, M.G.R., Pudney, M. and Leake, C.J. 1975. The establishment of three cell lines from the tick *Rhipicephalus appendiculatus* (Acari: Ixodidae) and their infection with some arboviruses. J. Med. Entomol. 11, 698-706.
33. Guru, P.Y., Dhanda, V. and Gupta, N.P. 1976. Cell cultures derived from the developing adults of three species of ticks, by a simplified technique. Indian J. Med. Res. 64, 1041-1045.
34. Rehacek, J. 1976. Tick tissue culture and arboviruses. In: Invertebrate Tissue Culture Applications in Medicine, Biology and Agriculture (Kurstak and Maramorosch, eds), pp 21-33, Academic Press, New York.
35. Banerjee, K., Guru, P.Y. and Dhanda, V. 1977. Growth of arboviruses in cell cultures derived from the tick *Haemaphysalis spinigera*. Indian J. Med. Res. 66, 530-536.
36. Bhat, U.K.M. and Yunker, C.E. 1977. Establishment and characterization of a diploid cell line from the tick, *Dermacentor parumapertus* Neumann (Acarina: Ixodidae). J. Parasitol. 63, 1092-1098.
37. Hadani, A., Kaufman, W. and Barnett, S.F. 1978. Development of *Nuttalia dani* (Protozoa: Babesidae) within tick salivary glands cultured *in vitro*. J. Parasitol. 64, 501-503.
38. Moulton, J.E. 1978. Preparation of primary cultures of tick cells. Am. J. Vet. Res. 39, 1558-1564.
39. Pudney, M., Varma, M.G.R. and Leake, C.J. 1978. The growth of some arboviruses in tick cell lines. In: Tick-borne Diseases and their Vectors (Wilde, ed), pp490-496, Centre for Tropical Veterinary Medicine, Edinburgh.
40. Bhat, U.K.M. and Yunker, C.E. 1979. Susceptibility of a tick cell line (*Dermacentor parumapertus* Neumann) to infection with arboviruses. In: Arctic and Tropical Arboviruses (Kurstak, ed), pp 263-275, Academic Press, New York.
41. Bhat, U.K.M., Mahoney, D.F. and Wright, I.G. 1979. The invasion and growth of *Babesia bovis* in tick tissue culture. Experientia 35, 752-753.
42. Kurtti, T.J. and Buscher, G. 1979. Trends in tick cell culture. In: Practical Tissue Culture Applications (Maramorosch and Hirumi, eds), pp 351-371, Academic Press, New York.
43. Pudney, M., Varma, M.G.R. and Leake, C.J. 1979. Establishment of cell lines from ixodid ticks. TCA Manual 5, 1003-1007.
44. Pudney, M., Leake, C.J. and Varma, M.G.R. 1979. Replication of arboviruses in arthropod *in vitro* systems. In: Arctic and Tropical Arboviruses (Kurstak, ed), pp 245-262, Academic Press, New York.
45. Yunker, C.E. and Meibos, H. 1979. Culture of embryonic tick cells (Acari: Ixodidae). TCA Manual 5, 1015-1017.

1980s

46. Bell, L.J. 1980. Organ culture of *Rhipicephalus appendiculatus* with maturation of *Theileria parva* in tick salivary glands *in vitro*. Acta Trop. 37, 319-325.
47. Holman, P.J. and Ronald, N.C. 1980. A new tick cell line derived from *Boophilus microplus*. Res. Vet. Sci. 29, 383-387.
48. Leake, C.J., Pudney, M. and Varma, M.G.R. 1980. Studies on arboviruses in established tick cell lines. In: Invertebrate Systems In Vitro (Kurstak, Maramorosch and Dubendorfer, eds), pp 327-335, Elsevier/North Holland Biomedical Press, Amsterdam.
49. Munz, E., Reimann, M., Munderloh, U. and Settele, U. 1980. The susceptibility of the tick cell line TTC 243 for Nairobi sheep disease virus and some other important species of mammalian RNA and DNA viruses. . In: Invertebrate Systems In Vitro (Kurstak, Maramorosch and Dubendorfer, eds), pp 338-340, Elsevier/North Holland Biomedical Press, Amsterdam.
50. Pudney, M. 1980. The use of arthropod cell cultures for the *in vitro* study of filariae (*Onchocerca* sp.). In: Invertebrate Systems In Vitro (Kurstak, Maramorosch and Dubendorfer, eds), pp 317-326, Elsevier/North Holland Biomedical Press, Amsterdam.
51. Drolesky, R.E., Holman, P.J. and Wagner, G.G. 1981. *Babesia bovis* infection of a tick cell line studied by electron microscopy. In Vitro 17, 209.
52. Hadani, A. 1981. *In vitro* development of *Babesia* and *Theileria* parasites in organs and tissues of ticks. In: Babesiosis (Ristic and Kreier, eds), pp225-266, Academic Press, New York.
53. Holman, P.J. 1981. Partial characterization of a unique female diploid cell strain from the tick *Boophilus microplus* (Acari: Ixodidae). J. Med. Entomol. 18, 84-88.
54. Holman, P.J., Drolesky, R.E. and Wagner, G.G. 1981. Ultrastructural characterization of a cell line from the tick *Boophilus microplus*. In Vitro 17, 209.
55. Rahman, M.H. 1981. The culture of embryonic cells from the tick *Hyalomma rufipes rufipes* (Koch, 1844). Ann. Trop. Med. Parasitol. 75, 573-574.
56. Tully, J.G., Rose, D.L., Yunker, C.E., Cory, J., Whitcomb, R.F. and Williamson, D.L. 1981. Helical mycoplasmas (spiroplasmas) from *Ixodes* ticks. Science 212, 1043-1045.
57. Yunker, C.E., Cory, J. and Meibos, H. 1981. Continuous cell lines from embryonic tissues of ticks (Acari: Ixodidae). In Vitro 17, 139-142.
58. Yunker, C.E., Cory, J., Gresbrink, R.A., Thomas, L.A. and Clifford, C.M. 1981. Tickborne viruses in western North America III. Viruses from man-biting ticks (Acari: Ixodidae) in Oregon. J. Med. Entomol. 18, 457-463.
59. Brown, S.E. and Knudson, D.L. 1982. Isozyme analyses of dipteran and acarine cell lines. In Vitro 18, 347-350
60. Kurtti, T.J. and Munderloh, U.G. 1982. Tick cell culture: characteristics, growth requirements and applications to parasitology. In: Invertebrate Cell Culture Applications (Maramorosch and Mitsuhashi, eds), pp195-232, Academic Press, New York.
61. Kurtti, T.J., Munderloh, U.G. and Samish, M. 1982. Effect of medium supplements on tick cells in culture. J. Parasitol. 68, 930-935.
62. Munderloh, U.G., Kurtti, T.J., Maramorosch, K. 1982. *Anopheles stephensi* and *Toxorhynchites amboinensis*: aseptic rearing of mosquito larvae on cultured cells. J. Parasitol. 68, 1085-1091.
63. Samish, M., Shkap, V., Pipano, E. and Bin, C. 1982. Cultivation of *Besnoitia besnoiti* in tick cell culture. J. Protozool. 29, 313.
64. Bell, L.J. 1983. Development of *Theileria* in tick tissue culture. MPhil Thesis, University of Edinburgh.
65. Drolesky, R.E., Holman, P.J., Craig, T.M., Wagner, G.G. and Mollenhauer, H.H. 1983. Ultrastructure of *Babesia bovis* sexual stages as observed in *Boophilus microplus* cell cultures. Res. Vet. Sci. 34, 249-251.
66. Hess, W.R. 1983. The growth of African swine fever virus in arthropod cells. In: African Swine Fever, pp124-131. Commission of the European Communities, Luxembourg.
67. Johnston, L.A.Y., Kemp, D.H. and Pearson, R.D. 1983. Feasibility of immunising cattle against *Boophilus microplus*. Proc. 10th Int. Conf. WAAVP, Perth, Australia, 1983, p77.
68. Kurtti, T.J. and Munderloh, U.G. 1983. The effects of 20-hydroxyecdysone and juvenile hormone III on tick cells. J. Parasitol. 69, 1072-1078.
69. Kurtti, T.J., Munderloh, U.G. and Stiller, D. 1983. The interaction of *Babesia caballi* kinetes with tick cells. J. Inv. Path. 42, 334-343.

70. Bell, L.J. 1984. Tick tissue culture techniques in the study of arthropod-borne protozoa: the development of *Theileria annulata* in organ cultures of *Hyalomma anatolicum anatolicum*. In: Acarology 6 Vol 2 (Griffiths and Bowman, eds), pp1089-1095, Ellis Horwood Ltd, Chichester.
71. Chunikhin, S.P., Khozinskaya, G.A., Stefutkina, L.E., Korolev, M.E. (1984). Mono- and mixed infection of explants of tissues of the ticks of the genus *Hyalomma* with viruses of tick-borne encephalitis and Povassan. Parazitologiya 18, 116-122.
72. Moss, S.R. and Nuttall, P.A. 1984. Isolation of orbiviruses and uukuviruses from puffin ticks. Acta Virol. 29, 158-161.
73. Munz, E., Reimann, M. and Jager, H. 1984. Qualitative and quantitative detection of Nairobi sheep disease virus antigen by immunoperoxidase in BHK-, sheep kidney- and tick cell cultures. Zbl. Vet. Med. B. 31, 231-239.
74. Yunker, C.E., Cory, J. and Meibos, H. 1984. Tick tissue and cell culture: applications to research in medical and veterinary acarology and vector-borne disease. In: Acarology 6, Vol 2 (Griffiths and Bowman, eds), pp 1082-1088, Ellis Horwood, Chichester.
75. Khozinskaya, G.A., Chunikhin, S.P., Khozinsky, V.V. and Stefutkina, L.F. 1985. Variability of Powassan virus cultured in tissue explants and organism of *Hyalomma anatolicum* ticks. Acta Virol. 29, 305-312.
76. Samish, M., Louloudes, S.J., Vaughn, J.L., Kurtti, T.J. and Munderloh, U.G. 1985. Promotion of tick cell growth by proline and fractions from tick eggs. Int. J. Parasitol. 15, 21-26.
77. Wikel, S.K. 1985. Resistance to ixodid tick infestation induced by administration of tick-tissue culture cells. Ann. Trop. Med. Parasitol. 79, 513-518.
78. Kamio, T., Mitsunashi, J. and Fujisaki, K. 1986. Primary culture of developing adult tissue in a nymphal tick, *Haemaphysalis longicornis* (Acarina: Ixodidae). Appl. Ent. Zool. 21, 394-398.
79. Leake, C.J. 1987. Comparative growth of arboviruses in cell lines derived from *Aedes* and *Anopheles* mosquitoes and from the tick *Boophilus microplus*. In: Arboviruses in Arthropod Cells In Vitro Vol II (Yunker, ed), pp 25-42, CRC Press, Boca Raton.
80. Munz, E., Reimann, M. and Mahnel, H. 1987. Nairobi sheep disease virus and *Reovirus*-like particles in the tick cell line TTC-243 from *Rhipicephalus appendiculatus*: experiences with the handling of the tick cells, immunoperoxidase and ultrahistological studies. In: Arboviruses in Arthropod Cells In Vitro Vol 1 (Yunker, ed), pp 133-147, CRC Press, Boca Raton.
81. Nyindo, M., Shatry, A., Awiti, L.S., Chintawi, M. and Hendricks, L.D. 1987. *Leishmania donovani* and *L. major*: cultivation *in vitro* in tick embryonic cell lines. Exp. Parasitol. 63, 240-242.
82. Pudney, M. 1987. Tick cell lines for the isolation and assay of arboviruses. In: Arboviruses in Arthropod Cells In Vitro Vol 1 (Yunker, ed), pp 87-101, CRC Press, Boca Raton.
83. Rehacek, J. 1987. Arthropod cell cultures in studies of tick-borne togaviruses and orbiviruses in Central Europe. In: Arboviruses in Arthropod Cells In Vitro Vol 1 (Yunker, ed), pp 115-132, CRC Press, Boca Raton.
84. Samish, M., Shkap, V. and Pipano, E. 1987. *Besnoita besnoiti*: long term cultivation in tick cell lines. Exp. Parasitol. 64, 261-263.
85. Schriefer, M.E., Beveridge, M., Sonenshine, D.E., Homsher, P.J., Carson, K.A. and Weidman, C.S. 1987. Evidence of ecdysteroid production by tick (Acari: Ixodidae) fat-body tissues *in vitro*. J. Med. Entomol. 24, 295-302.
86. Yunker, C.E. 1987. Preparation and maintenance of arthropod cell cultures: Acari, with emphasis on ticks. In: Arboviruses in Arthropod Cells In Vitro Vol 1 (Yunker, ed), pp 35-51, CRC Press, Boca Raton.
87. Yunker, C.E., Tully, J.G. and Cory, J. 1987. Arthropod cell lines in the isolation and propagation of tickborne spiroplasmas. Curr. Microbiol. 15, 45-50.
88. Homan, E.J. and Yunker, C.E. 1988. Growth of bluetongue and epizootic hemorrhagic disease of deer viruses in poikilothermic cell systems. Vet. Microbiol. 16, 15-24.
89. Kurtti, T.J., Munderloh, U.G. and Ahlstrand, G.G. 1988. Tick tissue and cell culture in vector research. Adv. Dis. Vector Res. 5, 87-109.
90. Kurtti, T.J., Munderloh, U.G., Ahlstrand, G.G. and Johnson, R.C. 1988. *Borrelia burgdorferi* in tick cell culture: growth and cellular adherence. J. Med. Entomol. 25, 256-261.
91. Samish, M., Pipano, E. and Hana, B. 1988. Cultivation of *Anaplasma marginale* from cattle in a Dermacentor cell line. Am. J. Vet. Res. 49, 254-256.

92. Samish, M., Shkap, V., Bin, H. and Pipano, E.M. 1988. Cultivation of *Besnoitia besnoiti* in four tick cell lines. *Int. J. Parasitol.* 18, 291-296.
93. Yunker, C.E., Byrom, B. and Semu, S. 1988. Cultivation of *Cowdria ruminantium* in bovine vascular endothelial cells. *Kenya Vet.* 12, 12-17.
94. Willadsen, P. and Kemp, D.H. 1988. Vaccination with "concealed" antigens for tick control. *Parasitol. Today* 4, 196-198.
95. Hidalgo, R.J., Jones, E.W., Brown, J.E. and Ainsworth, A.J. 1989. *Anaplasma marginale* in tick cell culture. *Am. J. Vet. Res.* 50, 2028-2032.
96. Hidalgo, R.J., Palmer, G.H., Jones, E.W., Brown, J.E. and Ainsworth, A.J. 1989. Infectivity and antigenicity of *Anaplasma marginale* from tick cell culture. *Am. J. Vet. Res.* 50, 2033-2036.
97. Homsher, P.J., Mason, S.N., Beveridge, M.J., Waters, L., Sonenshine, D.E. and Wolfenbarger, L. 1989. Studies on the molecular and cytological characterization of *Dermacentor variabilis* tick cells in culture. In: *Progress in Acarology Vol 1* (Channabasavanna, G.P., Viraktamath, C.A. eds), Proceedings of the VII International Congress of Acarology, Bangalore, August 1986, pp45-52. Oxford & JBH Publishing Co. Pvt. Ltd., New Delhi/E.J. Brill, Leiden.
98. Munderloh, U.G. and Kurtti, T.J. 1989. Formulation of medium for tick cell culture. *Exp. Appl. Acarol.* 7, 219-229.
99. Varma, M.G.R. 1989. Progress in the study of human and animal pathogens in primary and established tick cell lines. In: *Invertebrate Cell System Applications Vol II* (Mitsuhashi, ed), pp 119-128, CRC Press Inc., Boca Raton.

1990s

100. Bell-Sakyi, L. 1991. Continuous cell lines from the tick *Hyalomma anatolicum anatolicum*. *J. Parasitol.* 77, 1006-1008.
101. Booth, T.F., Gould, E.A. and Nuttall, P.A. 1991. Structure and morphogenesis of Dugbe virus (Bunyaviridae, Nairovirus) studied by immunogold electron microscopy of ultrathin cryosections. *Virus Res.* 21, 199-212.
102. Litchfield, T.M., Mackenzie, C.D. and Varma, M.G.R. 1991. The conditions required for the maintenance of *Onchocerca lienalis* microfilariae in vitro. *Acta Trop.* 48, 293-304.
103. Bell-Sakyi, L. 1992. Some new tick cell lines for propagation of animal pathogens. *Proceedings 1st International Conference on Tick-borne Pathogens at the Host-Vector Interface*, St Paul, Mn, 1992, p 84.
104. Bell-Sakyi, L. 1992. Tick tissue culture and *Theileria*. In: *Proceedings of the Second EEC Workshop on Orientation and Coordination of Research on Tropical Theileriosis* (Singh and Varshney, eds), pp 76-81, NDDB, Anand.
105. Kurtti, T.J., Munderloh, U.G., Krueger, D.E., Johnson, R.C. and Schwan, T.G. 1993. Adhesion to and invasion of cultured tick (Acari: Ixodidae) cells by *Borrelia burgdorferi* (Spirochaetales: Spirochaetaceae) and maintenance of infectivity. *J. Med. Ent.* 30, 586-596.
106. Munderloh, U.G., Park, D.Y., Diop, J.M., Fallon, A.M. and Kurtti, T.J. 1993. Plasmid modifications in a tick-borne pathogen, *Borrelia burgdorferi*, cocultured with tick cells. *Insect Mol. Biol.* 1, 195-203.
107. Chen, C., Munderloh, U.G. and Kurtti, T.J. 1994. Cytogenetic characteristics of cell lines from *Ixodes scapularis*. *J. Med. Entomol.* 31, 425-434.
108. Munderloh, U.G., Liu, Y., Wang, M., Chen, C. and Kurtti, T.J. 1994. Establishment, maintenance and description of cell lines from the tick *Ixodes scapularis*. *J. Parasitol.* 80, 533-543.
109. Ewing, S.A., Munderloh, U.G., Blouin, E.F., Kocan, K.M. and Kurtti, T.J. 1995. *Ehrlichia canis* in tick cell culture. In "Proceedings of the 76th Conference of Research Workers in Animal Diseases", Chicago, USA, 13-14 November 1995. Iowa State University Press, Ames, Iowa, abstract no. 165.
110. Munderloh, U.G. and Kurtti, T.J. 1995. Cellular and molecular interrelationships between ticks and prokaryotic tick-borne pathogens. *Ann. Rev. Entomol.* 40, 221-243.
111. Goodman, J.L., Nelson, C., Vitale, B., Madigan, J.E., Dumler, J.S., Kurtti, T.J. and Munderloh, U.G. 1996. Direct cultivation of the causative agent of human granulocytic ehrlichiosis. *New Eng. J. Med.* 334, 209-215.
112. Kurtti, T.J., Munderloh, U.G., Andreadis, T.G., Magnarelli, L.A. and Mather, T.N. 1996. Tick cell culture isolation of an intracellular prokaryote from the tick *Ixodes scapularis*. *J. Inv. Path.* 67, 318-321.

113. Munderloh, U.G., Blouin, E.F., Kocan, K.M., Ge, N.L., Edwards, W.L. and Kurtti, T.J. 1996. Establishment of the tick (Acari: Ixodidae)-borne cattle pathogen *Anaplasma marginale* (Rickettsiales: Anaplasmataceae) in tick cell culture. *J. Med. Entomol.* 33, 656-664.
114. Munderloh, U.G., Madigan, J.E., Dumler, S., Goodman, J.L., Hayes, S.F., Barlough, J.E., Nelson, C.M. and Kurtti, T.J. 1996. Isolation of the equine granulocytic ehrlichiosis agent, *Ehrlichia equi*, in tick cell culture. *J. Clin. Microbiol.* 34, 664-670.
115. Niebylski, M.L., Peacock, M.G., Fischer, E.R., Porcella, S.F. and Schwan, T.G. 1997. Characterization of an endosymbiont infecting wood ticks, *Dermacentor andersoni*, as a member of the genus *Francisella*. *Appl. Environ. Microbiol.* 63, 3933-3940.
116. Noda, H., Munderloh, U.G. and Kurtti, T.J. 1997. Endosymbionts of ticks and their relationship to *Wolbachia* spp. and tick-borne pathogens of humans and animals. *Appl. Env. Microbiol.* 63, 3926-3932.
117. Policastro, P.F., Munderloh, U.G., Fischer, E.R. and Hackstadt, T. 1997. *Rickettsia rickettsii* growth and temperature-inducible protein expression in embryonic tick cell lines. *J. Med. Microbiol.* 46, 839-845.
118. Blouin, E.F. and Kocan, K.M. 1998. Morphology and development of *Anaplasma marginale* (Rickettsiales: Anaplasmataceae) in cultured *Ixodes scapularis* (Acari: Ixodidae) cells. *J. Med. Entomol.* 35, 788-797.
119. Blouin, E.F., Saliki, J.T., Kocan, K.M. and Rodgers, S.J. 1998. Evaluation of *Anaplasma marginale* from tick cell culture as an immunogen for cattle. *Ann. N.Y. Acad. Sci.* 849, 253-258.
120. Brown, W.C., Zhu, D., Shkap, V., McGuire, T.C., Blouin, E.F., Kocan, K.M. and Palmer, G.H. 1998. The repertoire of *Anaplasma marginale* antigens recognized by CD4+ T-lymphocyte clones from protectively immunized cattle is diverse and includes major surface protein 2 (MSP-2) and MSP-3. *Infect. Immun.* 66, 5414-5422.
121. Kopecky, J. and Stankova, I. 1998. Interaction of virulent and attenuated tick-borne encephalitis virus strains in ticks and a tick cell line. *Fol. Parassitol.* 45, 245-250.
122. Munderloh, U.G., Hayes, S.F., Cummings, J. and Kurtti, T.J. 1998. Microscopy of spotted fever rickettsia movement through tick cells. *Microscop. Microanal.* 4, 115-121.
123. Rodgers, S.J., Saliki, J.T., Blouin, E.F. and Kocan, K.M. 1998. The development of a semi-automated latex agglutination test for the detection of antibodies to *Anaplasma marginale* using a cell culture-derived antigen. *Ann. N.Y. Acad. Sci.* 849, 282-292.
124. Saliki, J.T., Blouin, E.F., Rodgers, S.J. and Kocan, K.M. 1998. Use of tick cell culture-derived *Anaplasma marginale* antigen in a competitive ELISA for serodiagnosis of anaplasmosis. *Ann N.Y. Acad. Sci.* 849, 273-281.
125. Barbet, A.F., Blentlinger, R., Yi, J., Lundgren, A.M., Blouin, E.F. and Kocan, K.M. 1999. Comparison of surface proteins of *Anaplasma marginale* grown in tick cell culture, tick salivary glands, and cattle. *Infect. Immun.* 67, 102-107.
126. Munderloh, U.G., Jauron, S.D., Fingerle, V., Leitritz, L., Hayes, S.F., Hautman, J.M., Nelson, C.M., Huberty, B.W., Kurtti, T.J., Ahlstrand, G.G., Greig, B., Mellencamp, M.A. and Goodman, J.L. 1999. Invasion and intracellular development of the human granulocytic ehrlichiosis agent in tick cell culture. *J. Clin. Microbiol.* 37, 2518-2524.
127. Obonyo, M., Munderloh, U.G., Fingerle, V., Wilske, B. and Kurtti, T.J. 1999. *Borrelia burgdorferi* in tick cell culture modulates expression of outer surface proteins A and C in response to temperature. *J. Clin. Microbiol.* 37, 2137-2141.

2000s

128. Bell-Sakyi, L., Paxton, E.A., Munderloh, U.G. and Sumption, K.J. 2000. Growth of *Cowdria ruminantium*, the causative agent of heartwater, in a tick cell line. *J. Clin. Microbiol.* 38, 1238-1240.
129. Bell-Sakyi, L., Paxton, E.A., Munderloh, U.G. and Sumption, K.J. 2000. Morphology of *Cowdria ruminantium* grown in two tick cell lines. In: Proceedings of the 3rd International Conference "Ticks and Tick-borne Pathogens: Into the 21st Century", M. Kazimirova, M. Labuda, P.A. Nuttall (eds), Institute of Zoology, Slovak Academy of Sciences, Bratislava, Slovakia, pp 131-137.
130. Blouin, E.F., Barbet, A.F., Yi, J., Kocan, K.M. and Saliki, J.T. 2000. Establishment and characterization of an Oklahoma isolate of *Anaplasma marginale* in cultured *Ixodes scapularis* cells. *Vet. Parasitol.* 87, 301-313.

131. Attoui, H., Stirling, J.M., Munderloh, U.G., Billoir, F., Brookes, S.M., Burroughs, J.N., de Micco, P., Mertens, P.P.C. and de Lamballerie, X. 2001. Complete sequence characterization of the genome of the St Croix River virus, a new orbivirus isolated from cells of *Ixodes scapularis*. *J. Gen. Virol.* 82, 795-804.
132. de la Fuente, J., Garcia-Garcia, J., Blouin, E.F. and Kocan, K.M. 2001. Differential adhesion of major surface proteins 1a and 1b of the ehrlichial cattle pathogen *Anaplasma marginale* to bovine erythrocytes and tick cells. *Int. J. Parasitol.* 31, 145-153.
133. Jauron, S.D., Nelson, C.M., Fingerle, V., Ravyn, M.D., Goodman, J.L., Johnson, R.C., Lobentanzer, R., Wilske, B. and Munderloh, U.G. 2001. Host cell-specific expression of a p44 epitope by the human granulocytic ehrlichiosis agent. *J. Infect. Dis.* 184, 1445-1450.
134. Kocan, K.M., Halbur, T., Blouin, E.F., Onet, V., de la Fuente, J., Garcia-Garcia, J. and Saliki, J.T. 2001. Immunization of cattle with *Anaplasma marginale* derived from tick cell culture. *Vet. Parasitol.* 102, 151-161.
135. Simser, J.A., Palmer, A.T., Munderloh, U.G. and Kurtti, T.J. 2001. Isolation of a spotted fever group rickettsia, *Rickettsia peacockii*, in a Rocky Mountain wood tick, *Dermacentor andersoni*, cell line. *Appl. Env. Microbiol.* 67, 546-552.
136. Bekker, C.P.J., Bell-Sakyi, L., Paxton, E.A., Martinez, D., Bensaid, A. and Jongejan, F. 2002. Transcriptional analysis of the major antigenic protein 1 multigene family of *Cowdria ruminantium*. *Gene* 285, 193-201.
137. Bell-Sakyi, L., Paxton, E., Wright, P. and Sumption, K. 2002. Immunogenicity of *Ehrlichia ruminantium* grown in tick cell lines. *Exp. Appl. Acarol.* 28, 177-185.
138. Blouin, E.F., Kocan, K.M., de la Fuente, J. and Saliki, J.T. 2002. Effect of tetracycline on development of *Anaplasma marginale* in cultured *Ixodes scapularis* cells. *Vet. Parasitol.* 107, 115-126.
139. Blouin, E.F., de la Fuente, J., Garcia-Garcia, J., Sauer, J.R., Saliki, J.T. and Kocan, K.M. 2002. Applications of a cell culture system for studying the interaction of *Anaplasma marginale* with tick cells. *Anim. Hlth Res. Rev.* 3, 57-68.
140. Bugrysheva, J., Dobrikova, E.Y., Godfrey, H.P., Sartakova, M.L. and Cabello, F.C. 2002. Modulation of *Borrelia burgdorferi* stringent response and gene expression during extracellular growth with tick cells. *Infect. Immun.* 70, 3061-3067.
141. Cossio-Bayugar, R., Wagner, G.G. and Holman, P.J. 2002. In vitro generation of organophosphate resistant *Boophilus microplus* (Acari: Ixodidae) cell lines. *J. Med. Entomol.* 39, 278-284.
142. Cossio-Bayugar, R., Barhoumi, R., Burghardt, R.C., Wagner, G.G. and Holman, P.J. 2002. Basal cellular alterations of esterase, glutathione, glutathione S-transferase, intracellular calcium, and membrane potentials in coumaphos-resistant *Boophilus microplus* (Acari: Ixodidae) cell lines. *Pesticide Biochem. Physiol.* 72, 1-9.
143. de la Fuente, J., Garcia-Garcia, J., Blouin, E.F., Saliki, J.T. and Kocan, K.M. 2002. Infection of tick cells and bovine erythrocytes with one genotype of the intracellular ehrlichia *Anaplasma marginale* excludes infection with other genotypes. *Clin. Diagn. Lab. Immunol.* 9, 658-668.
144. de la Fuente, J., Kocan, K.M., Garcia-Garcia, J.C., Blouin, E.F., Claypool, P.L. and Saliki, J.T. 2002. Vaccination of cattle with *Anaplasma marginale* derived from tick cell culture and bovine erythrocytes followed by challenge-exposure with infected ticks. *Vet. Microbiol.* 89, 239-251.
145. Kocan, K.M., de la Fuente, J., Blouin, E.F. and Garcia-Garcia, J.C. 2002. Adaptations of the tick-borne pathogen, *Anaplasma marginale*, for survival in cattle and ticks. *Exp. Appl. Acarol.* 28, 9-25.
146. Lohr, C.V., Brayton, K.A., Shkap, V., Molad, T., Barbet, A.F., Brown, W.C. and Palmer, G.H. 2002. Expression of *Anaplasma marginale* major surface protein 2 operon-associated proteins during mammalian and arthropod infection. *Infect. Immun.* 70, 6005-6012.
147. Postigo, M., Bell-Sakyi, L., Paxton, E. and Sumption, K. 2002. Kinetics of experimental infection of sheep with *Ehrlichia ruminantium* cultivated in tick and mammalian cell lines. *Exp. Appl. Acarol.* 28, 187-193.
148. Simser, J.A., Palmer, A.T., Fingerle, V., Wilske, B., Kurtti, T.J. and Munderloh, U.G. 2002. *Rickettsia monacensis* sp. nov., a spotted fever group rickettsia, from ticks (*Ixodes ricinus*) collected in a European city park. *Appl. Env. Microbiol.* 68, 4559-4566.
149. Woldehiwet, Z., Horrocks, B.K., Scaife, H., Ross, G., Munderloh, U.G., Bown, K., Edwards, S.W. and Hart, C.A. 2002. Cultivation of an ovine strain of *Ehrlichia phagocytophila* in tick cell cultures. *J. Comp. Pathol.* 127, 142-149.

150. Almazan, C., Kocan, K.M., Bergman, D.K., Garcia-Garcia, J.C., Blouin, E.F. and de la Fuente, J. 2003. Identification of protective antigens for the control of *Ixodes scapularis* infestations using cDNA expression library immunization. *Vaccine* 21, 1492-1501.
151. Barbet, A.F., Meeus, P.F.M., Belanger, M., Bowie, M.V., Yi, J., Lundgren, A.M., Alleman, A.R., Wong, S.J., Chu, F.K., Munderloh, U.G. and Jauron, S.D. 2003. Expression of multiple outer membrane protein sequence variants from a single genomic locus of *Anaplasma phagocytophilum*. *Infect. Immun.* 71, 1706-1718.
152. Blouin, E.F., Saliki, J.T., de la Fuente, J., Garcia-Garcia, J. and Kocan, K.M. 2003. Antibodies to *Anaplasma marginale* major surface proteins 1a and 1b inhibit infectivity for cultured tick cells. *Vet. Parasitol.* 111, 247-260.
153. de la Fuente, J., Garcia-Garcia, J.C., Blouin, E.F., Kocan, K.M. (2003). Characterization of the functional domain of major surface protein 1a involved in adhesion of the rickettsia *Anaplasma marginale* to host cells. *Vet. Microbiol.* 91, 265-283.
154. de la Fuente, J., Kocan, K.M., Garcia-Garcia, J.C., Blouin, E.F., Halbur, T. and Onet, V. 2003. Immunization against *Anaplasma marginale* major surface protein 1a reduces infectivity for ticks. *Int. J. Appl. Res. Vet. Med.* 1, 285-292.
155. Mosqueda, J., Ramos, J.A., Salto, M. and Cossio-Bayugar, R. 2003. In vitro infection of *Babesia bigemina* kinetes to *Boophilus microplus* embryonic cells. *Proc. V Int. Seminar Anim. Parasitol.*, Oct 1-3 2003, Merida, Mexico, pp240-247.
156. Munderloh, U.G., Tate, C.M., Lynch, M.J., Howerth, E.W., Kurtti, T.J. and Davidson, W.R. 2003. Isolation of an *Anaplasma* sp. organism from white-tailed deer by tick cell culture. *J. Clin. Microbiol.* 41, 4328-4335.
157. Baldrige, G.D., Burkhardt, N.Y., Simser, J.A., Kurtti, T.J. and Munderloh, U.G. 2004. Sequence and expression analysis of the *ompA* gene of *Rickettsia peacockii*, an endosymbiont of the Rocky Mountain wood tick, *Dermacentor andersoni*. *Appl. Env. Microbiol.* 70, 6628-6636.
158. Bell-Sakyi, L. 2004. *Ehrlichia ruminantium* grows in cell lines from four ixodid tick genera. *J. Comp. Pathol.* 130, 285-293.
159. Bell-Sakyi, L. 2004. Epidemiology of heartwater in Ghana and growth of *Ehrlichia ruminantium* in tick cell lines. PhD thesis, Utrecht University.
160. de la Fuente, J., Garcia-Garcia, J., Barbet, A.F., Blouin, E.F., and Kocan, K.M. 2004. Adhesion of outer membrane proteins containing tandem repeats of *Anaplasma* and *Ehrlichia* species (Rickettsiales: Anaplasmataceae) to tick cells. *Vet. Microbiol.* 98, 313-322.
161. Garcia-Garcia, J., de la Fuente, J., Blouin, E.F., Johnson, T.J., Halbur, T., Onet, V.C., Saliki, J.T. and Kocan, K.M. 2004. Differential expression of the *msp1 α* gene of *Anaplasma marginale* occurs in bovine erythrocytes and tick cells. *Vet. Microbiol.* 98, 261-272.
162. Garcia-Garcia, J., de la Fuente, J., Bell-Eunice, G., Blouin, E.F., and Kocan, K.M. 2004. Glycosylation of *Anaplasma marginale* major surface protein 1a and its putative role in adhesion to tick cells. *Infect. Immun.* 72, 3022-3030.
163. Garcia-Garcia, J., de la Fuente, J., Kocan, K.M., Blouin, E.F., Halbur, T., Onet, V.C. and Saliki, J.T. 2004. Mapping of B-cell epitopes in the N-terminal repeated peptides of *Anaplasma marginale* major surface protein 1a and characterization of the humoral immune response of cattle immunized with recombinant and whole organism antigens. *Vet. Immunol. Immunopath.* 98, 137-151.
164. Lawrie, C.H., Uzcategui, N.Y., Armesto, M., Bell-Sakyi, L. and Gould, E.A. 2004. Susceptibility of mosquito and tick cell lines to infection with various flaviviruses. *Med. Vet. Entomol.* 18, 268-274.
165. Munderloh, U.G., Lynch, M.J., Herron, M.J., Palmer, A.T., Kurtti, T.J., Nelson, R.D. and Goodman, J.L. 2004. Infection of endothelial cells with *Anaplasma marginale* and *A. phagocytophilum*. *Vet. Microbiol.* 101, 53-64.
166. Senigl, F., Kopecky, J. and Grubhoffer, L. 2004. Distribution of E and NS1 proteins of TBE virus in mammalian and tick cells. *Folia Microbiol.* 49, 213-216.
167. Simser, J.A., Macaluso, K.R., Mulenga, A. and Azad, A.F. 2004. Immune-responsive lysozymes from hemocytes of the American dog tick, *Dermacentor variabilis* and an embryonic cell line of the Rocky Mountain wood tick, *D. andersoni*. *Insect Biochem. Mol. Biol.* 34, 1235-1246.

168. Varela, A.S., Luttrell, M.P., Howerth, E.W., Moore, V.A., Davidson, W.R., Stallknecht, D.E. and Little, S.E. 2004. First culture isolation of *Borrelia lonestari*, putative agent of southern tick-associated rash illness. *J. Clin. Microbiol.* 42, 1163-1169.
169. Baldrige, G.D., Burkhardt, N.Y., Herron, M.J., Kurtti, T.J. and Munderloh, U.G. 2005. Analysis of fluorescent protein expression in transformants of *Rickettsia monacensis*, an obligate intracellular tick symbiont. *Appl. Env. Microbiol.* 71, 2095-2105.
170. Baldrige, G.D., Kurtti, T.J. and Munderloh, U.G. 2005. Susceptibility of *Rickettsia monacensis* and *Rickettsia peacockii* to cecropin A, ceratotoxin A, and lysozyme. *Curr. Microbiol.* 51, 233-238.
171. Barbet, A.F., Agnes, J.T., Moreland, A.L., Lundgren, A.M., Alleman, A.R., Noh, S.M., Brayton, K.A., Munderloh, U.G. and Palmer, G.H. 2005. Identification of functional promoters in the *msp2* expression loci of *Anaplasma marginale* and *Anaplasma phagocytophilum*. *Gene* 353, 89-97.
172. Bekker, C.P.J., Postigo, M., Taoufik, A., Bell-Sakyi, L., Ferraz, C., Martinez, D. and Jongejan, F. 2005. Transcription analysis of the major antigenic protein 1 multigene family of three in vitro-cultured *Ehrlichia ruminantium* isolates. *J. Bacteriol.* 187, 4782-4791.
173. Cossio-Bayugar, R., Miranda, E and Holman, P.J. 2005. Molecular cloning of a phospholipid-hydroperoxide glutathione peroxidase gene from the tick *Boophilus microplus* (Acari: Ixodidae). *Insect Biochem. Molec. Biol.* 35, 1378-1387.
174. Garcia, S., Billecocq, A., Crance, J-M., Munderloh, U.G., Garin, D. and Bouloy, M. 2005. Nairovirus RNA sequences expressed by a Semliki Forest virus replicon induce RNA interference in tick cells. *J. Virol.* 79, 8942-8947.
175. Kurtti, T.J., Simser, J.A., Baldrige, G.D., Palmer, A.T. and Munderloh, U.G. 2005. Factors influencing in vitro infectivity and growth of *Rickettsia peacockii* (Rickettsiales: Rickettsiaceae), an endosymbiont of the Rocky Mountain wood tick, *Dermacentor andersoni* (Acari, Ixodidae). *J. Invert. Path.* 90, 177-186.
176. Simser, J.A., Rahman, M.S., Dreher-Lesnack, S.M., Azad, A.F. (2005). A novel and naturally occurring transposon, ISRpe1 in the *Rickettsia peacockii* genome disrupting the *rlickA* gene involved in actin-based motility. *Mol. Microbiol.* 58, 71-79.
177. Singu, V., Liu, H., Cheng, C. and Ganta, R.R. 2005. *Ehrlichia chaffeensis* expresses macrophage- and tick cell-specific 28-kilodalton outer membrane proteins. *Infect. Immun.* 73, 79-87.
178. Tate, C.M., Mead, D.G., Luttrell, M.P., Howerth, E.W., Dugan, V.G., Munderloh, U.G. and Davidson, W.R. 2005. Experimental infection of white-tailed deer with *Anaplasma phagocytophilum*, etiologic agent of human granulocytic anaplasmosis. *J. Clin. Microbiol.* 43, 3595-3601.
179. Woldehiwet, Z. and Horrocks, B.K. 2005. Antigenicity of ovine strains of *Anaplasma phagocytophilum* grown in tick cells and ovine granulocytes. *J. Comp. Pathol.* 132, 322-328.
180. Bastos, C.V., das Vasconcelos, M.M.C., Ribeiro, M.F.B. and Passos, L.M.F. 2006. Use of refrigeration as a practical means to preserve viability of in vitro-cultured IDE8 tick cells. *Exp. Appl. Acarol.* 39, 347-352.
181. Felsheim, R.F., Herron, M.J., Nelson, C.M., Burkhardt, N.Y., Barbet, A.F., Kurtti, T.J. and Munderloh, U.G. 2006. Transformation of *Anaplasma phagocytophilum*. *BMC Biotechnol.* DOI: 1186/1472-6750-6-42.
182. Garcia, S., A. Billecocq, J. M. Crance, M. Prins, D. Garin, and M. Bouloy. 2006. Viral suppressors of RNA interference impair RNA silencing induced by a Semliki Forest virus replicon in tick cells. *J Gen Virol* 87, 1985-1989.
183. Kurtti, T.J., Felsheim, R.F., Mattila, J.T., Baldrige, G.D., Burkhardt, N.Y. and Munderloh, U.G. 2006. Stable transformation of a tick (*Ixodes scapularis*) cell line with the *Sleeping Beauty* transposon system. *Soc. In Vitro Biol. J.* 42, 32-A
184. Massung, R.F., Levin, M.L., Munderloh, U.G., Silverman, D.J., Lynch, M.J. and Kurtti, T.J. 2006. Isolation of *Anaplasma phagocytophilum* strain AP-Variant 1 in a tick-derived cell line. *Ann. N. Y. Acad. Sci.* 1078, 541-544.
185. Mattila, J.T., Baldrige, G.D., Felsheim, R.F., Burkhardt, N.Y., Munderloh, U.G. and Kurtti, T.J. 2006. RNAi-mediated silencing of a DsRed2-expressing *Ixodes scapularis* (Acari: Ixodidae) cell line. *In Vitro Biol. J.* 42, 32-A
186. Morimoto, S., Kurtti, T.J. and Noda, H. 2006. In vitro cultivation and antibiotic susceptibility of a *Cytophaga*-like intracellular symbiote isolated from the tick *Ixodes scapularis*. *Curr. Microbiol.* 52, 324-329.

187. Noh, S.M., Brayton, K.A., Knowles, D.P., Agnes, J.T., Dark, M.J., Brown, W.C., Baszler, T.V. and Palmer, G.H. 2006. Differential expression and sequence conservation of the *Anaplasma marginale* msp2 gene superfamily outer membrane proteins. *Infect. Immun.* 74, 3471-3479.
188. Pornwiroon, W., Pourciau, S.S., Foil, L.D. and Macaluso, K.R. 2006. *Rickettsia felis* from cat fleas: isolation and culture in a tick-derived cell line. *Appl. Env. Microbiol.* 72, 5589-5595.
189. Senigl, F., Grubhoffer, L. and Kopecky, J. 2006. Differences in maturation of tick-borne encephalitis virus in mammalian and tick cell line. *Intervirology* 49, 239-248.
190. Singu, V., Peddireddi, L., Sirigireddy, K.R., Cheng, C., Munderloh, U. and Ganta, R.R. 2006. Unique macrophage and tick cell-specific protein expression from the p28/p30-outer membrane protein multigene locus in *Ehrlichia chaffeensis* and *Ehrlichia canis*. *Cell. Microbiol.* 8, 1475-1487
191. Zwegarth, E., Josemans, A.I., Spickett, A.M., Steyn, H.C., Putterill, J., Troskie, P.C., Mtshali, M.S., Bell-Sakyi, L., Shkap, V., Fish, L., Kocan, K.M. and Blouin, E.F. 2006. *In vitro* cultivation of a South African isolate of an *Anaplasma* sp. in tick cell cultures. *Onderstepoort J. Vet. Res.* 73, 251-255.
192. Bastos, C.V., Vasconcelos, M.M.C., Ribeiro, M.F.B. and Passos, L.M.F. 2007. *In vitro* maintenance of IDE8 cells using two types of bovine serum. *Arq. Brasil. Med. Vet. Zootec.* 59, 543-546.
193. Bell-Sakyi, L., Zwegarth, E., Blouin, E.F., Gould, E.A. and Jongejan, F. 2007. Tick cell lines: tools for tick and tick-borne disease research. *Trends Parasitol.* 23, 450-457.
194. Bown, K.J., Lambin, X., Ogden, N.H., Petrovec, M., Shaw, S.E., Woldehiwet, Z., Birtles, R.J. 2007. High-resolution genetic fingerprinting of European strains of *Anaplasma phagocytophilum* by use of multilocus variable-number tandem-repeat analysis. *J. Clin. Microbiol.* 45, 1771-1776.
195. Cossio-Bayugar, R. and Miranda-Miranda, E. 2007. Heterologous gene expression in a cattle tick *Rhipicephalus microplus* embryonic cell culture. *J. Anim. Vet. Adv.* 6, 1214-1218.
196. de la Fuente, J., Blouin, E.F., Manzano-Roman, R., Naranjo, V., Almazán, C., Perez de la Lastra, J.M., Zivkovic, Z., Jongejan, F. and Kocan, K.M. 2007. Functional genomic studies of tick cells in response to infection with the cattle pathogen, *Anaplasma marginale*. *Genomics* 90: 712-722.
197. Ganta, R.R., Cheng, C., Miller, E.C., McGuire, B.L., Peddireddi, L., Sirigireddy, K.R. and Chapes, S.K. 2007. Differential clearance and immune responses to tick cell-derived versus macrophage culture-derived *Ehrlichia chaffeensis* in mice. *Infect. Immun.* 75, 135-145.
198. Massung, R.F., Levin, M.L., Munderloh, U.G., Silverman, D.J., Lynch, M.J., Gaywee, J.K. and Kurtti, T.J. 2007. Isolation and propagation of the AP-Variant 1 strain of *Anaplasma phagocytophilum* in a tick cell line. *J. Clin. Microbiol.* 45, 2138-2143.
199. Mattila, J.T., Munderloh, U.G. and Kurtti, T.J. 2007. Phagocytosis of the Lyme disease spirochete, *Borrelia burgdorferi*, by cells of the ticks, *Ixodes scapularis* and *Dermacentor andersoni*, infected with an endosymbiont, *Rickettsia peacockii*. *J. Insect Sci.* 7, 58, available online: insectscience.org/7.58.
200. Mattila, J.T., Burkhardt, N.Y., Hutcheson, H.J., Munderloh, U.G. and Kurtti, T.J. 2007. Isolation of cell lines and a rickettsial endosymbiont from the soft tick *Carios capensis* (Acari: Argasidae: Ornithodorinae). *J. Med. Entomol.* 44, 1091-1101.
201. Mattila, J.T., Munderloh, U.G. and Kurtti, T.J. 2007. *Rickettsia peacockii*, an endosymbiont of *Dermacentor andersoni*, does not elicit or inhibit humoral immune responses from immunocompetent *D. andersoni* or *Ixodes scapularis* cell lines. *Dev. Comp. Immunol.* 31, 1095-1106.
202. Munderloh, U.G., Yabsley, M.J., Murphy, S.M., Luttrell, M.P. and Howerth, E.W. 2007. Isolation and establishment of the raccoon Ehrlichia-like agent in tick cell culture. *Vector-borne Zoonot. Dis.* 7, 418-425. doi:10.1089/vbz.2007.0640
203. Sakamoto, J., Azad, A.F. 2007. Propagation of arthropod-borne *Rickettsia* spp. in two mosquito cell lines. *Appl. Environ. Microbiol.* 73, 6637-6643.
204. Blouin, E.F., Manzano-Roman, R., de la Fuente, J. and Kocan, K.M. 2008. Defining the role of subolesin in tick cell culture by use of RNA interference. *Ann. N. Y. Acad. Sci.* 1149, 41-44.
205. de la Fuente, J., Blouin, E.F., Manzano-Roman, R., Naranjo, V., Almazan, C., Perez de la Lastra, J.M., Zivkovic, Z., Massung, R.F., Jongejan, F. and Kocan, K.M. 2008. Differential expression of the tick-protective antigen, subolesin, in *Anaplasma marginale* and *A. phagocytophilum* infected host cells. *Ann. N. Y. Acad. Sci.* 1149, 27-35.
206. Esteves, E., Lara, F.A., Lorenzini, D.M., Costa, G.H.N., Fukuzawa, A.H., Pressinotti, L.N., Silva, J.R.M.C., Ferro, J.A., Kurtti, T.J., Munderloh, U.G. and Daffre, S. 2008. Cellular and molecular characterization of an

- embryonic cell line (BME26) from the tick *Rhipicephalus (Boophilus) microplus*. Insect Biochem. Mol. Biol. 38, 568-580.
207. Kurtti, T.J. and Keyhani, N.O. 2008. Intracellular infection of tick cell lines by the entomopathogenic fungus *Metarhizium anisopliae*. Microbiology 154, 1700-1709.
208. Kurtti, T.J., Mattila, J.T., Herron, M.J., Felsheim, R.F., Baldrige, G.D., Burkhardt, N.Y., Blazar, B.R., Hackett, P.B., Meyer, J.M. and Munderloh, U.G. 2008. Transgene expression and silencing in a tick cell line: A model system for functional tick genomics. Insect Biochem. Molec. Biol. 38, 963-968.
209. Mitzel, D.N., Best, S.M., Masnick, M.F., Porcella, S.F., Wolfinbarger, J.B. and Bloom, M.E. 2008. Identification of genetic determinants of a tick-borne flavivirus associated with host-specific adaptation and pathogenicity. Virology 381, 268-276.
210. Mosqueda, J., Cossio-Bayugar, R., Rodriguez, E., Falcon, A., Ramos, A., Figueroa, J.V. and Alvarez, A. 2008. Primary midgut, salivary gland, and ovary cultures from *Boophilus microplus*. Ann. N. Y. Acad. Sci. 1149, 49-52.
211. Nelson, C.M., Herron, M.J., Felsheim, R.F., Schloeder, B.R., Grindle, S.M., Chavez, A.O., Kurtti, T.J. and Munderloh, U.G. 2008. Whole genome transcription profiling of *Anaplasma phagocytophilum* in human and tick host cells by tiling array analysis. BMC Genomics 9, 364.
212. Noh, S.M., Brayton, K.A., Brown, W.C., Norimine, J., Munske, G.R., Davitt, C.M. and Palmer, G.H. 2008. Composition of the surface proteome of *Anaplasma marginale* and its role in protective immunity induced by outer membrane immunization. Infect. Immun. 76, 2219-2226.
213. Postigo, M., Taoufik, A., Bell-Sakyi, L., Bekker, C. P. J., de Vries, E., Morrison W. I. and Jongejan, F. 2008. Host cell-specific protein expression *in vitro* in *Ehrlichia ruminantium*. Vet. Microbiol. 128, 136-147.
214. Ruzek, D., Bell-Sakyi, L., Kopecky, J. and Grubhoffer, L. 2008. Growth of tick-borne encephalitis virus (European subtype) in cell lines from vector and non-vector ticks. Virus Res. 137, 142-146.
215. Seo, G., Cheng, C., Tomich, J. and Ganta, R.R. 2008. Total, membrane, and immunogenic proteomes of macrophage- and tick cell-derived *Ehrlichia chaffeensis* evaluated by liquid chromatography-tandem mass spectrometry and MALDI-TOF methods. Infect. Immun. 76, 4823-4832.
216. Sunyakumthorn, P., Bourchookarn, A., Pornwiroon, W., David, C., Barker, S.A. and Macaluso, K.R. 2008. Characterization and growth of polymorphic *Rickettsia felis* in a tick cell line. Appl. Env. Microbiol. 74, 3151-3158.
217. Yabsley, M.J., Murphy, S.M., Luttrell, M.P., Wilcox, B.R. and Ruckdeschel, C. 2008. Raccoons (*Procyon lotor*), but not rodents, are natural and experimental hosts for an ehrlichial organism related to "Candidatus Neoehrlichia mikurensis". Vet. Microbiol. 131, 301-308.
218. Yoshii, K., Goto, A., Kawakami, K., Kariwa, H. and Takashima, I. 2008. Construction and application of chimeric virus-like particles of tick-borne encephalitis virus and mosquito-borne Japanese encephalitis virus. J. Gen. Virol. 89, 200-211.
219. Zwegarth, E., Josemans, A.I. and Steyn, H.C. 2008. *In vitro* isolation of *Ehrlichia ruminantium* from ovine blood into *Ixodes scapularis* (IDE8) cell cultures. Onderstepoort J. Vet. Res. 75, 121-126.
220. Bao, W., Kumagai, Y., Yamaguchi, M., Miura, K. and Rikihisa, Y. 2009. Four virB6 paralogs and virB9 are expressed and interact in *Ehrlichia chaffeensis*-containing vacuoles. J. Bacteriol. 191, 278-286.
221. Bastos, C.V., Passos, L.M.F., Vasconcelos, M.M.C. and Ribeiro, M.F.B. 2009. *In vitro* establishment and propagation of a Brazilian strain of *Anaplasma marginale* with appendage in IDE8 (*Ixodes scapularis*) cells. Brazilian J. Microbiol. 40, 399-403.
222. Bell-Sakyi, L., Ruzek, D. and Gould, E.A. 2009. Continuous cell lines from the soft tick *Ornithodoros moubata*. Exp. Appl. Acarol. 49, 209-219.
223. Billeter, S.A., Diniz, P.P.V.P., Battisti, J.M., Munderloh, U.G., Breitschwerdt, E.B. and Levy, M.G. 2009. Infection and replication of *Bartonella* species within a tick cell line. Exp. Appl. Acarol. DOI 10.1007/s10493-009-9255-1
224. de Abreu, L.A., Fabres, A., Esteves, E., Masuda, A., Vaz, I.S., Daffre, S. and Logullo, C. 2009. Exogenous insulin stimulates glycogen accumulation in *Rhipicephalus (Boophilus) microplus* embryo cell line BME26 via P13K/AKT pathway. Comp. Biochem. Physiol. Part B 153, 185-190.
225. Esteves, E., Bastos, C.V., Zivkovic, Z., de la Fuente, J., Kocan, K.M., Blouin, E.F., Ribeiro, M.F.B., Passos, L.M.F. and Daffre, S. 2009. Propagation of a Brazilian isolate of *Anaplasma marginale* with appendage in a tick cell line (BME26) derived from *Rhipicephalus (Boophilus) microplus*. Vet. Parasitol. 161, 150-153.

226. Felsheim, R.F., Oliva Chavez, A.S., Palmer, G.H., Crosby, L., Barbet, A.F., Kurtti, T.J. and Munderloh, U.G. 2009. Transformation of *Anaplasma marginale*. *Vet. Parasitol.* 167, 167-174.
227. Kurscheid, S., Lew-Tabor, A.E., Valle, M.R., Bruyeres, A.G., Doogan, V.J., Munderloh, U.G., Guerrero, F.D., Barrero, R.A. and Bellgard, M.I. 2009. Evidence of a tick RNAi pathway by comparative genomics and reverse genetics screen of targets with known loss-of-function phenotypes in *Drosophila*. *BMC Molec. Biol.* 10, 26.
228. Munderloh, U.G., Silverman, D.J., MacNamara, K.C., Ahlstrand, G.G., Chatterjee, M. and Winslow, G.M. 2009. *Ixodes ovatus Ehrlichia* exhibits unique ultrastructural characteristics in mammalian endothelial and tick-derived cells. *Ann. N.Y. Acad. Sci.* 1166, 112-119.
229. Peddireddi, L., Cheng, C. and Ganta, R.R. 2009. Promoter analysis of macrophage- and tick cell-specific differentially expressed *Ehrlichia chaffeensis* p28-Omp genes. *BMC Microbiol.* 9, 99.
230. Ribeiro, M.F.B., Bastos, C.V., Vasconcelos, M.M.C. and Passos, L.M.F. 2009. *Babesia bigemina*: *In vitro* multiplication of sporokinetes in *Ixodes scapularis* (IDE8) cells. *Exp. Parasitol.* 122, 192-195.
231. Schrauf, S., Mandl, C.W., Bell-Sakyi, L. and Skern, T. 2009. Extension of flavivirus protein C differentially affects early RNA synthesis and growth in mammalian and arthropod host cells. *J. Virol.* 83, 11201-11210.
232. Socolovschi, C., Mediannikov, O., Raoult, D. and Parola, P. 2009. The relationship between spotted fever group *Rickettsiae* and ixodid ticks. *Vet. Res.* 40, 34.
233. Uchiyama, T., Ogawa, M., Kishi, M., Yamashita, T., Kishimoto, T. and Kurane, I. 2009. Restriction of the growth of typhus group rickettsiae in tick cells. *Clin. Microbiol. Infect.* 15 (Suppl 2), 332-333.
234. Zivkovic, Z., Blouin, E.F., Manzano-Roman, R., Almazan, C., Naranjo, V., Massung, R.F., Jongejan, F., Kocan, K.M., and de la Fuente, J. 2009. *Anaplasma phagocytophilum* and *Anaplasma marginale* elicit different gene expression responses in cultured tick cells. *Comp. Funct. Genomics* Vol 2009, Article ID 705034, doi:10.1155/2009/705034

2010s

235. Baldrige, G.D., Burkhardt, N.Y., Labruna, M.B., Pacheco, R.C., Paddock, C.D., Williamson, P.C., Billingsley, P.M., Felsheim, R.F., Kurtti, T.J. and Munderloh, U.G. 2010. Low copy number plasmids are widely dispersed in *Rickettsia* species associated with blood-feeding arthropods and may have multiple origins. *Appl. Env. Microbiol.* doi:10.1128/AEM.02988-09
236. de la Fuente, J., Kocan, K.M., Blouin, E.F., Zivkovic, Z., Naranjo, V., Almazan, C., Esteves, E., Jongejan, F., Daffre, S. and Mangold, A.J. 2010. Functional genomics and evolution of tick-*Anaplasma* interactions and vaccine development. *Vet. Parasitol.* 167, 175-186.
237. Huang, B., Troese, M.J., Howe, D., Ye, S., Sims, J.T., Heinzen, R.A., Borjesson, D.L. and Carlyon, J.T. 2010. *Anaplasma phagocytophilum* APH_0032 is expressed late during infection and localizes to the pathogen-occupied vacuolar membrane. *Microbial. Pathogenesis* 49, 273-284.
238. Huang, B., Troese, M.J., Ye, S., Sims, J.T., Galloway, N.L., Borjesson, D.L. and Carlyon, J.T. 2010. *Anaplasma phagocytophilum* APH_1387 is expressed throughout bacterial intracellular development and localizes to the pathogen-occupied vacuolar membrane. *Infect. Immun.* 78, 1864-1873.
239. Lallinger, G., Zwegarth, E., Bell-Sakyi, L. and Passos, L.M.F. 2010. Cold storage and cryopreservation of tick cell lines. *Parasites Vectors* 3:37.
240. Mediannikov, O., Fenollar, F., Socolovschi, C., Diatta, G., Bassene, H., Molez, J-F., Sokhna, C., Trape, J-F. and Raoult, D. 2010. *Coxiella burnetii* in humans and ticks in rural Senegal. *PLOS Negl. Trop. Dis.* 4(4) e654.
241. Meyer, J.M., Kurtti, T.J., van Zee, J.P. and Hill, C.A. 2010. Genome organization of major tandem repeats in the hard tick *Ixodes scapularis*. *Chromosome Res.* DOI 10.1007/s10577-010-9120-4
242. Pedra, J.H.F., Narasimhan, S., Rendic, D., DePonte, K., Bell-Sakyi, L., Wilson, I.B.H. and Fikrig, E. 2010. Fucosylation enhances colonization of ticks by *Anaplasma phagocytophilum*. *Cell. Microbiol.* 12, 1222-1234.
243. Ramabu, S.S., Ueti, M.W., Brayton, K.A., Baszler, T.V. and Palmer, G.H. 2010. Identification of *Anaplasma marginale* proteins specifically upregulated during colonization of the tick vector. *Infect. Immun.* 78, 3047-3052.
244. Sultana, H., Neelakanta, G., Kantor, F.S., Malawista, S.E., Fish, D., Montgomery, R.R. and Fikrig, E. 2010. *Anaplasma phagocytophilum* induces actin phosphorylation to selectively regulate gene transcription in *Ixodes scapularis* ticks. *J. Exp. Med.* 207, 1727-1743.

245. Thepparit, C., Bourchookarn, A., Petchampai, N., Barker, S.A. and Macaluso, K.R. 2010. Interaction of *Rickettsia felis* with histone H2B facilitates the infection of a tick cell line. *Microbiology* 156, 2855-2863.
246. Villar, M., Ayllon, N., Busby, A.T., Galindo, R.C., Blouin, E.F., Kocan, K.M., Bonzon-Kulichenko, E., Zivkovic, Z., Almazan, C., Torina, A., Vazquez, J. and de la Fuente, J. 2010. Expression of heat shock and other stress response proteins in ticks and cultured tick cells in response to *Anaplasma* spp. infection and heat shock. *Int. J. Proteomics* 2010, 657261
247. Woldehiwet, Z. 2010. In-vitro studies on the susceptibility of ovine strains of *Anaplasma phagocytophilum* to antimicrobial agents and to immune serum. *J. Comp. Pathol.* doi:10.1016/j.jcpa.2010.01.005
248. Zivkovic, Z., Esteves, E., Almazan, C., Daffre, S., Nijhof, A.M., Kocan, K.M., Jongejan, F. and de la Fuente, J. 2010. Differential expression of genes in salivary glands of male *Rhipicephalus (Boophilus) microplus* in response to infection with *Anaplasma marginale*. *BMC Genomics* 11, 186, <http://www.biomedcentral.com/1471-2164/11/186>
249. Engel, A.R., Mitzel, D.N., Hanson, C.T., Wolfinbarger, J.B., Bloom, M.E. and Pletnev, A.G. 2011. Chimeric tick-borne encephalitis/dengue virus is attenuated in *Ixodes scapularis* ticks and *Aedes aegypti* mosquitoes. *Vector-borne Zoonot. Dis.* 11, 665-674.
250. Gaumann, R., Ruzek, D., Muhlemann, K., Strasser, M. and Beuret, C.M. 2011. Phylogenetic and virulence analysis of tick-borne encephalitis virus field isolates from Switzerland. *J. Med. Virol.* 83, 853-863.
251. Herrin, B., Mahapatra, S., Blouin, E.F. and Shaw, E.I. 2011. Growth of *Coxiella burnetii* in the *Ixodes scapularis*-derived IDE8 tick cell line. *Vector-borne Zoonot. Dis.* 11, 917-922.
252. Huang, B., Ojogun, N., Ragland, S.A. and Carlyon, J.A. 2011. Monoubiquitinated proteins decorate the *Anaplasma phagocytophilum*-occupied vacuolar membrane. *FEMS Immunol. Med. Microbiol.* 64, 32-41.
253. Kuriakose, J.A., Miyashiro, S., Luo, T., Zhu, B. and McBride, J.W. 2011. *Ehrlichia chaffeensis* transcriptome in mammalian and arthropod hosts reveals differential gene expression and post transcriptional regulation. *PLoS ONE* 6(9): e24136. doi:10.1371/journal.pone.0024136
254. Liu, L., Narasimhan, S., Dai, J., Zhang, L., Cheng, G. and Fikrig, E. 2011. *Ixodes scapularis* salivary protein P11 facilitates migration of *Anaplasma phagocytophilum* from the tick gut to salivary glands. *EMBO Reports* 12, 1196-1203.
255. Najm, N-A., Silaghi, C., Bell-Sakyi, L., Pfister, K. and Passos, L.M.F. 2011. Detection of bacteria related to *Candidatus* Midichloria mitochondrii in tick cell lines. *Parasitol. Res.* DOI 10.1007/s00436-011-2509-y.
256. Pritt, B.S., Sloan, L.M., Johnson, D.K.H., Munderloh, U.G., Paskewitz, S.M., McElroy, K.M., McFadden, J.D., Binnicker, M.J., Neitzel, D.F., Liu, G., Nicholson, W.L., Nelson, C.M., Franson, J.J., Martin, S.A., Cunningham, S.A., Steward, C.R., Bogumill, K., Bjorgaard, M.E., Davis, J.P., McQuiston, J.H., Warshauer, D.M., Wilhelm, M.P., Patel, R., Trivedi, V.A., Eremeeva, M.E. (2011). Emergence of a new pathogenic Ehrlichia species, Wisconsin and Minnesota, 2009. *N.Engl. J. Med.* 365, 422-429.
257. Ramabu, S.S., Schneider, D.A., Brayton, K.A., Ueti, M.W., Graca, T., Futse, J.E., Noh, S.M., Baszler, T.V., Palmer, G.H. (2011). Expression of *Anaplasma marginale* ankyrin repeat-containing proteins during infection of the mammalian host and tick vector. *Infect. Immun.* 79, 2847-2855.
258. Silaghi, C., Kauffmann, M., Passos, L.M.F., Pfister, K. and Zweggarth, E. 2011. Isolation, propagation and preliminary characterisation of *Anaplasma phagocytophilum* from roe deer (*Capreolus capreolus*) in the tick cell line IDE8. *Ticks Tick-borne Dis.* 2, 204-208.
259. Thepparit, C., Sunyakumthorn, P., Guillotte, M.L., Popov, V.L., Foil, L.D. and Macaluso, K.R. 2011. Isolation of a rickettsial pathogen from a non-hematophagous arthropod. *PLoS ONE* 6(1): e16396. doi:10.1371/journal.pone.0016396
260. Tucker, A.M., Driskell, L.O., Pannell, L.K. and Wood, D.O. 2011. Differential proteomic analysis of *Rickettsia prowazekii* propagated in diverse host backgrounds. *Appl. Env. Microbiol.* 77, 4712-4718.
261. Alberdi, M.P., Dalby, M.J., Rodriguez-Andres, J., Fazakerley, J.K., Kohl, A. and Bell-Sakyi, L. 2012. Detection and identification of putative bacterial endosymbionts and endogenous viruses in tick cell lines. *Ticks Tick-borne Dis.* 3, 137-146.
262. Alberdi, M.P., Nijhof, A.M., Jongejan, F. and Bell-Sakyi, L. 2012. Tick cell culture isolation and growth of *Rickettsia raoultii* from Dutch *Dermacentor reticulatus* ticks. *Ticks Tick-borne Dis.* 3, 349-354. doi.org/10.1016/j.ttbdis.2012.10.020
263. Bell-Sakyi, L., Kohl, A., Bente, D.A. and Fazakerley, J.F. 2012. Tick cell lines for study of Crimean-Congo hemorrhagic fever virus and other arboviruses. *Vector-Borne Zoonot. Dis.* 12, 769-781.

264. Cabezas Cruz, A., Zwegarth, E., Ribeiro, M.F.B., da Silveira, J.A.G., de la Fuente, J., Grubhoffer, L., Valdes, J.J. and Passos, L.M.F. 2012. New species of *Ehrlichia* isolated from *Rhipicephalus (Boophilus) microplus* shows an ortholog of the *E. canis* major immunogenic glycoprotein gp36 with a new sequence of tandem repeats. *Parasites Vectors* 5, 291.
265. Dedonder, S.E., Cheng, C., Willard, L.H., Boyle, D.L. and Ganta, R.R. 2012. Transmission electron microscopy reveals distinct macrophage- and tick cell-specific morphological stages of *Ehrlichia chaffeensis*. *PLoS One* 7(5), e36749.
266. Lasmar, P.V.F., de Carvalho, A.U., Filho, E.J.F., Bastos, C.V., Ribeiro, M.F.B. (2012). Evaluating the effectiveness of an inactivated vaccine from *Anaplasma marginale* derived from tick cell culture. *Rev. Bras. Parasitol. Vet.* 21, 112-117.
267. Mediannikov, O., Subramanian, G., Sekeyova, Z., Bell-Sakyi, L. and Raoult, D. 2012. Isolation of *Arsenophonus nasoniae* from *Ixodes ricinus* ticks in Slovakia. *Ticks Tick-borne Dis.* 3, 366-369.
268. Offerdahl, D.K., Dorward, D.W., Hansen, B.T. and Bloom, M.E. 2012. A three-dimensional comparison of tick-borne flavivirus infection in mammalian and tick cell lines. *PLoS ONE* 7(10). E47912.
269. Oliva Chavez, A.S., Felsheim, R.F., Kurtti, T.J., Ku, P-S., Brayton, K. and Munderloh, U.G. 2012. Expression patterns of *Anaplasma marginale msp2* variants change in response to growth in cattle, and tick cells versus mammalian cells. *PLoS ONE* 7(4), e36012.
270. Passos, L.M.F. 2012. *In vitro* cultivation of *Anaplasma marginale* and *A. phagocytophilum* in tick cell lines: a review. *Rev. Bras. Parasitol. Vet. Jaboticabal* 21, 81-86.
271. Rezende, J., Rangel, C.P., Cunha, N.C. and Fonseca, A.H. 2012. Primary embryonic cells of *Rhipicephalus microplus* and *Amblyomma cajennense* ticks as a substrate for the development of *Borrelia burgdorferi* (strain G39/40). *Braz. J. Biol.* 72, 577-582.
272. Saramago, L., Franceschi, M., Logullo, C., Masuda, A., da Silva Vaz, I., Farias, S.E. and Moraes, J. 2012. Inhibition of enzyme activity of *Rhipicephalus (Boophilus) microplus* triosephosphate isomerase and BME26 cell growth by monoclonal antibodies. *Int. J. Mol. Sci.* 13, 13118-13133.
273. Uchiyama, T. 2012. Tropism and pathogenicity of rickettsiae. *Frontiers Microbiol.* 3, 30.
274. Woldehiwet, Z. and Yavari, C. 2012. Evaluation of an indirect enzyme-linked immunosorbent assay (ELISA) for the detection of antibodies against *Anaplasma phagocytophilum* in sheep. *J. Comp. Pathol.* 146, 116-121.
275. Ayllon, N., Villar, M., Busby, A.T., Kocan, K.M., Blouin, E.F., Bonzon-Kulichenko, E., Galindo, R.C., Mangold, A.J., Alberdi, P., Perez de la Lastra, J.M., Vazquez, J. and de la Fuente, J. 2013. *Anaplasma phagocytophilum* inhibits apoptosis and promotes cytoskeleton rearrangement for infection of tick cells. *Infect. Immun.* 81, 2415-2425.
276. Barry, G., Alberdi, P., Schnettler, E., Weisheit, S., Kohl, A., Fazakerley, J.K. and Bell-Sakyi, L. 2013. Gene silencing in tick cell lines using small interfering or long double-stranded RNA. *Exp. Appl. Acarol.* 59, 319-338.
277. Bell-Sakyi, L., and Attoui, H. 2013. Endogenous tick viruses and modulation of tick-borne pathogen growth. *Frontiers Cell. Infect. Microbiol.* 3, 25.
278. Cabezas-Cruz A., Vancova, M., Zwegarth, E., Ribeiro, M.F.B., Grubhoffer, L. and Passos, L.M.F. 2013. Ultrastructure of *Ehrlichia mineirensis*, a new member of the *Ehrlichia* genus. *Vet. Microbiol.* 167, 455-458.
279. Cheng, C., Nair, A.D.S., Indukuri, V.V., Gong, S., Felsheim, R.F., Jaworski, D., Munderloh, U.G. and Ganta, R.R. 2013. Targeted and random mutagenesis of *Ehrlichia chaffeensis* for the identification of genes required for *in vivo* infection. *PLoS Pathog* 9(2): e1003171.
280. De Abreu, L.A., Calixto, C., Waltero, C.F., Della Noce, B.P., Githaka, N.W., Seixas, A., Parizi, L.F., Konnai, S., da Silva Vaz, I., Ohashi, K and Logullo, C. 2013. The conserved role of the AKT/GSK3 axis in cell survival and glycogen metabolism in *Rhipicephalus (Boophilus) microplus* embryo tick cell line BME26. *Biochim. Biophys. Acta* 1830, 2574-2582.
281. Dyachenko, V., Geiger, C., Pantchev, N., Majzoub, M., Bell-Sakyi, L., Krupka, I. and Straubinger, R.K. 2013. Isolation of canine *Anaplasma phagocytophilum* strains from clinical blood samples using the *Ixodes ricinus* cell line IRE/CTVM20. *Vet. Microbiol.* 162, 980-986.

282. Ferrari, F.A.G., Goddard, J., Moraru, G.M., Smith, W.E.C. and Varela-Stokes, A.S. 2013. Isolation of "*Candidatus Rickettsia andeanae*" (Rickettsiales: Rickettsiaceae) in embryonic cells of naturally infected *Amblyomma maculatum* (Ixodida: Ixodidae). *J. Med. Entomol.* 50, 1118-1125.
283. Gomes, H., Romeiro, N.C., Braz, G.R.C., de Oliveira, E.A.G., Rodrigues, C., da Fonseca, R.N., Githaka, N., Isezaki, M., Konnai, S., Ohashi, K., da Silva Vaz, I., Logullo, C. and Moraes, J. 2013. Identification and structural-functional analysis of cyclin-dependent kinases of the cattle tick *Rhipicephalus (Boophilus) microplus*. *PLoS ONE* 8(10): e76128.
284. Hammac, G.K., Ku, P-S., Galletti, M.F., Noh, S.M., Scoles, G.A., Palmer, G.H. and Brayton, K.A. 2013. Protective immunity induced by immunization with a live, cultured *Anaplasma marginale* strain. *Vaccine* 31, 3617-3622.
285. Kahlon, A., Ojogun, N., Ragland, S.A., Seidman, D., Troese, M.J., Ottens, A.K., Mastronunzio, J.E., Truchan, H.K., Walker, N.J., Borjesson, D.L., Fikrig, E. and Carlyon, J.A. 2013. *Anaplasma phagocytophilum* Asp14 is an invasin that interacts with mammalian host cells via its C terminus to facilitate infection. *Infect. Immun.* 81, 65-79.
286. Kenniel, R., Shkap, V., Leibovich, B., Zwegarth, E., Pfister, K., Ribeiro, M.F.B. and Passos, L.M.F. 2013. Cross-protection between geographically distinct *Anaplasma marginale* isolates appears to be constrained by limited antibody responses. *Transboundary Emerg. Dis.* 60 (Suppl. 2), 97-104.
287. Lorusso, V., Gruszka, K.A., Majekodunmi, A., Igweh, A., Welburn, S.C., Picozzi, K. (2013). *Rickettsia africae* in *Amblyomma variegatum* ticks, Uganda and Nigeria. *Emerg. Infect. Dis.* 19, 1705-1707.
288. Madani, T.A., Abuelzein, E.M.E., Bell-Sakyi, L., Azhar, E.I., Al-Bar, H.M.S., Abu-Araki, H., Hassan, A.M., Masri, B.E. and Ksiazek, T.G. 2013. Susceptibility of tick cell lines to infection with Alkhumra haemorrhagic fever virus. *Trans. R. Soc. Trop. Med. Hyg.* 107, 806-811.
289. Oltean, B.M., Ernst, M., Renneker, S., Bakheit, M.A., Seitzer, U. and Ahmed, J. 2013. Whole antigenic lysates of *Ixodes ricinus*, but not Der-p2 allergen-like protein, are potent inducers of basophil activation in previously tick-exposed human hosts. *Transboundary Emerg. Dis.* 60 (Suppl. 2), 162-171.
290. Tate, C.M., Howerth, E.W., Mead, D.G., Dugan, V.G., Luttrell, M.P., Sahara, A.I., Munderloh, U.G., Davidson, W.R., Yabsley, M.J. (2013). *Anaplasma odocoilei* sp. nov. (family Anaplasmataceae) from white-tailed deer (*Odocoileus virginianus*). *Ticks Tick-borne Dis.* 4, 110-119.
291. Yoshii, K., Yanagihara, N., Ishizuka, M., Sakai, M. and Kariwa, H. 2013. N-linked glycan in tick-borne encephalitis virus envelope protein affects viral secretion in mammalian cells, but not in tick cells. *J. Gen. Virol.* 94, 2249-2258.
292. Zwegarth, E., Schol, H., Lis, K., Cabezas-Cruz, A., Thiel, C., Silaghi, C., Ribeiro, M.F.B. and Passos, L.M.F. 2013. *In vitro* culture of a novel genotype of *Ehrlichia* sp. from Brazil. *Transboundary Emerg. Dis.* 60 (Suppl. 2), 86-92.
293. Antunes, S., Merino, O., Mosqueda, J., Moreno-Cid, J.A., Bell-Sakyi, L., Fragkoudis, R., Weisheit, S., Perez de la Lastra, J.M., Alberdi, P., Domingos, A. and de la Fuente, J. 2014. Tick capillary feeding for the study of proteins involved in tick-pathogen interactions as potential antigens for the control of tick infestation and pathogen infection. *Parasites Vectors* 7, 42.
294. Ciota, A.T., Payne, A.F., Ngo, K.A., Kramer, L.D. (2014). Consequences of *in vitro* host shift for St. Louis encephalitis virus. *J. Gen. Virol.* 95, 1281-1288.
295. Crosby, F.L., Wamsley, H.L., Pate, M.G., Lundgren, A.M., Noh, S.N., Munderloh, U.G., Barbet, A.F. (2014). Knockout of an outer membrane protein operon of *Anaplasma marginale* by transposon mutagenesis. *BMC Genomics* 15, 278.
296. Crosby, F.L., Brayton, K.A., Magunda, F., Munderloh, U.G., Kelley, K.L., Barbet, A.F. (2014). Reduced infectivity in cattle for an outer membrane protein mutant of *Anaplasma marginale*. *Appl. Environ. Microbiol.* 81, 2206-2214.
297. Gillespie, J.J., Driscoll, T.P., Verhoeve, V.I., Utsuki, T., Husseneder, C., Chouljenko, V.N., Azad, A.F., Macaluso, K.R. 2014. Genomic diversification in strains of *Rickettsia felis* isolated from different arthropods. *Genome Biol. Evol.* 7, 35-56.
298. Hammac, G.K., Pierle, S.A., Cheng, X., Scoles, G.A., Brayton, K.A. (2014). Global transcriptional analysis reveals surface remodeling of *Anaplasma marginale* in the tick vector. *Parasites Vectors* 7, 193.

299. Kenney, J.L., Solberg, O.D., Langevin, S.A. and Brault, A.C. 2014. Characterization of a novel insect-specific flavivirus from Brazil: potential for inhibition of infection of arthropod cells with medically important flaviviruses. *J. Gen. Virol.* 95, 2796-2808.
300. Ledermann, J.P., Zeidner, N., Borland, E.M., Mutebi, J-P., Lanciotti, R.S., Miller, B.R., Lutwamam J.J., Tendo, J.M., Andama, V., Powers, A.M. (2014). Sunguru virus: a novel virus in the family Rhabdoviridae isolated from a chicken in north-western Uganda. *J. Gen. Virol.* 95, 1436-1443.
301. Lis, K., Najm, N., de la Fuente, J., de Mara, I.F., Zweygarth, E., Pfister, K. and Passos, L.M.F. 2014. Use of Percoll gradients to purify *Anaplasma marginale* (Rickettsiales: Anaplasmataceae) from tick cell cultures. *Ticks Tick-borne Dis.* 5, 511-515.
302. Marayuma, S.R., Castro-Jorge, L.A., Ribeiro, J.M.C., Gardanassi, L.G., Garcia, G.R., Brandao, L.G., Rodrigues, A.R., Okada, M.I., Abrao, E.P., Ferreira, B.R., da Fonseca, B.A.L., de Miranda-Santos, I.K.F. (2014). Characterisation of divergent flavivirus NS3 and NS5 protein sequences detected in *Rhipicephalus microplus* ticks from Brazil. *Mem. Inst. Oswaldo Cruz* 109, 38-50.
303. Mediannikov, O. and Fenollar, F. 2014. Looking in ticks for human bacterial pathogens. *Microb. Pathogen.* 77, 142-148.
304. Mediannikov, O., Nguyen, T., Bell-Sakyi, L., Padmanabhan, R., Fournier, P., Raoult, D. (2014) Genome sequence and description of *Occidentia massiliensis* gen. nov., sp. nov., a new member of the family Rickettsiaceae. *Standards in Genomic Sciences* 9, 9.
305. Mlera, L., Melik, W., Bloom, M.E. (2014). The role of viral persistence in flavivirus biology. *Pathogens Dis.* 71, 137-163.
306. Moniuszko, A., Rueckert, C., Alberdi, M.P., Barry, G., Stevenson, B., Fazakerley, J.K., Kohl, A. and Bell-Sakyi, L. 2014. Coinfection of tick cell lines has variable effects on replication of intracellular bacterial and viral pathogens. *Ticks Tick-borne Dis.* 5, 415-422.
307. Nair, A.D.S., Cheng, C., Jaworski, D.C., Willard, L.H., Sanderson, M.W., Ganta, R.R. (2014). *Ehrlichia chaffeensis* infection in the reservoir host (white-tailed deer) and in an incidental host (dog) is impacted by its prior growth in macrophage and tick cell environments. *PLoS ONE* 9, e109056.
308. Oliver, J.D., Burkhardt, N.Y., Felsheim, R.F., Kurtti, T.J., Munderloh, U.G. (2014). Motility characteristics are altered for *Rickettsia bellii* transformed to overexpress a heterologous *rickA* gene. *Appl. Environ. Microbiol.* 80, 1170-1176.
309. Petchampai, N., Sunyakumthorn, P., Guillotte, M.L., Thepparit, C., Kearney, M.T., Mulenga, A., Azad, A.F., Macaluso, K.R. (2014). Molecular and functional characterization of vacuolar-ATPase from the American dog tick *Dermacentor variabilis*. *Insect Molec. Biol.* 23, 42-51.
310. Pohl, P.C., Carvalho, D.D., Daffre, S., da Silva Vaz, I. and Masuda, A. 2014. *In vitro* establishment of ivermectin-resistant *Rhipicephalus microplus* cell line and the contribution of ABC transporters on the resistance mechanism. *Vet. Parasitol.* 204, 316-322.
311. Sayler, K.A., Wamsley, H.L., Pate, M., Barbet, A.F. and Alleman, A.R. 2014. Cultivation of *Rickettsia amblyommii* in tick cells, prevalence in Florida lone star ticks (*Amblyomma americanum*). *Parasites Vectors* 7, 270.
312. Schnettler, E., Tykalová, H., Watson, M., Sharma, M., Sterken, M.G., Obbard, D.J., Lewis, S.H., McFarlane, M., Bell-Sakyi, L., Barry, G., Weisheit, S., Best, S.M., Kuhn, R.J., Pijlman, G.B., Chase-Topping, M.E., Gould, E.A., Grubhoffer, L., Fazakerley, J.K., Kohl, A. 2014. Induction and suppression of tick cell antiviral RNAi responses by tick-borne flaviviruses. *Nucleic Acids Res.* 42, 9436-9446.
313. Schuler, A.D., de Oliveira, C.J.L., Coutinho, M.L., Vaz, I.S. (2014). Characterization of *Rhipicephalus microplus* glycogen synthase kinase 3 beta protein by inhibition assays. *Acta Sci. Vet.* 42, 1254.
314. Seidman, D., Ojogun, N., Walker, N.J., Mastronunzio, J., Kahlon, A., Hebert, K.S., Karandashova, S., Miller, D.P., Tegels, B.K., Marconi, R.T., Fikrig, E., Borjesson, D.L., Carlyon, J.A. (2014). *Anaplasma phagocytophilum* surface protein AipA mediates invasion of mammalian host cells. *Cellular. Biol.* 16, 1133-1145.
315. Sterba, J., Vancova, M., Sterbova, J., Bell-Sakyi, L. and Grubhoffer, L. 2014. The majority of sialylated glycoproteins in adult *Ixodes ricinus* ticks originate in the host, not the tick. *Carbohydrate Res.* 389, 93-99.
316. Tonk, M., Cabezas-Cruz, A., Valdes, J.J., Rego, R.O.M., Rudenko, N., Golovchenko, M., Bell-Sakyi, L., de la Fuente, J. and Grubhoffer, L. 2014. Identification and partial characterisation of new members of the *Ixodes ricinus* defensin family. *Gene* 540, 146-152.

317. Tonk, M., Cabezas-Cruz, A., Valdes, J.J., Rego, R.O.M., Chrudimska, T., Strnad, M., Sima, R., Bell-Sakyi, L., Franta, Z., Vilcinskas, A., Grubhoffer, L. and Rahnamaeian, M. 2014. Defensins from the tick *Ixodes scapularis* are effective against phytopathogenic fungi and the human bacterial pathogen *Listeria grayi*. *Parasites Vectors* 7, 554.
318. Zwegarth, E., Cabezas-Cruz, Josemans, A., Oosthuizen, M.C., Matjila, P.T., Lis, K., Broniszewska, M., Schol, H., Ferrolho, J., Grubhoffer, L. and Passos, L.M.F. 2014. *In vitro* culture and structural differences in the major immunoreactive protein gp36 of geographically distant *Ehrlichia canis* isolates. *Ticks Tick-borne Dis.* 5, 423-431.
319. Alberdi, P., Ayllon, N., Cabezas-Cruz, A., Bell-Sakyi, L., Zwegarth, E., Stuenkel, S., de la Fuente, J. (2015). Infection of *Ixodes* spp. tick cells with different *Anaplasma phagocytophilum* isolates induces the inhibition of apoptotic cell death. *Ticks Tick-borne Dis.* 6, 758-767.
320. Ayllon, N., Naranjo, V., Hajdusek, O., Villar, M., Galindo, R.C., Kocan, K.M., Alberdi, P., Sima, R., Cabezas-Cruz, A., Ruckert, C., Bell-Sakyi, L., Kazimirova, M., Havlikova, S., Klempa, B., Kopacek, P., de la Fuente, J. (2015). Nuclease Tudor-SN is involved in tick dsRNA-Mediated RNA interference and feeding but not in defense against flaviviral or *Anaplasma phagocytophilum* rickettsial infection. *PloS ONE* 10, e0133038.
321. Baeta, B.A., Ribeiro, C.C.D.U., Teixeira, R.C., Cabezas-Cruz, A., Passos, L.M.F., Zwegarth, E., Fonseca, A.H. (2015). Characterization of two strains of *Anaplasma marginale* isolated from cattle in Rio de Janeiro, Brazil, after propagation in tick cell culture. *Ticks Tick-borne Dis.* 6, 141-145.
322. Bell-Sakyi, L., Palomar, A., Bradford, E.L., Shkap, V. (2015). Propagation of the Israeli vaccine strain of *Anaplasma centrale* in tick cell lines. *Vet. Microbiol.* 179, 270-2976.
323. Bell-Sakyi, L., Palomar, A.M., Kazimirova, M. (2015). Isolation and propagation of a *Spiroplasma* sp. from Slovakian *Ixodes ricinus* ticks in *Ixodes* spp. cell lines, *Ticks Tick-borne Dis.* 6, 601-606.
324. Ciota, A.T., Payne, A.F., Kramer, L.D. (2015). West Nile virus adaptation to ixodid tick cells is associated with phenotypic trade-offs in primary hosts. *Virology* 482, 128-132.
325. Da Silva, R.M., Noce, B.D., Walthero, C.F., Costa, E.P., de Abreu, L.A., Githaka, N.W., Moraes, J., Gomes, H.F., Konnai, S., Vaz, I. da S. Jr, Ohashi, K., Logullo, C. (2015). Non-classical gluconeogenesis-dependent glucose metabolism in *Rhipicephalus microplus* embryonic cell line BME26. *Int. J. Mol. Sci.* 16, 1821-1839.
326. Hepojoki, J., Kipar, A., Korzyukov, Y., Bell-Sakyi, L., Vapalahti, O. and Hetzel, U. (2015). Replication of boid inclusion body disease-associated arenaviruses is temperature sensitive in both boid and mammalian cells. *J. Virol.* 89, 1119-1128.
327. Heu, C.C., Kurtti, T.J., Nelson, C.S., Munderloh, U.G. (2015). Transcriptional analysis of the conjugal transfer genes of *Rickettsia bellii* RML 369-C. *PloS ONE* 10, e0137214.
328. Kocan, K.M., de la Fuente, J., Coburn, L.A. (2015). Insights into the development of *Ixodes scapularis*: a resource for research on a medically important tick species. *Parasites Vectors* 8, 592.
329. Kurtti, T.J., Felsheim, R.F., Burkhardt, N.Y., Oliver, J.D., Heu, C.C., Munderloh, U.G. (2015). *Rickettsia buchneri* sp. nov., a rickettsial endosymbiont of the blacklegged tick *Ixodes scapularis*. *Int. J. Syst. Evol. Microbiol.* 65, 965-970.
330. Lambert, A.J., Velez J.O., Brault, A.C., Calvert, A.E., Bell-Sakyi, L., Bosco-Lauth, A.M., Staples, J.E., Kosoy, O.I. (2015). Molecular, serological and *in vitro* culture-based characterization of Bourbon virus, a newly described human pathogen of the genus *Thogotovirus*. *J. Clin. Virol.* 73, 127-132.
331. Lis, K., Fernandez de Mera, I.G., Popara, M., Cabezas-Cruz, A., Ayllon, N., Zwegarth, E., Passos, L.M.F., Broniszewska, M., Villar, M., Kocan, K.M., Ribeiro, M.F.B., Pfister, K., de la Fuente, J. (2015). Molecular and immunological characterization of three strains of *Anaplasma marginale* grown in cultured tick cells. *Ticks Tick-borne Dis.* 6, 522-529.
332. Machado-Ferreira, E., Balsemão-Pires, E., Dietrich, G., Hojgaard, A., Vizzoni, V.F., Scoles, G., Bell-Sakyi, L., Piesman, J., Zeidner, N.S., Soares, C.A.G. (2015). Transgene expression in tick cells using *Agrobacterium tumefaciens*. *Exp. Appl. Acarol.* 67, 269-287
333. Oliva Chavez, A.S., Fairman, J.W., Felsheim, R.F., Nelson, C.M., Herron, M.J., Higgins, L., Burkhardt, N.Y., Oliver, J.D., Markowski, T.W., Kurtti, T.J., Edwards, T.E., Munderloh, U.G. (2015). An o-methyltransferase is required for infection of tick cells by *Anaplasma phagocytophilum*. *PloS Pathogens* 11, e1005248.
334. Oliver, J.D., Oliva Chavez, A.S., Felsheim, R.F., Kurtti, T.L., Munderloh, U.G. (2015). An *Ixodes scapularis* cell line with a predominantly neuron-like phenotype. *Exp. Appl. Acarol.* 66, 427-442.

335. Petchampai, N., Sunyakumthorn, P., Banajee, K.H., Verhoeve, V.I., Kearney, M.T., Macaluso, K.R. (2015). Identification of host proteins involved in rickettsial invasion of tick cells. *Infect. Immun.* 83, 1048-1055.
336. Radzi, S.F.M., Ruckert, C., Sam, S-S., Teoh, B-T., Jee, P-F., Phoon, W-H., Abubakar, S., Zandi, K. (2015). Detection of Langat virus by TaqMan real-time one-step qRT-PCR method. *Sci. Rep.* 5, 14007.
337. Rezende, J., Rangel, C., McIntosh, D., Silveira, J.A.G., Cunha, N.C., Ramos, C.A.N., Fonseca, A.H. (2015). *In vitro* cultivation and cryopreservation of *Babesia bigemina* sporokinetes in hemocytes of *Rhipicephalus microplus*. *Vet. Parasitol.* 212, 400-403.
338. Santibáñez, S., Portillo, A., Palomar, A.M., Bell-Sakyi, L., Romero, L., Oteo, J.A. (2015). Isolation and maintenance of *Rickettsia raoultii* in a *Rhipicephalus sanguineus* tick cell line. *Microbes Infect.* 17, 866-869.
339. Sorouri, R., Ramazani, A., Karami, A., Ranjbar, R., Guy, E.C. (2015). Isolation and characterization of *Borrelia burgdorferi* strains from *Ixodes ricinus* ticks in the Southern England. *BioImpacts* 5, 71-78.
340. Tuckow, A.P., Temeyer, K.B. (2015). Discovery, adaptation and transcriptional activity of two tick promoters: construction of a dual luciferase reporter system for optimization of RNA interference in *Rhipicephalus (Boophilus) microplus* cell lines. *Insect Molec. Biol.* 24, 454-466.
341. Tuppurainen, E.S., Venter, E.H., Coetzer, J.A., Bell-Sakyi, L. (2015) Lumpy skin disease: Attempted propagation in tick cell lines and presence of viral DNA in field ticks collected from naturally-infected cattle. *Ticks Tick-borne Dis.* 6, 134-140.
342. Villar, M., Ayllón, N., Kocan, K.M., Bonzón-Kulichenko, E., Alberdi, P., Blouin, E.F., Weisheit, S., Mateos-Hernández, L., Cabezas-Cruz, A., Bell-Sakyi, L., Vancová, M., Bílý, T., Meyer, D.F., Sterba, J., Contreras, M., Rudenko, N., Grubhoffer, L., Vázquez, J., de la Fuente, J. (2015). Identification and characterization of *Anaplasma phagocytophilum* proteins involved in infection of the tick vector, *Ixodes scapularis*. *PLoS ONE* 10, e0137237.
343. Villar, M., Ayllón, N., Alberdi, P., Moreno, A., Moreno, M., Tobes, R., Mateos-Hernandez, L., Weisheit, S., Bell-Sakyi, L., de la Fuente, J. (2015). Integrated metabolomics, transcriptomics and proteomics identifies metabolic pathways affected by *Anaplasma phagocytophilum* infection in tick cells. *Mol. and Cell. Proteomics* 14, 3154-3172.
344. Weisheit S, Villar M, Tykalová H, Popara M, Loecherbach J, Watson M, Růžek D, Grubhoffer L, de la Fuente, J, Fazakerley JK, Bell-Sakyi L (2015). *Ixodes scapularis* and *Ixodes ricinus* tick cell lines respond to infection with tick-borne encephalitis virus: transcriptomic and proteomic analysis. *Parasites Vectors* 8, 599.
345. Yoshii, K., Okamoto, N., Nakao, R., Hofstetter, R.K., Yabu, T., Masumoto, H., Someya, A., Kariwa, H., Maeda, A. (2015). Isolation of the Thogoto virus from a *Haemaphysalis longicornis* in Kyoto City, Japan. *J. Gen. Virol.* 96, 2099-2013.
346. Alberdi, P., Mansfield, K.L., Manzano-Roman, R., Cook, C., Ayllón, N., Villar, M., Johnson, N., Fooks, A.R., de la Fuente, J. (2016). Tissue-specific signatures in the transcriptional response to *Anaplasma phagocytophilum* infection of *Ixodes scapularis* and *Ixodes ricinus* tick cell lines. *Front. Cell. Infect. Microbiol.* 6, 20.
347. Bell-Sakyi, L., Weisheit, S., Rückert, C., Barry, G., Fazakerley, J.F., Fragkoudis, R. (2016). Microscopic visualisation of zoonotic arbovirus replication in tick cell and organ cultures using Semliki Forest virus reporter systems. *Vet. Sci.* 3, 28.
348. Bell-Sakyi, L., Attoui, H. (2016). Virus discovery using tick cell lines. *Evol. Bioinformatics* 12 (S2), 31-34.
349. Cabezas-Cruz, A., Alberdi, P., Ayllón, N., Valdes, J.J., Pierce, R., Villar, M., de la Fuente, J. (2016). *Anaplasma phagocytophilum* increases the levels of histone modifying enzymes to inhibit cell apoptosis and facilitate pathogen infection in the tick vector *Ixodes scapularis*. *Epigenetics* 11, 303-319.
350. Cabezas-Cruz, A., Zwegarth, E., Vancová, M., Broniszewska, M., Grubhoffer, L., Passos, L.M.F., Ribeiro, M.F.B., Alberdi, P. and de la Fuente, J. (2016). *Ehrlichia minasensis* sp. nov., isolated from the tick *Rhipicephalus microplus*. *Int. J. Syst. Evol. Microbiol.* 66: 1426–1430.
351. Cerny, J., Selinger, M., Palus, M., Vavruskova, Z., Tykalova, H., Bell-Sakyi, L., Sterba, J., Grubhoffer, L., Ruzek, D. (2016). Expression of a second open reading frame present in the genome of tick-borne encephalitis virus strain Neudoerfl is not detectable in infected cells. *Virus Genes* 52, 309-316.

352. Ferrolho, J., Simpson, J., Hawes, P., Zweggarth, E., Bell-Sakyi, L. (2016). Growth of *Ehrlichia canis*, the causative agent of canine monocytic ehrlichiosis, in vector and non-vector ixodid tick cell lines. *Ticks Tick-borne Dis.* 7, 631-637.
353. Grabowski, J.M., Perera, R., Roumani, A.M., Hedrick, V.E., Inerowicz, H.D., Hill, C.A., Kuhn, R.J. (2016). Changes in the proteome of Langat-infected *Ixodes scapularis* ISE6 cells: metabolic pathways associated with flavivirus infection. *PLoS Negl. Trop. Dis.* 10, e0004180.
354. Gulia-Nuss, M., Nuss, A.B., Meyer, J.M. et al. (90 other authors) (2016). Genomic insights into the *Ixodes scapularis* tick vector of Lyme disease. *Nature Commun.* 7, 10507.
355. Koh-Tan, H.H.C., Strachan, E., Cooper, K., Bell-Sakyi, L., Jonsson N.N. (2016). Identification of a novel β -adrenergic octopamine receptor-like gene (β AOR-like) and increased ATP-binding cassette B10 (ABCB10) expression in a *Rhipicephalus microplus* cell line derived from acaricide-resistant ticks. *Parasites Vectors* 9, 425.
356. Kurtti, T.J., Burkhardt, N.Y., Heu, C.C., Munderloh, U.G. (2016). Fluorescent protein expressing *Rickettsia buchneri* and *Rickettsia peacockii* for tracking symbiont-tick interactions. *Vet. Sci.* 3, 34.
357. Ladner, J. T., Wiley, M. R., Beitzel, B., Auguste, A. J., Dupuis, A. P., Lindquist, M. E., Sibley, S. D., Kota, K. P., Fetterer, D., Eastwood, G., Kimmel, D., Prieto, K., Guzman, H., Aliota, M.T., Reyes, D., Brueggemann, E.E., St John, L., Hyeroba, D., Lauck, M., Friedrich, T.C., O'Connor, D.H., Gestole, M.C., Cazares, L.H., Popov, V.L., Castro-Llanos, F., Kochel, T.J., Kenny, T., White, B., Ward, M.D., Loaiza, J.R., Goldberg, T.L., Weaver, S.C., Kramer, L.D., Tesh, R.B., Palacios, G. (2016). A multicomponent animal virus isolated from mosquitoes. *Cell Host Microbe*, 20, 357-367.
358. Magunda, F., Thompson, C.W., Schneider, D.A., Noh, S.M. (2016). *Anaplasma marginale* actively modulates vacuolar maturation during intracellular infection of its tick vector, *Dermacentor andersoni*. *Appl. Env. Microbiol.* 82, 4715-4731.
359. Mangia, C., Vismarra, A., Kramer, L., Bell-Sakyi, L., Porretta, D., Otranto, D., Epis, S., Grandi, G. (2016). Evaluation of the *in vitro* expression of ATP binding-cassette (ABC) proteins in an *Ixodes ricinus* cell line exposed to ivermectin. *Parasites Vectors* 9, 215.
360. Mazelier, M., Rouxel, R.N., Zumstein, M., Mancini, R., Bell-Sakyi, L., Lozach, P-Y. (2016). Uukuniemi virus as a tick-borne virus model. *J. Virol.* 90, 6784-6798.
361. Mlera, L., Melik, W., Offerdahl, D.K., Dahlstrom, E., Porcella, S.F., Bloom, M.E. (2016). Analysis of the Langat virus genome in persistent infection of an *Ixodes scapularis* cell line. *Viruses* 8, 252.
362. Narra, H.P., Schroeder, C.L.C., Sahni, A., Rojas, M., Khanipov, K., Fofanov, Y., Sahni, S.K. (2016). Small regulatory RNAs of *Rickettsia conorii*. *Sci. Rep.* 6, 36728.
363. Rosa, R.D., Capelli-Peixoto, J., Mesquita, R.D., Kalil, S.P., Pohl, P.C., Braz, G.R., Fogaca, A.C., Daffre, S. (2016). Exploring the immune signalling pathway-related genes of the cattle tick *Rhipicephalus microplus*: From molecular characterization to transcriptional profile upon microbial challenge. *Dev. Comp. Immunol.* 59, 1-14.
364. Smith, A.A., Navasa, N., Yang, X., Wilder, C.N., Buyuktanir, O., Marques, A., Anguita, J., Pal, U. (2016). Cross-species interferon signaling boosts microbicidal activity within the tick vector. *Cell Host Microbe* 20, 91-98.
365. Teixeira R.C., Baêta, B.A., Ferreira, J.S., Medeiros, R.C., Maya-Monteiro, C.M., Lara, F.A., Bell-Sakyi, L., Fonseca, A.H. (2016). Fluorescent membrane markers elucidate the association of *Borrelia burgdorferi* with tick cell lines. *Brazilian J. Med. Biol. Res.* 49, e5211.
366. Truchan, H.K., Cockburn, C.L., Hebert, K.S., Magunda, F., Noh, S.M., Carlyon, J.A. (2016). The pathogen-occupied vacuoles of *Anaplasma phagocytophilum* and *Anaplasma marginale* interact with the endoplasmic reticulum. *Front. Cell. Infect. Microbiol.* 6, 22.
367. Wijnveld, M., Schotta, A-M., Pinter, A., Stockinger, H., Stanek, G. (2016). Novel *Rickettsia raoultii* strain isolated and propagated from Austrian *Dermacentor reticulatus* ticks. *Parasites Vectors* 9, 567.
368. Belova, O.A., Litov, A.G., Kholodilov, I.S., Kozlovskaya, L.I., Bell-Sakyi, L., Romanova, L.I., Karganova, G.G. (2017). Properties of tick-borne encephalitis virus populations during persistent infection of ixodid ticks and tick cell lines. *Ticks and Tick-borne Diseases* 8, 895-906.
369. Cabezas-Cruz, A., Alberdi, P., Valdes, J.J., Villar, M., de la Fuente, J. (2017). *Anaplasma phagocytophilum* infection subverts carbohydrate metabolic pathways in the tick vector, *Ixodes scapularis*. *Front. Cell. Infect. Microbiol.* 7, 23.

370. Cabezas-Cruz, A., Alberdi, P., Valdes, J.J., Villar, M., de la Fuente, J. (2017). Remodeling of tick cytoskeleton in response to infection with *Anaplasma phagocytophilum*. *Front. Biosci.* 22, 1830-1844.
371. Cabezas-Cruz, A., Espinosa, P.J., Obregon, D.A., Alberdi, P., de la Fuente, J. (2017). *Ixodes scapularis* tick cells control *Anaplasma phagocytophilum* infection by increasing the synthesis of phosphoenolpyruvate from tyrosine. *Front. Cell. Infect. Microbiol.* 7, 375. *Front. Cell. Infect. Microbiol.* 7, 360
372. Contreras, M., Alberdi, P., Fernandez de Mera I.G., Krull, C., Nijhof, A., Villar, M., de la Fuente, J. (2017). Vaccinomics approach to the identification of candidate protective antigens for the control of tick vector infestations and *Anaplasma phagocytophilum* infection. *Front. Cell. Infect. Microbiol.* 7, 360.
373. Cramaro, W.J., Hunewald, O.E., Bell-Sakyi, L., Muller, C.P. (2017). Genome scaffolding and annotation for the pathogen vector *Ixodes ricinus* by ultra-long single molecule sequencing. *Parasites Vectors* 10, 71.
374. Dyachenko, V., Steinmann, M., Bangoura, B., Selzer, M., Munderloh, U., Dauschies, A., Barutzki, D. (2017). Co-infection of *Trypanosoma pestanai* and *Anaplasma phagocytophilum* in a dog from Germany. *Vet. Parasitol. Reg. Stud. Rep.* 9, 110-114.
375. Grabowski, J.M., Gulia-Nuss, M., Kuhn, R.J., Hill, C.A. (2017). RNAi reveals proteins for metabolism and protein processing associated with Langat virus infection in *Ixodes scapularis* (blacklegged tick) ISE6 cells. *Parasites Vectors* 10, 24.
376. Grabowski, J.M., Tsetsarkin, K.A., Long, D., Scott, D.P., Rosenke, R., Schwan, T.C., Mlera, L., Offerdahl, D.K., Pletnev, A.G., Bloom, M.E. (2017). Flavivirus infection of *Ixodes scapularis* (black-legged tick) *ex vivo* organotypic cultures and applications for disease control. *mBio* 8, e01255-17.
377. Harris, E.K., Verhoeve, V.I., Banajee, K.H., Macaluso, J.A., Azad, A.F., Macaluso, K.R. (2017). Comparative vertical transmission of *Rickettsia* by *Dermacentor variabilis* and *Amblyomma maculatum*. *Ticks Tick-borne Dis.* 8, 598-604.
378. Hebert, K.S., Seidman, D., Oki, A.T., Izac, J., Emani, S., Oliver, L.D., Miller, D.P., Tegels, B.K., Kannagi, R., Marconi, R.T., Carlyon, J.A. (2017). *Anaplasma marginale* outer membrane protein A is an adhesin that recognizes sialylated and fucosylated glycans and functionally depends on an essential binding domain. *Infect. Immun.* 85, e00968-16.
379. Johnson, N. (2017). Tick-virus interactions: Toll sensing. *Front. Cell. Infect. Microbiol.* 7, 293.
380. Kalil, S.P., da Rosa, R.D., Capelli-Peixoto, J., Pohl, P.C., de Oliveira, P.L., Fogaca, A.C., Daffre, S. (2017). Immune-related redox metabolism of embryonic cells of the tick *Rhipicephalus microplus* (BME26) in response to infection with *Anaplasma marginale*. *Parasites Vectors* 10, 613.
381. Lim, F.-S., Khoo, J.-J., Chen, F., Bell-Sakyi, L., Khor, C.-S., Chang, L.-Y., AbuBakar, S. (2017). Initiation of primary cell cultures from embryonic *Haemaphysalis bispinosa* ticks. *Syst. Appl. Acarol.* 22, 323-332.
382. Mansfield, K.L., Cook, C., Ellis, R., Bell-Sakyi, L., Johnson, N., Alberdi, P., de la Fuente, J., Fooks, A.R. (2017). Tick-borne pathogens induce differential expression of genes promoting cell survival and host resistance in *Ixodes ricinus* cells. *Parasites Vectors* 10, 81.
383. Mateos-Hernandez, L., Villar, M., Moral, A., Rodriguez, C.G., Arias, T.A., de la Osa, V., Brito, F.F., de Mera, I.G.F., Alberdi, P., Ruiz-Fons, F., Cabezas-Cruz, A., Estrada-Pena, A., de la Fuente, J. 2017. Tick-host conflict: immunoglobulin E antibodies to tick proteins in patients with anaphylaxis to tick bite. *Oncotarget* 8, 20630-20644.
384. Moura-Martinião, N.O., Machado-Ferreira, E., Gazeta, G.S., Soares, C.A.G. (2017). Relative transcription of autophagy-related genes in *Amblyomma sculptum* and *Rhipicephalus microplus* ticks. *Exp. Appl. Acarol.* 73, 401-428.
385. Nakao, R., Matsuno, K., Qiu, Y., Maruyama, J., Eguchi, N., Nao, N., Kajihara, M., Yoshii, K., Sawa, H., Takada, A., Sugimoto, C. (2017). Putative RNA viral sequences detected in an *Ixodes scapularis*-derived cell line. *Ticks Tick-borne Dis.* 8, 103-111.
386. Schroeder, C.L.C., Narra, H.P., Sahni, A., Khanipov, K., Patel, J., Fofanov, Y., Sahni, S.K. (2017). Transcriptional profiling of *Rickettsia prowazekii* coding and non-coding transcripts during in vitro host-pathogen and vector-pathogen interactions. *Ticks Tick-borne Dis.* 8, 827-836
387. Shaw, D.K., Wang, X., Brown, L.J., Oliva Chavez, A.S., Reif, K.E., Smith, A.A., Scott, A.J., McClure, E.E., Boradia, V.M., Hammond, H.L., Sundberg, E.J., Snyder, G.A., Liu, L., DePonte, K., Villar, M., Ueti, M.W., de la Fuente, J., Ernst, R.K., Pal, U., Fikrig, E., Pedra, J.H.F. (2017). Infection-derived lipids elicit an immune deficiency circuit in arthropods. *Nature Comm.* 8, 144901.

388. Silaghi, C., Santos, A.S., Gomes, J., Christova, I., Matei, I.A., Walder, G., Domingos, A., Bell-Sakyi, L., Sprong, H., von Loewenich, F., Oteo, J.A., Dumler, J.S. (2017). Guidelines for the direct detection of *Anaplasma* spp. in diagnosis and epidemiological studies. *Vector-borne Zoonot. Dis.* 17, 12-22.
389. Taank, V., Dutta, S., Dasgupta, A., Steeves, T.K., Fish, D., Anderson, J.F., Sultana, H., Neelakanta, G. (2017). Human rickettsial pathogen modulates arthropod organic anion transporting polypeptide and tryptophan pathway for its survival in ticks. *Sci. Rep.* 7, 13256.
390. Tjale, M.A., Pretorius, A., Josemans, A., Van Kleef, M., Liebenberg, J. (2018). Transcriptomic analysis of *Ehrlichia ruminantium* during the developmental stages in bovine and tick cell culture. *Ticks Tick-borne Dis.* 9, 126-134.
391. Artigas-Jeronimo, S., Villar, M., Cabezas-Cruz, A., Valdes, J.J., Estrada-Pena, A., Alberdi, P., de la Fuente, J. (2018). Functional evolution of Subolesin/Akirin. *Front. Physiol.* 9, 1612.
392. Barros-Battesti, D.M., Machado, R.Z., Andre, M.R., de Souza, K.C.M., Franze, D.A., Lima-Duarte, L., Cirelli-Moraes, A., Nunes, P.H., Labruna, M.B., Moraes-Filho, J., Martins, M.M., Szabo, M.P.J. (2018). Successful infection of tick cell cultures of *Rhipicephalus sanguineus* (tropical lineage) with *Ehrlichia canis*. *Vector-borne Zoonot. Dis.* 18, 653-662.
393. Bell-Sakyi, L., Darby, A., Baylis, M., Makepeace, B.L. (2018). The Tick Cell Biobank: A global resource for *in vitro* research on ticks, other arthropods and the pathogens they transmit. *Ticks Tick-borne Dis.* 9, 1364-1371.
394. Cabezas-Cruz, A., Espinosa, P.J., Alberdi, P., Simo, L., Valdes, J.J., Mateos-Hernandez, L., Contreras, M., Villar Rayo, M., de la Fuente, J. (2018). Tick galactosyltransferases are involved in α -Gal synthesis and play a role during *Anaplasma phagocytophilum* infection and *Ixodes scapularis* tick vector development. *Sci. Rep.* 8, 14224.
395. De Souza, W.M., Fumagalli, M.J., Carrasco, A.O.T., Romeiro, M.F., Modha, S., Seki, M.C., Gheller, J.M., Daffre, S., Nunes, M.R.T., Murcia, P.R., Acrani, G.O., Figueiredo, L.T.M. (2018). Viral diversity of *Rhipicephalus microplus* parasitizing cattle in southern Brazil. *Sci Rep.* 8, 16315.
396. Estrada-Pena, A., Villar, M., Artigas-Jeronimo, S., Lopez, V., Alberdi, P., Cabezas-Cruz, A., de la Fuente, J. (2018). Use of graph theory to characterize human and arthropod vector cell protein response to infection with *Anaplasma phagocytophilum*. *Front. Cell. Infect. Microbiol.* 8, 265.
397. Ferreira, J.S., D.A.S Oliveira, Santos, J.P., Ribeiro, C.C.D.U., Baêta, B.A., Teixeira, R.C., Neumann, A.S., Rosa, P.S., Pessolani, M.C.V., Moraes, M.O., Bechara, G.H., de Oliveira, P.L., Sorgine, M.H.F., Suffys, P.N., Fontes, A.N.B., Bell-Sakyi, L., Fonseca, A.H., Lara, F.A. (2018). Ticks as potential vectors of *Mycobacterium leprae*: Use of tick cell lines to culture the bacilli and generate *Ixodes* transgenic strains. *PLoS Negl. Trop. Dis.* 12, e0007001.
398. Grabowski, J.M., Offerdahl, D.K., Bloom, M.E. (2018). The use of ex vivo organ cultures in tick-borne virus research. *ACS Infect. Dis.* 4, 247-256.
399. Harris, E.K., Jirakanwisal, K., Verhoeve, V.I., Fongsaran, C., Suwanbongkot, C., Welch, M.D., Macaluso, K.R. (2018). Role of Sca2 and RickA in the Dissemination of *Rickettsia parkeri* in *Amblyomma maculatum*. *Infect. Immun.* 86, e00123-18.
400. Hernandez, E.P., Kusakisako, K., Talactac, M.R., Galay, R.L., Yoshii, K., Tanaka, T. (2018). Induction of intracellular ferritin expression in embryo-derived *Ixodes scapularis* cell line (ISE6). *Sci. Rep.* 8, 16566.
401. Kenney, J.L., Anishchenko, M., Hermance, M., Romo, H., Chen, C., Thangamani, S., Brault, A.C. (2018). Generation of a lineage II Powassan virus (deer tick virus) cDNA clone: assessment of flaviviral genetic determinants of tick and mosquito vector competence. *Vector-borne Zoonot. Dis.* 18, 371-380.
402. Khanal, S., Taank, V., Anderson, J.F., Sultana, H., Neelakanta, G. (2018). Arthropod transcriptional activator protein-1 (AP-1) aids tick-rickettsial pathogen survival in the cold. *Sci Rep.* 8, 11409.
403. Kusakisako, K., Hernandez, E.P., Talactac, M.R., Yoshii, K., Umemiya-Shirafuji, R., Fujisaki, K., Tanaka, T. (2018). Peroxiredoxins are important for the regulation of hydrogen peroxide concentrations in ticks and tick cell line. *Ticks Tick-borne Dis.* 9, 872-881.
404. Kusakisako, K., Ido, A., Masatan, T., Morokuma, H., Hernandez, E.P., Talactac, M.R., Yoshii, K., Tanaka, T. (2018). Transcriptional activities of two newly identified *Haemaphysalis longicornis* tick-derived promoter regions in the *Ixodes scapularis* tick cell line (ISE6). *Insect Molec. Biol.* 27, 590-602.

405. Mangia, C., Vismarra, A., Genchi, M., Epis, S., Bandi, C., Grandi, G., Bell-Sakyi, L., Otranto, D., Passeri, B., Kramer, L. (2018). Exposure to amitraz, fipronil and permethrin affects cell viability and ABC transporter gene expression in an *Ixodes ricinus* cell line. *Parasites Vectors* 11, 437.
406. Marotta, C.R., Dos Santos, P.N., Cordeiro, M.D., Matos, P.C.M., Barros, J.H.D.S., Madeira, M.F., Bell-Sakyi, L., Fonseca, A.H. (2018). *Trypanosoma rhipicephalis* sp. nov. (Protozoa: Kinetoplastida) isolated from *Rhipicephalus microplus* (Acari: Ixodidae) ticks in Rio de Janeiro, Brazil. *Parasitol. Open* 4, e2.
407. Marotta, C.R., Dos Santos, P.N., Cordeiro, M.D., Barros, J.H.D.S., Bell-Sakyi, L., Fonseca, A.H. (2018). *Trypanosoma amblyommi* sp. nov. (Protozoa: Kinetoplastida) isolated from *Amblyomma brasiliense* (Acari: Ixodidae) ticks in Rio de Janeiro, Brazil. *Parasitol. Open* 4, e9.
408. Matsuno, K., Kajihari, M., Nakao, R., Mori-Kajihari, A., Muramatsu, M., Qiu, Y., Torii, S., Igarashi, M., Kasajima, N., Mizuma, K., Yoshii, K., Sawa, H., Sugimoto, C., Takada, A., Ebihara, H. (2018). The unique phylogenetic position of a novel tick-borne phlebovirus ensures an ixodid origin of the genus *Phlebovirus*. *Ecol. Evol. Sci.* 3, e00239-18.
409. McGill, J.L., Wang, J., Ganta, C.K., Boorgula, G.D.Y., Ganta, R.R. (2018). Antigen-specific CD4+CD8+ double-positive T cells are increased in the blood and spleen during *Ehrlichia chaffeensis* infection in the canine host. *Front. Immunol.* 9, 1585.
410. Miller, J.R., Koren, S., Dilley, K.A., Harkins, D.M., Stockwell, T.B., Shabman, R.S., Sutton, G.G. (2018). A draft genome sequence for the *Ixodes scapularis* cell line, ISE6 [version 1; referees: 2 approved]. *F1000 Res.* 7, 297.
411. O'Brien, C.A., Hall, R.A., Lew-Tabor, A. (2018). Could Australian ticks harbour emerging viral pathogens? *Microbiol Austr.* <http://microbiology.publish.csiro.au/?paper=MA18060>.
412. O'Brien, C.A., Hall-Mendelin, S., Hobson-Peters, J., Deliyannis, G., Allen, A., Lew-Tabor, A., Rodriguez-Valle, M., Barker, D., Barker, S.C., Hall, R.A. 2018. Discovery of a novel iflavivirus sequence in the eastern paralysis tick *Ixodes holocyclus*. *Arch. Virol.* 163, 2451-2457.
413. Reif, K.E., Ujcz, J.K., Aplerin, D.C., Noh, S.M. 2018. *Francisella tularensis* novicida infection competence differs in cell lines derived from United States populations of *Dermacentor andersoni* and *Ixodes scapularis*. *Sci. Rep.* 8, 12685.
414. Saramago, L., Gomes, H., Aguilera, E., Cerecetto, H., Gonzalez, M., Cabrera, M., Alzugaray, M.F., Vaz Jr, I.S., Fonseca, R.N., Aguirre-Lopez, B., Cabrera, N., Perez-Montfort, R., Merlino, A., Moraes, J., Alvarez, G. (2018). Novel and selective *Rhipicephalus microplus* triosephosphate isomerase inhibitors with acaricidal activity. *Vet. Sci.* 5, 74.
415. Salata, C., Monteil, V., Karlberg, H., Celestino, M., Devignot, S., Leijon, M., Bell-Sakyi, L., Bergeron, E., Weber, F., Mirazimi, A. (2018). The DEVD motif of Crimean-Congo hemorrhagic fever virus nucleoprotein is essential for viral replication in tick cells. *Emerg. Microbes Infect.* 7, 190.
416. Silvestre, B.T., da Silveira, J.A.G., Facury-Filho, E.J., de Carvalho, A.U., Versiani, A.F., Estevam, L.G.T.M., Araujo, M.S.S., Martins-Filho, O.A., Negrao-Correa, D.A., Ribeiro, M.F.B. (2018). Immune response and biochemistry of calves immunized with rMSP1a (*Anaplasma marginale*) using carbon nanotubes as carrier molecules. *Braz. J. Vet. Parasitol. Jaboticabal* 27, 191-202.
417. Taank, V., Zhou, W., Zhuang, X., Anderson, J.F., Pal, U., Sultana, H., Neelakanta, G. (2018). Characterization of tick organic anion transporting polypeptides (OATPs) upon bacterial and viral infections. *Parasites Vectors* 11, 593.
418. Zhou, W., Woodson, M., Neupane, B., Bai, F., Sherman, M.B., Choi, K.H., Neelakanta, G., Sultana, H. (2018). Exosomes serve as novel modes of tick-borne flavivirus transmission from arthropod to human cells and facilitates dissemination of viral RNA and proteins to the vertebrate neuronal cells. *PLoS Pathog.* 14, e1006764.
419. Alberdi, P., Cabezas-Cruz, A., Prados, P.E., Rayo, M.V., Artigas-Jeronimo, S., de la Fuente, J. 2019. The redox metabolic pathways function to limit *Anaplasma phagocytophilum* infection and multiplication while preserving fitness in tick vector cells. *Sci. Rep.* 9, 13236.
420. Alowaysi, M., Chen, J., Stark, S., Teague, K., LaCourse, M., Proctor, J., Vigil, K., Corrigan, J., Harding, A., Li, J., Kurtti, T., Zhong, J. (2019). Isolation and characterization of a *Rickettsia* from the ovary of a Western black-legged tick, *Ixodes pacificus*. *Ticks Tick-borne Dis.* 10, 918-923.

421. Artigas-Jeronimo, S., Alberdi, P., Rayo, M.V., Cabezas-Cruz, A., Prados, P.J.E., Mateos-Hernandez, L., de la Fuente, J. (2019). *Anaplasma phagocytophilum* modifies tick cell microRNA expression and upregulates iscmir-79 to facilitate infection by targeting the Roundabout protein 2 pathway. *Sci. Rep.* 9, 9073.
422. Artigas-Jeronimo, S., Estrada-Pena, A., Cabezas-Cruz, A., Alberdi, P., Villar, M., de la Fuente, J. (2019). Modeling modulation of the tick regulome in response to *Anaplasma phagocytophilum* for the identification of new control targets. *Front. Physiol.* 10, 462.
423. Braz, V., Gomes, H., Galina, A., Saramago, L., Braz, G., da Silva Vaz Jr., I., Logullo, L., da Fonseca, R.N., Campos, E., Moraes, J. (2019). Inhibition of energy metabolism by 3-bromopyruvate in the hard tick *Rhipicephalus microplus*. *Comp. Biochem. Physiol. Part C* 218, 55-61.
424. Cabezas-Cruz, A., Espinosa, P., Alberdi, P., de la Fuente, J. (2019). Tick-pathogen interactions: the metabolic perspective. *Trends Parasitol.* 35, 316-328.
425. Cobaxin-Cardenas, M.E., Diaz, H.A., Avelino, P.O., Salinas-Estrella, E., Preciado-de la Torre, J.F., Quiroz-Castaneda, R.E., Amaro-Estrada, I. (2019). First approach for the propagation of *Anaplasma marginale* (MEX-31-096) in Rm-sus tick cells. *Rev. Centro. Invest. Univ. La Salle* 13, 67-80.
<http://dx.doi.org/10.26457/receiv.v13i51.2200>
426. Darby, A.C., Al-Khafaji, A.M., Whitehead, M., Hartley, C.S., Robinson, G., Armstrong, S.D., Belivskaia, A.Y., Bah, G.S., Githaka, N., Bell-Sakyi, L., Makepeace, B. (2019). *Amblyomma variegatum*, vector of African tick-bite fever, contains and integrated *Rickettsia africae* chromosome in its nuclear genome. *Am. J. Trop. Med. Hyg.* 101, 211.
427. Noce, B.D., Uhl, M.V.C., Machado, J., Walthero, C.F., de Abreu, L.A., da Silva, R.M., da Fonseca, R.N., de Barros, C.M., Sabadin, G., Konnai, S., Vaz Jr, I.S., Ohashi, K., Logullo, C. (2019). Carbohydrate metabolic compensation coupled to high tolerance to oxidative stress in ticks. *Sci. Rep.* 9, 4753.
428. Dias, F., Couto, J., Ferrolho, J., Seron, G.S., Bell-Sakyi, L., Antunes, S., Domingos, A. (2019). Folate pathway modulation in *Rhipicephalus* ticks in response to infection. *Transbound. Emerg. Dis.* DOI: 10.1111/tbed.13231.
429. Fuller, J., Surtees, R.A., Shaw, A.B., Álvarez-Rodríguez, B., Slack, G.S., Bell-Sakyi, L., Mankouri, J., Edwards, T.A., Hewson, R., Barr, J.N. (2019). Hazara nairovirus elicits differential induction of apoptosis and nucleocapsid protein cleavage in mammalian and tick cells. *Journal of General Virology*, doi: 10.1099/jgv.0.001211.
430. Fuller, J., Surtees, R.A., Slack, G.S., Mankouri, J., Hewson, R., Barr, J.N. (2019). Rescue of infectious recombinant Hazara nairovirus from cDNA reveals the nucleocapsid protein DQVD caspase cleavage motif performs an essential role other than cleavage. *J. Virol.* 93, e00616-19.
431. Grabowski, J.M., Nilsson, O.R., Fischer, E.R., Long, D., Offerdahl, D.K., Park, Y., Scott, D.P., Bloom, M.E. (2019). Dissecting flavivirus biology in salivary gland cultures from fed and unfed *Ixodes scapularis* (black-legged tick). *mBio* 10, e02628-18.
432. Hartley, C., Khoo, J.J., Darby, A., Makepeace, B.L., Bell-Sakyi, L. (2025). New tick and insect cell line resources for vector-borne disease research from the Tick Cell Biobank. *Rev. d'Elev. Méd. Vét. Pays trop.*, 78, 37774.
433. Hernandez, E.P., Kusakisako, K., Hatta, T., Tanaka, T. (2019). Characterization of an iron-inducible *Haemaphysalis longicornis* tick-derived promoter in an *Ixodes scapularis*-derived tick cell line (ISE6). *Parasites Vectors* 12, 321.
434. Hernandez, E.P., Talactac, M.R., Fujisaki, K., Tanaka, T. (2019). The case for oxidative stress molecule involvement in the tick-pathogen interactions -an omics approach. *Dev. Comp. Immunol.* 100, 103409.
435. Holoubek, J., Salat, J., Matkovic, M., Bednar, P., Novotny, P., Hradilek, M., Majerova, T., Rosendal, E., Eyer, L., Fortova, A., Beránková, M., Bell-Sakyi, L., Överby, A., Cavalli, A., Bonomi, M., Rey, F., Růžek, D. (2025). Irreversible furin cleavage site exposure renders immature tick-borne flaviviruses fully infectious. *Nature Comm.* 16, 7491. <https://doi.org/10.1038/s41467-025-62750-6>
436. Jia, N., Liu, H-B., Ni, X-B., Bell-Sakyi, L., Zheng, Y-C., Song, J-L., Li, J., Jiang, B-G., Wang, Q., Sun, Y., Wei, R., Yuan, T-T., Xia, L-Y., Chu, Y-L., Wei, W., Li, L-F., Ye, J-L., Lv, Q-U., Cui, X-M., Guan, Y., Tong, Y-G., Jiang, J-F., Lam, T., Cao, W-C. (2019). Emergence of Human Infection with Jingmen Tick Virus in China: A retrospective study. *EBioMedicine* 43, 317-324.

437. Lynn, G.E., Burkhardt, N.Y., Felsheim, R.F., Nelson, C.M., Oliver, J.D., Kurtti, T.J., Cornax, I., O'Sullivan, M.G., Munderloh, U.G. (2019). *Ehrlichia* isolate from a Minnesota tick: characterization and genetic transformation. *Appl. Environ. Microbiol.* 85, e00866-19.
438. Loginov, D.S., Loginova, Y.F., Dycka, F., Böttinger, K., Vechtova, P., Sterba, J. (2019). Tissue-specific signatures in tick cell line MS profiles. *Parasites Vect.* 12, 212.
439. Murgia, M.V., Bell-Sakyi, L., de la Fuente, J., Lew-Tabor, A., Kurtti, T., Makepeace, B., Mans, B., Munderloh, U., Rispe, C., Plantard, O., Rodriguez Valle, M., Thangamani, S., Thimmapuram, J., McCoy, K., Hill, C. (2019). Meeting the challenge of tick-borne disease control: A proposal for 1000 *Ixodes* genomes. *Ticks Tick-borne Dis.* 10, 213-218.
440. Ohlendorf, V., Marklewitz, M., Kopp, A., Yordanov, S., Drosten, C., Junglen, S. (2019). Huge diversity of phleboviruses in ticks from Strandja Nature Park, Bulgaria. *Ticks Tick-borne Dis.* 10, 697-703.
441. Oliva Chavez A.S., Herron, M.J., Nelson, C.M., Felsheim, R.F., Oliver, J.D., Burkhardt, N.Y., Kurtti, T.J., Munderloh, U.G. (2019). Mutational analysis of gene function in the Anaplasmataceae: Challenges and perspectives. *Ticks Tick-borne Dis.* 10, 482-494.
442. Palomar, A.M., Premchand-Branker, S., Alberdi, P., Belova, O., Moniuszko-Malinowska, A., Kahl, O., Bell-Sakyi, L. (2019). Isolation of known and potentially pathogenic tick-borne microorganisms from European ixodid ticks using tick cell lines. *Ticks Tick-borne Dis.* 10, 628-638.
443. Rimikhanov, N.I., Epova, E.Y., Belyakova, A.V., Lebedeva, A.A., Mutnykh, E.S., Biryukova, Y.K., Zylkova, M.V., Shibaeva, A.V., Trubnikova, E.V., Karataeva, D.A., Akbaev, R.M., Tyno, Y.Y., Laypanov, B.K. (2019). Establishing a cultivable cell line of the tick *Dermacentor marginatus*. *Russ. J. Genet.* 55, 933-938.
444. Russo, A.G., Kelly, A.G., Tuipoluto, D.E., Tanaka, M.T., White, P.A. (2019). Novel insights into endogenous RNA viral elements in *Ixodes scapularis* and other arbovirus vector genomes. *Virus Evol.* 5, vez010.
445. Taniguchi, S. (2019). Detection of Jingmen tick virus in human patient specimens: Emergence of a new tick-borne human disease? *EBioMedicine* 43, 18-19.
446. Thu, M.J., Qiu, Y., Kataoka-Nakamura, C., Sugimoto, C., Katakura, K., Isoda, N., Nakao, R. (2019). Isolation of *Rickettsia*, *Rickettsiella*, and *Spiroplasma* from questing ticks in Japan using arthropod cells. *Vector-borne Zoonot. Dis.* DOI: 10.1089/vbz.2018.2373.
447. Thu, M.J., Qiu, Y., Yamagishi, J., Kusakisako, K., Ogata, S., Moustafa, M.A.M., Isoda, N., Sugimoto, C., Katakura, K., Nonaka, N., Nakao, R. (2019). Complete genome sequence of *Rickettsia asiatica* strain Maytaro1284, a member of spotted fever group Rickettsiae isolated from an *Ixodes ovatus* tick in Japan. *Microbiol Resour. Announc.* 8, e00886-19. <https://doi.org/10.1128/MRA.00886-19>.
448. Torii, S., Matsuno, K., Qiu, Y., Mori-Kajihara, A., Kajihara, M., Nakao, R., Nao, N., Okazaki, K., Sashika, M., Hiono, T., Okamatsu, M., Sakoda, Y., Ebihara, H., Takada, A., Sawa, H. (2019). Infection of newly identified phleboviruses in ticks and wild animals in Hokkaido, Japan indicating tick-borne life cycles. *Ticks Tick-borne Dis.* 10, 328-335.
449. Turck, J.W., Taank, V., Neelakanta, G., Sultana, H. (2019). *Ixodes scapularis* Src tyrosine kinase facilitates *Anaplasma phagocytophilum* survival in its arthropod vector. *Ticks Tick-borne Dis.* 10, 838-847.
450. Waltero, C., de Abreu, L.A., Alonso, T., Nunes-da-Fonseca, R., Vaz, I.S., Logullo, C. (2019). TOR as a regulatory target in *Rhipicephalus microplus* embryogenesis. *Front. Physiol.* 10, 965.
451. Wass, L., Grankvist, A., Bell-Sakyi, L., Bergström, M., Ulfhammer, E., Lingblom, C., Wennerås, C. (2019). Cultivation of the causative agent of human neehrlichiosis from clinical isolates identifies vascular endothelium as a target of infection. *Emerg. Microbes Infect.* 8, 413-425.

2020s

452. Al-Khafaji, A.M., Bell-Sakyi, L., Fracasso, G., Juu, L., Heylen, D., Matthysen, E., Oteo, J.A., Palomar, A.M. (2020). Isolation of *Candidatus Rickettsia vini* from Belgian *Ixodes arboricola* ticks and propagation in tick cell lines. *Ticks Tick-borne Dis.* 11, 101511.
453. Al-Rofaai, A., Bell-Sakyi, L. (2020). Tick cell lines in research on tick control. *Front. Physiol.* 11, 152.
454. Almazan, C., Fourniol, L., Rouxel, C., Alberdi, P., Gandoin, C., Lagree, A-C., Boulois, H-J., de la Fuente, J., Bonnet, S. (2020). Experimental *Ixodes ricinus*-sheep cycle of *Anaplasma phagocytophilum* NV20s propagated in tick cell cultures. *Front. Vet. Sci.* 7, 40.

455. Alonso, B.I., Ventura, E.S., Esteves, E., Galletti, M.F.B.M., Dall'Agnol, B., Martins, J.R., Klafke, G., Reck, J., Fogaça, C., Daffre, S. (2020). A tick cell line as a powerful tool to screen the antimicrobial susceptibility of the tick-borne pathogen *Anaplasma marginale*. *Exp. Parasitol.* 217, 107958.
456. Crosby, F.L., Munderloh, U.G., Nelson, C.M., Herron, M.J., Lundgren, A.M., Xiao, Y-P., Allred, D.R., Barbet, A.F. (2020). Disruption of VirB6 paralogs in *Anaplasma phagocytophilum* attenuates its growth. *J. Bacteriol.* 202, e00301-20.
457. Dahmani, M., Anderson, J.F., Sultana, H., Neelakanta, G. (2020). Rickettsial pathogen uses arthropod tryptophan pathway metabolites to evade reactive oxygen species in tick cells. *Cell. Microbiol.* 10, e13237.
458. Forth, J.H., Forth, L.F., Lycett, S., Bell-Sakyi, L., Keil, G.M., Blome, S., Calvignac-Spencer, S., Wissgott, A., Krause, J., Höper, D., Kampen, H., Beer, M. (2020). Identification of African swine fever virus-like elements in the soft tick genome provides insights into the virus' evolution. *BMC Biol.* 18, 136.
459. Helmova, R., Honig, V., Tykalova, H., Palus, M., Bell-Sakyi, L., Grubhoffer, L. (2020). Tick-borne encephalitis virus adaptation in different host environments and existence of quasispecies. *Viruses* 12, 902.
460. Hua, B.L., Scholte, F.E.M., Ohlendorf, V., Kopp, A., Marklewitz, M., Drosten, C., Nichol, S.T., Spiropoulou, C., Junglen, S., Bergeron, E. (2020). A single mutation in Crimean-Congo hemorrhagic fever virus discovered in ticks impairs infectivity in human cells. *eLife* 9, 50999.
461. Jia, N., et al [+54 authors] (2020). Large-scale comparative analyses of tick genomes elucidate their genetic diversity and vector capacities. *Cell* 182, 1-13.
462. Kendall, B.L., Grabowski, J.M., Rosenke, R., Pulliam, M., Long, D.L., Scott, D.P., Offerdahl, D.K., Bloom, M.E. (2020). Characterization of flavivirus infection in salivary gland cultures from male *Ixodes scapularis* ticks. *PLoS Negl. Trop. Dis.* 14, e0008683.
463. Kholodilov, I.S., Litov, A.G., Klimentov, A.S., Belova, O.A., Polienko, A.E., Nikitin, N.A., Shchetinin, A.M., Ivannikova, A.Y., Bell-Sakyi, L., Yakovlev, A.S., Bugmyrin, S.V., Bespyatova, L.A., Gmyl, L.V., Luchinina, S.V., Gmyl, A.P., Gushchin, V.A., Karganova, G.G. (2020). Isolation and characterization of Alongshan virus in Russia. *Viruses* 12, 362.
464. Khoo, J-J., Kurtti, T.J., Husin, N.A., Beliavskaia, A., Lim, F.S., Zulkifli, M.M.S., Al-Khafaji, A.M., Hartley, C., Darby, A.C., Hughes, G.L., AbuBakar, S., Makepeace, B.L., Bell-Sakyi, L. (2020). Isolation and propagation of laboratory strains and a novel flea-derived field strain of *Wolbachia* in tick cell lines. *Microorganisms* 8, 988.
465. Kotsarenko, K., Vechtova, P., Lieskovska, J., Füßy, Z., Cabral-de-Mello, D., Rego, R., Alberdi, P., Collins, M., Bell-Sakyi, L., Sterba, J., Grubhoffer, L. (2020). Karyotype changes in long-term cultured tick cell lines. *Sci. Rep.* 10, 13443.
466. Lattová, E., Straková, P., Pokorná-Formanová, P., Grubhoffer, L., Bell-Sakyi, L., Zdráhal, Z., Palus, M., Ružek, D. (2020). Comprehensive N-glycosylation mapping of envelope glycoprotein from tick-borne encephalitis virus grown in human and tick cells. *Sci. Rep.* 10, 13204.
467. Liebenberg, J., Steyn, H.C., Josemanns, A.I., Faber, E., Zwegarth, E. (2020). *In vitro* propagation and genome sequencing of three 'atypical' *Ehrlichia ruminantium* isolates. *Onderstepoort J. Vet Res.* 87, a1769.
468. Loginov, D.S., Böttinger, K., Loginova, Y.F., Dycka, F., Vechtova, P., Sterba, J. (2020). Biotyping of IRE/CTVM19 tick cell line infected by tick-borne encephalitis virus. *Ticks Tick Borne Dis.* 11, 101420.
469. Luu, L., Bown, K.J., Palomar, A.M., Kazimirova, N., Bell-Sakyi, L. (2020). Isolation and partial characterisation of a novel *Trypanosoma* from the tick *Ixodes ricinus*. *Ticks Tick-borne Dis.* 11, 101501.
470. Markowicz, M., Schotta, A-M., Wijnveld, M., Stanek, G. (2020). Lyme borreliosis with scalp eschar mimicking rickettsial infection, Austria. *Emerg. Infect. Dis.* 26, 2193-2195.
471. Martins, L.A., Palmisano, G., Cortez, M., Kawahara, R., Balanco, J.M.F., Fujita, A., Alonso, B.I., Barros-Battesti, D.M., Braz, G.R.C., Tirloni, L., Esteves, E., Daffre, S., Fogaca, A.C. (2020). The intracellular bacterium *Rickettsia rickettsii* exerts an inhibitory effect on the apoptosis of tick cells. *Parasites Vectors* 13, 603.
472. Narra, H.P., Sahni, A., Alsing, J., Schroeder, C.L.C., Golovko, G., Nia, A.M., Fofanov, Y., Khanipov, K., Sahni, S.K. (2020). Comparative transcriptomic analysis of *Rickettsia conorii* during in vitro infection of human and tick host cells. *BMC Genomics* 21, 665.

473. Nelson, C.M., Herron, M.J., Wang, X-R., Baldrige, G.D., Oliver, J.D., Munderloh, U.G. (2020). Global transcription profiles of *Anaplasma phagocytophilum* at key stages of infection in tick and human cell lines and granulocytes. *Front. Vet. Sci.* 7, 111.
474. Parkins, N.D., Stokes, J.V., Gavron, N.A., Frankovich, A.N., Varela-Stokes, A.S. (2020). Scarcity of *Hepatozoon americanum* in Gulf Coast tick vectors and potential for cultivating the protozoan. *Vet. Parasitol. Regional Stud. Case Rep.* 21, 100421.
475. Ramasamy, E., Taank, V., Anderson, J.F., Sultana, H., Neelakanta, G. (2020). Repression of tick microRNA-133 induces organic anion transporting polypeptide expression critical for *Anaplasma phagocytophilum* survival in the vector and transmission to the vertebrate host. *PLoS Genet.* 16, e1008856.
476. Regmi, P., Khanal, S., Neelakanta, G., Sultana, H. (2020). Tick-borne flavivirus inhibits sphingomyelinase (*IsMase*), a venomous spider ortholog to increase sphingomyelin lipid levels for its survival in *Ixodes scapularis* ticks. *Front. Cell. Infect. Microbiol.* 10, 244.
477. Salata, C., Monteil, V., Leijon, M., Bell-Sakyi, L., Mirazimi, A. (2020). Identification and validation of internal reference genes for real-time quantitative polymerase chain reaction-based studies in *Hyalomma anatolicum* ticks. *Ticks Tick Borne Dis.* 11, 101417.
478. Steyn, H.C., Pretorius, A. (2020). Genetic diversity of *Ehrlichia ruminantium* field strains from selected farms in South Africa. *Ondertsepoort J. Vet. Res.* 87, a1741.
479. Wang, X-R., Kurtti, T.J., Oliver, J.D., Munderloh, U.G. (2020). The identification of tick autophagy-related genes in *Ixodes scapularis* responding to amino acid starvation. *Ticks Tick Borne Dis.* 11, 101402.
480. Zhou, W., Tahir, F., Wang, J.C-Y., Woodson, M., Sherman, M.B., Karim, S., Neelakanta, G., Sultana, H. (2020). Discovery of exosomes from tick saliva and salivary glands reveals therapeutic roles for CXCL12 and IL-8 in wound healing at the tick-human skin interface. *Front. Cell. Dev. Biol.* 8, 554.
481. Artigas-Jeronimo, S., Villar, M., Cabezas-Cruz, A., Caignard, G., Vitour, D., Richardson, J., Lacour, S., Attoui, H., Bell-Sakyi, L., Allain, E., Nijhof, A.M., Militzer, N., Pinecki Socias, S., de la Fuente, J. (2021). Tick Importin- α is implicated in the interactome and regulome of the cofactor subolesin. *Pathogens* 10, 457.
482. Beliavskaia, A., Hönig, V., Erhart, J., Vyhliadalova, T., Palus, M., Cerny, J., Kozlova, I., Ruzek, D., Palomar, A.M., Bell-Sakyi, L. (2021). *Spiroplasma* isolated from third-generation laboratory colony *Ixodes persulcatus* ticks. *Front. Vet. Sci.* 8, 659786.
483. Bell-Sakyi, L., Beliavskaia, A., Hartley, C.S., Jones, L., Luu, L., Haines, L.R., Hamilton, J.G.C., Darby, A.C., Makepeace, B.L. (2021). Isolation in natural host cell lines of *Wolbachia* strains wPip from the mosquito *Culex pipiens* and wPap from the sand fly *Phlebotomus papatasi*. *Insects* 12, 871.
484. Crosby, F.L., Wellehan, J.F.X., Pertierra, L., Wendland, L.D., Lundgren, A.M., Barbet, A.F., Brown, M.B. (2021). Molecular characterization of “*Candidatus Anaplasma testudines*”: an emerging pathogen in the threatened Florida gopher tortoise (*Gopherus polyphemus*). *Ticks Tick Borne Dis.* 12, 101672.
485. Daveu, R., Hervet, C., Sigrist, L., Sasser, D., Jex, A., Labadie, K., Aury, J-M., Plantard, O., Risse, C. (2021). Sequence diversity and evolution of a group of flaviviruses associated with ticks. *Arch. Virol.* 166, 1843-1852.
486. Escobar-Chavarria, O., Cossio-Bayugar, R., Ramirez-Noguera, P., Prado-Ochoa, M.G., Velazquez-Sanchez, M., Munoz-Guzman, M.A., Angeles, E., Alba-Hurtado, F. (2021). *In vivo* and *in vitro* apoptosis induced by new acaricidal ethyl-carbamates in *Rhipicephalus microplus*. *Ticks Tick Borne Dis.* 12, 101603.
487. Eskeland, S., Stuen, S., Munderloh, U.G., Barbet, A., Crosby, L., Lybeck, K., Wilhelmsson, Lindgren, P-E., Makvandi-Nejad, S., Tollefsen, S., Granquist, E.G. (2021). Clinical and immunological responses in sheep after inoculation with Himar1-transformed *Anaplasma phagocytophilum* and subsequent challenge with a virulent strain of the bacterium. *Vet. Immunol. Immunopath.* 231, 110165.
488. Hernandez, E.P., Talactac, M.R., Vitor, R.J.S., Yoshii, K., Tanaka, T. (2021). An *Ixodes scapularis* glutathione S-transferase plays a role in cell survival and viability during Langkat virus infection of a tick cell line. *Acta Trop.* 214, 105763.
489. Husin, N.A., Khoo, J.J., Zulkifli, M.M.S., Bell-Sakyi, L., AbuBakar, S. (2021). Replication kinetics of *Rickettsia raoultii* in tick cell lines. *Microorganisms* 9, 1370.
490. Grankvist, A., Jaen-Luchoro, D., Wass, L., Sikora, P., Wenneras, C. (2021). Comparative genomics of clinical isolates of the emerging tick-borne pathogen *Neoehrlichia mikurensis*. *Microorganisms* 9, 1488.

491. Guimera Busquets, M., Pullinger, G.D., Darpel, K.E., Cooke, L., Armstrong, S., Simpson, J., Palmarini, M., Frangkoudis, R., Mertens, P.P.C. (2021). An early block in the replication of the atypical bluetongue virus serotype 26 in *Culicoides* cells is determined by its capsid proteins. *Viruses* 13, 919.
492. Kholodilov, I.S., Belova, O.A., Morozkin, E.S., Litov, A.G., Ivannikova, A.Y., Makenov, M.T., Shchetinin, A.M., Aibulatov, S.V., Bazarova, G.K., Bell-Sakyi, L., Bespyatova, L.A., Bugmyrin, S.V., Chernetsov, N., Chernokhaeva, L.L., Gmyl, L.V., Khaisarova, A.N., Khalin, A.V., Klimentov, A.S., Kovalchuk, I.V., Luchinina, S.V., Medvedev, S.G., Nafeev, A.A., Oorzhak, N.D., Panjukova, E.V., Polienko, A.E., Purmak, K.A., Romanenko, E.N., Rozhdestvenskiy, E.N., Saryglar, A.A., Shamsutdinov, A.F., Solomashchenko, N.I., Trifonov, V.A., Volchev, E.G., Vovkotek, P.G., Yakovlev, A.S., Zhurenkova, O.B., Gushchin, E.V.A., Karan, L.S., Karganova, G.G. (2021) Geographical and host-dependent distribution of Flavi-like Alongshan and Yanggou tick viruses in Russia. *Viruses* 13, 458.
493. Kodama, F., Yamaguchi, H., Park, E., Tatemoto, K., Sashika, M., Nakao, R., Terauchi, Y., Mizuma, K., Orba, Y., Kariwa, H., Hagiwara, K., Okazaki, K., Goto, A., Komagome, R., Miyoshi, M., Ito, T., Yamano, K., Yoshii, K., Funaki, C., Ishizuka, M., Shigeno, A., Itakura, Y., Bell-Sakyi, L., Edagawa, S., Nagasaka, A., Sakoda, Y., Sawa, H., Maeda, K., Saijo, M., Matsuno, K. (2021). A novel nairovirus associated with acute febrile illness in Hokkaido, Japan. *Nature Comm.* 12, 5539.
494. Lemasson, M., Caignard, G., Unterfinger, Y., Attoui, H., Bell-Sakyi, L., Hirchaud, E., Moutailler, S., Johnson, N., Vitour, D., Richardson, J., Lacour, S. (2021) Exploration of binary protein-protein interactions between tick-borne flaviviruses and *Ixodes ricinus*. *Parasit. Vectors* 14, 144.
495. Lima-Duarte, L., Camargo, J.V., Castro-Santiago, A.C., Machado, R.Z., Andre, M.R., Cabral-de-Mello D.C., Camargo-Mathias, M.I., Ikeda, P., Anholetto, L.A., Pereira, M.C., da Costa, A.J., Barros-Battesti, D.M. (2021). Establishment and characterization of a cell line (RBME-6) of *Rhipicephalus (Boophilus) microplus* from Brazil. *Ticks Tick Borne Dis.* 12, 101770.
496. Luzzi, M.C., de Carvalho, L.A.L., Pinheiro, D.G., Lima-Duarte, L., Camargo, J.V., Kishi, L.T., Fernandes, C.C., Machado, R.Z., Soares, J.F., Andre, M.R., Barros-Battesti, D.M. (2021). Analysis on the prokaryotic microbiome in females and embryonic cell cultures of *Rhipicephalus sanguineus* tropical and temperate lineages from two specific localities in Brazil. *Braz. J. Vet. Parasitol.* 30, e005721.
497. Mateos-Hernandez, L., Pipova, N., Allain, E., Henry, C., Rouxel, C., Lagree, A-C., Haddad, N., Boulois, H-J., Valdes, J.J., Alberdi, P., de la Fuente, J., Cabezas-Cruz, A., Simo, L. (2021). Enlisting the *Ixodes scapularis* embryonic ISE6 cell line to investigate the neuronal basis of tick—pathogen interactions. *Pathogens* 10, 70.
498. Salata, C., Moutailler, S., Attoui, H., Zwegarth, E., Decker, L., Bell-Sakyi, L. (2021). How relevant are *in vitro* culture models for study of tick-pathogen interactions? *Pathogens Glob. Hlth* DOI: 10.1080/20477724.2021.1944539.
499. Salvati, M.V., Salaris, C., Monteil, V., Del Vecchio, C., Palu, G., Parolin, C., Calistri, A., Bell-Sakyi, L., Mirazimi, A., Salata, C. (2021). Virus-derived DNA forms mediate the persistent infection of tick cells by Hazara virus and Crimean-Congo hemorrhagic fever virus. *J. Virol.* 95, e0163821.
500. Solyman, M., Brayton, K.A., Shaw, D.K., Omsland, A., McGeehan, S., Scoles, G.A., Noh, S.M. (2021). Predicted iron metabolism genes in hard ticks and their response to iron reduction in *Dermacentor andersoni* cells. *Ticks Tick Borne Dis.* 12, 101584.
501. Suderman, M.T., Temeyer, K.B., Schlechte, K.G., Perez de Leon, A.A. (2021). Three-dimensional culture of *Rhipicephalus (Boophilus) microplus* BmVIII-SCC cells on multiple synthetic scaffold systems and in rotating bioreactors. *Insects* 12, 747.
502. Thorpe, C.J., Wang, X-R., Munderloh, U.G., Kurtti, T.J. (2021). Tick cell culture analysis of growth dynamics and cellular tropism of *Rickettsia buchneri*, an endosymbiont of the blacklegged tick, *Ixodes scapularis*. *Insects* 12, 968.
503. Tongluan, N., Shelton, L.T., Collins, J.H., Ingraffia, P., McCormick, G., Pena, M., Sharma, R., Lahiri, R., Adams, L.B., Truman, R.W., Macaluso, K.R. (2021). *Mycobacterium leprae* infection in ticks and tick-derived cells. *Front. Microbiol.* 12, 761420.
504. Wang, X-R., Burkhardt, N.Y., Kurtti, T.J., Oliver, J.D., Price, L.D., Cull, B., Thorpe, C.J., Thiel, M.S., Munderloh, U.G. (2021). Mitochondrion-dependent apoptosis is essential for *Rickettsia parkeri* infection and replication in vector cells. *mSystems* 6, 01209-20.

505. Wurtz, N., Penant, G., Jardot, P., Duclos, N., La Scola, B. (2021). Culture of SARS-CoV-2 in a panel of laboratory cell lines, permissivity, and differences in growth profile. *Eur. J. Clin. Microbiol. Infect. Dis.* 40, 477-484.
506. Bai, Y., Zhang, Y., Su, Z., Tang, S., Wang, J., Wu, Q., Yang, J., Moming, A., Zhang, Y., Bell-Sakyi, L., Sun, S., Shen, S., Deng, F. (2022). Discovery of tick-borne Karshi virus implies misinterpretation of the tick-borne encephalitis virus seroprevalence in Northwest China. *Front. Microbiol.* 13, 872067.
507. Bell-Sakyi, L., Hartley, C.S., Khoo, J.J., Forth, J.H., Palomar, A.M., Makepeace, B.L. (2022). New cell lines derived from European tick species. *Microorganisms* 10, 1086.
508. Bourchookarn, A., Paddock, C.D., Macaluso, K.R., Bourchookarn, W. (2022). Association between growth rate and pathogenicity of spotted fever group *Rickettsia*. *J. Pur. Appl. Microbiol.* 16, 374-383.
509. Burkhardt, N.Y., Price, L.D., Wang, X-R., Heu, C.C., Baldrige, G.D., Munderloh, U.G., Kurtti, T.J. (2022). Examination of rickettsial host range for shuttle vectors based on *dnaA* and *parA* genes from the pRM plasmid of *Rickettsia monacensis*. *Appl. Environ. Microbiol.* 88, 000210-22.
510. Crosby, F.L., Eskeland, S., Bo-Granquist, E.G., Munderloh, U.G., Price, L.D., Al-Khedery, B., Stuen, S., Barbet, A.F. (2022). Comparative whole genome analysis of an *Anaplasma phagocytophilum* strain isolated from Norwegian sheep. *Pathogens* 11, 601
511. Cull, B., Burkhardt, N.Y., Wang, X-R., Thorpe, C.J., Oliver, J.D., Kurtti, T.J., Munderloh, U.G. (2022). The *Ixodes scapularis* symbiont *Rickettsia buchneri* inhibits growth of pathogenic Rickettsiaceae in tick cells: implications for vector competence. *Front. Vet. Sci.* 8, 748427.
512. de la Fuente, J., Moraga-Fernandez, Alberdi, P., Diaz-Sanchez, S., Garcia-Alvarez, O., Fernandez-Melgar, R., Contreras, M. (2022). A quantum vaccinomics approach for the design and production of MSP4 chimeric antigen for the control of *Anaplasma phagocytophilum* infections. *Vaccines* 10, 1995.
513. Della Noce, B., da Silva, R.M., Uhl, M.V.C., Konnai, S., Ohashi, K., Calixto, C., Arcanjo, A., de Abreu, L.A., de Carvalho, S.S., Vaz, I.S., Logullo, C. (2022). Redox imbalance induces remodeling of glucose metabolism in *Rhipicephalus microplus* embryonic cell line. *J. Biol. Chem.* 298, 101599.
514. Fasaie, K.D., Neelakanta, G., Sultana, H. (2022). Alterations in arthropod and neuronal exosomes reduce virus transmission and replication in recipient cells. *Extracell. Vesicles Circ. Nucleic Acids* 3, 264-79.
515. Fongsaran, C., Jirakanwisal, K., Tongluan, N., Latour, A., Healy, S., Christofferson, R.C., Macaluso, K.R. (2022). The role of cofeeding arthropods in the transmission of *Rickettsia felis*. *PLoS Negl. Trop. Dis.* 16, e0010576.
516. Goonawardane, N., Upstone, L., Harris, M., Jones, I.M. (2022). Identification of host factors differentially induced by clinically diverse strains of tick-borne encephalitis. *J. Virol.* 96, e00818-22
517. Helminiak, L., Mishra, S., Kim, H.K. (2022). Pathogenicity and virulence of *Rickettsia*. *Virulence* 13, 1752-1771.
518. Kevely, A., Pranclova, V., Slavikova, M., Haviernik, J., Honig, V., Novakova, E., Palus, M., Ruzek, D., Klempa, B., Koci, J. (2022). Fitness of mCherry reporter tick-borne encephalitis virus in tick experimental models. *Viruses* 14, 2673.
519. Khanal, S., Taank, V., Anderson, J.F., Sultana, H., Neelakanta, G. (2022). Rickettsial pathogen perturbs tick circadian gene to infect the vertebrate host. *Int. J. Mol. Sci.* 23, 3545.
520. Kholodilov, I.S., Belova, O.A., Ivannikova, A.Y., Gadzhikurbanov, M.N., Makenov, M.T., Yakovlev, A.S., Polienko, A.E., Dereventsova, A.V., Litov, A.G., Gmyl, L.V., Okhezina, E.V., Luchinina, S.V., Klimentov, A.S., Karganova, G.G. (2022). Distribution and characterization of tick-borne flavi-, flavi-like, and phenuiviruses in the Chelyabinsk Region of Russia. *Viruses* 14, 2699.
521. Laukaitis, H.J., Cooper, T.T., Suwanbongkot, C., Verhoeve, V.I., Kurtti, T.J., Munderloh, U.G., Macaluso, K.R. (2022). Transposon mutagenesis of *Rickettsia felis sca1* confers a distinct phenotype during flea infection. *PLoS Pathog.* 18, e1011045.
522. Li, L-F., Zhang, M-Z., Zhu, J-G., Cui, X-M., Zhang, C-F., Niu, T-Y., Li, J., Sun, Y., Wei-Wei, Liu, H-B., Yuan, T-T., Wei, R., Wang, Q., Xia, L-Y., Zhao, L., Bell-Sakyi, L., Jiang, B-G., Jiang, J-F., Jongejan, F., Jia, N., Cao, W-C. (2022). *Dermacentor silvarum*, a medically-important tick, may not be a competent vector to transmit Jingmen tick virus. *Vector-Borne Zoonot. Dis.* 22, 402-407.
523. Lima-Duarte, L., Castro-Santiago, A.C., Camargo, J.V., Ferretti, A.B.S.M., Anholeto, L.A., Pereira, M.C., Ikeda, P., Perez, C.A., Sanches, G.S., Camargo-Mathias, M.I., Cabral-de-Mello, D.C., Machado, R.Z., Andre,

- M.R., Barros-Battesti, D.M. (2022). Establishment and multiapproach characterization of *Amblyomma sculptum* (Acari: Ixodidae) cell line (ASE-14) from Brazil. *Ticks Tick Borne Dis*, 13, 101951.
524. Morozkin, E.S., Makenov, M.T., Zhurenkova, O.B., Kholodilov, I.S., Belova, O.A., Radyuk, E.V., Fyodorova, M.V., Grigoreva, Y.E., Litov, A.G., Valdokhina, A.V., Bulanenko, V.P., Samoilo, A.E., Korneenko, E.V., Voizekhovskaya, Y.A., Neverov, A.D., Karganova, G.G., Karan, L.S. (2022). Integrated Jingmenvirus polymerase gene in *Ixodes ricinus* genome. *Viruses* 14, 1908.
525. Neelakanta, G., Sultana, H. (2022). Tick saliva and salivary glands: what do we know so far on their role in arthropod blood feeding and pathogen transmission. *Front. Cell. Infect. Microbiol.* 11, 816547.
526. O'Brien, C.A., Huang, B., Warrilow, D., Hazlewood, J.E., Bielefeldt-Ohmann, H., Hall-Mendelin, S., Pegg, C.L., Harrison, J.J., Paramitha, D., Newton, N.D., Schulz, B.L., Suhrbier, A., Hobson-Peters, J., Hall, R.A. (2022). Extended characterisation of five archival tick-borne viruses provides insights for virus discovery in Australian ticks. *Parasites Vectors* 15, 59.
527. Pan, Y-S., Cui, X-M., Du, L-F., Xia, L-Y., Du, C-H., Bell-Sakyi, L., Zhang, M-Z., Zhu, D-Y., Dong, Y., Wei, W., Zhao, L., Sun, Y., Lv, Q-Y., Ye, R-Z., He, Z-H., Wang, Q., Li, L-J., Yao, M-G., Xiong, T., Jiang, W-C., Cao, W-C., Jia, N. (2022). Co-infection of two *Rickettsia* species in a single tick species provides new insight into *Rickettsia-Rickettsia* and *Rickettsia-vector* interactions. *Microbiol. Spectr.* 10, e02323-22.
528. Saporiti, T., Cabrera, M., Bentancur, J., Ferrari, M.E., Cabrera, N., Pérez-Montfort, R., Aguirre-Crespo, F.J., Gil, J., Cuore, U., Matiadis, D., Sagnou, M., Alvarez, G. (2022). Phenotypic and target-directed screening yields new acaricidal alternatives for the control of ticks. *Molecules* 27, 8863.
529. Shi, J., Zhou, M., Tang, S., Wu, Q., Deng, F., Bell-Sakyi, L., Shen, S. (2022). Differential characteristics of mammalian and tick-derived promoters to trigger protein expression in transfected tick cell lines. *Ticks Tick Borne Dis.* 13, 101906.
530. Sidak-Loftis, L.C., Rosche, K.L., Pence, N., Ujcz, J.K., Hurtado, J., Fisk, E.A., Goodman, A.G., Noh, S.M., Peters, J.W., Shaw, D.K. (2022). The unfolded-protein response triggers the arthropod immune deficiency pathway. *mBio* 13, e00703-22.
531. Skinner, K.M., Underwood, J., Ghosh, A., Chavez, A.S.O., Brelsfoard, C.L. (2022). *Wolbachia* impacts *Anaplasma* infection in *Ixodes scapularis* tick cells. *Int. J. Environ. Res. Pub. Hlth* 19, 1051.
532. Solyman, M.S.M., Ujcz, J., Brayton, K.A., Shaw, D.K., Schneider, D.A., Noh, S.M. (2022). Iron reduction in *Dermacentor andersoni* tick cells inhibits *Anaplasma marginale* replication. *Int. J. Mol. Sci.* 23, 3941.
533. Stockmal, K.A., Downs, L.P., Davis, A.N., Kemp, L.K., Karim, S., Morgan, S.E. (2022). Cationic glycopolyelectrolytes for RNA interference in tick cells. *Biomolecules* 23, 34-46.
534. Sugimoto, S., Yuto, S., Nagata, N., Fukushi, S., Yoshikawa, T., Kurosu, T., Mizutani, T., Saijo, M., Shimojima, M. (2022) Characterization of Keterah orthonaviruses and evaluation of therapeutic candidates against Keterah orthonaviruses infectious disease. *Ticks Tick Borne Dis.* 13, 101834.
535. Tangudu, C.S., Hargett, A.M., Laredo-Tiscareno, S.V., Smith, R.C., Blitvich, B.J. (2022). Isolation of a novel rhabdovirus and detection of multiple novel viral sequences in *Culex* species mosquitoes in the United States. *Arch. Virol.* <https://doi.org/10.1007/s00705-022-05586-5>
536. Verhoeve, V.I., Fautleroy, T.D., Risteen, R.G., Driscoll, T.P., Gillespie, J.J. (2022). Cryptic genes for interbacterial antagonism distinguish *Rickettsia* species infecting blacklegged ticks from other *Rickettsia* pathogens. *Front. Cell. Infect. Microbiol.* 12, 880813.
537. Viminish, R., Capelli-Peixoto, J., Johnson, W.C., Hussein, H.E., Taus, N.S., Brayton, K.A., Munderloh, U.G., Noh, S.M., Ueti, M.W. (2022). *Anaplasma marginale* infection of *Dermacentor andersoni* primary midgut cell cultures is dependent on fucosylated glycans. *Front. Cell. Infect. Microbiol.* 12, 877525.
538. Wagner, D.M., Birdsell, D.N., McDonough, R.F., Nottingham, R., Kocos, K., Celona, K., Ozsurecki, Y., Ohrman, C., Karlsson, L., Myrtennas, K., Sjodin, A., Johansson, A., Keim, P.S., Forsman, M., Sahl, J.W. (2022). Genomic characterization of *Francisella tularensis* and other diverse *Francisella* species from complex samples. *PLoS ONE*, 17, e0273273.
539. Wang, X-R., Cull, B. (2022). Apoptosis and autophagy: current understanding in tick-pathogen interactions. *Front. Cell. Infect. Microbiol.* 12, 784430.
540. Aardema, M.L. (2023). Genomic analyses indicate the North American Ap-ha variant of the tick-vector bacterium *Anaplasma phagocytophilum* was introduced from Europe. *Parasites Vectors* 16, 301.
541. Aspinwall, J.A., Jarvis, S.M., Noh, S.M., Brayton, K.A. (2023). The effect of *Rickettsia bellii* on *Anaplasma marginale* infection in *Dermacentor andersoni* cell culture. *Microorganisms* 11, 1096.

542. Beliavskaia, A., Tan, K-K., Sinha, A., Husin, N.A., Lim, F.S., Loong, S.K., Bell-Sakyi, L., Carlow, C.K.S., Abubakar, S., Darby, A.C., Makepeace, B.L., Khoo, J.J. (2023). Metagenomics of culture isolates and insect tissue illuminate the evolution of *Wolbachia*, *Rickettsia* and *Bartonella* symbionts in *Ctenocephalides* spp. fleas. *Microb. Genomics* 9, 001045.
543. Boussaine, K., Taha, M., Ning, C., Cartereau, A., Rakotobe, S., Mateos-Hernandez, L., Taillebois, E., Simo, L., Thany, S.H. (2023). Isolation and electrophysiological recording of *Ixodes ricinus* synganglion neurons. *J. Pharmacol. Toxicol. Meth.* 124, 107473.
544. De, S., Kingan, S.B., Kitsou, C., Portik, D.M., Foor, S.D., Frederick, J.C., Rana, V.S., Paulat, N.S., Ray, D.A., Wang, Y., Glenn, T.C., Pal, U. (2023). A high-quality *Ixodes scapularis* genome advances tick science. *Nature Genetics* 55, 301-311.
545. Feng, C., Torimaru, K., Lim, M.Y.T., Chak, L-L., Shiimori, M., Tsuji, K., Tanaka, T., Iida, J., Okamura, K. (2023). A novel eukaryotic RdRP-dependent small RNA pathway represses antiviral immunity by controlling an ERK pathway component in the black-legged tick. *PLoS ONE* 18, e0281195.
546. Grot, A., Unterfinger, Y., Lacour, S., Bell-Sakyi, L., Attoui, H., Richardson, J., Sourisseau, M. (2023) Détournement de la cellule par un flavivirus transmis par les tiques: liaisons dangereuses entre l'ARN viral et les protéines cellulaires chez l'humain et la tique *Ixodes ricinus*. *Virologie* 27, DOI:10.1684/vir.2023.1006
547. Guizzo, M.G., Hatalova, T., Frantova, H., Zurek, L., Kopacek, P., Perner, J. (2023). *Ixodes ricinus* ticks have a functional association with *Midichloria mitochondrii*. *Front. Cell. Infect. Microbiol.* 12, 1081666.
548. Litov, A.G., Okhezin, E.V., Kholodilov, I.S., Belova, O.A., Karganova, G.G. (2023). Conserved sequences in the 5' and 3' untranslated regions of Jingmenvirus group representatives. *Viruses* 15, 971.
549. Litov, A.G., Belova, O.A., Kholodilov, I.S., Kalyanova, A.S., Gadzhikurbanov, M.G., Rogova, A.A., Gmyl, L.V., Karganova, G.G. (2023). Viromes of tabanids from Russia. *Viruses* 15, 2368.
550. Mahesh, P.P., Namjoshi, P., Sultana, H., Neelakanta, G. (2023). Immunization against arthropod protein impairs transmission of rickettsial pathogen from ticks to the vertebrate host. *NPJ Vaccines* 8, 79.
551. Marquis, B., Ardisson, S., Greub, G. (2023). Temperature affects the host range of *Rhabdochlamydia porcellionis*. *Appl. Environ. Microbiol.* 89, DOI10.1128/aem.00309-23.
552. Mazuecos, L., Alberdi, P., Hernandez-Jarguin, A., Contreras, M., Villar, M., Cabezas-Cruz, A., Simo, L., Gonzalez-Garcia, A., Diaz-Sanchez, S., Neelakanta, G., Bonnet, S.I., Fikrig, E., de la Fuente, J. (2023). Frankenbacteriosis targeting interactions between pathogen and symbiont to control infection in the tick vector. *iScience* 26, 106697.
553. Mazuecos, L., Gonzalez-Garcia, A., de la Fuente, J. (2023). Genetic modification, characterization, and co-infection of Franken *Sphingomonas* and *Anaplasma phagocytophilum* in tick cells. *STAR Protocols* 4, 102557.
554. Mohd Jaafar, F., Belhouchet, M., Monsion, B., Bell-Sakyi, L., Mertens, P.P.C., Attoui, H. (2023). Orbivirus NS4 proteins play multiple roles to dampen cellular responses. *Viruses* 15, 1908.
555. Namjoshi, P., Dahmani, M., Sultana, H., Neelakanta, G. (2023). Rickettsial pathogen inhibits tick cell death through tryptophan metabolite mediated activation of p38 MAP kinase. *iScience* 26, 105730.
556. Nassar, M., Martins, L.A., de Assis, J.B., Esteves, E., Sa-Nunes, A., Labruna, M.B., Daffre, S., Fogaca, A.C. (2023). The survival of *Amblyomma sculptum* ticks upon blood-feeding depends on the expression of an inhibitor of apoptosis protein. *Parasites Vectors* 16, 96.
557. Ochwoto, M., Offerdahl, D.K., Leung, J.M., Schwartz, C.L., Long, D., Rosenke, R., Stewart, P.E., Saturday, G.A., Bloom, M.E. (2023). Cytoarchitecture of *ex vivo* midgut cultures of unfed *Ixodes scapularis* infected with a tick-borne flavivirus. *Ticks Tick Borne Dis.* 15, 102301.
558. O'Neal, A.J., Singh, N., Rolandelli, A., Laukaitis, H.J., Wang, X., Shaw, D.K., Young, B.D., Narasimhan, S., Dutta, S., Snyder, G.A., Samaddar, S., Marnin, L., Butler, L.R., Mendes, M.T., Paz, F.E.C., Valencia, L.M., Sundberg, E.J., Fikrig, E., Pal, U., Weber, D.J., Pedra, J.H.F. (2023). Croquemort elicits activation of the immune deficiency pathway in ticks. *PNAS* 120, e2208673120.
559. Park, J.M., Genera, B.M., Fahy, D., Swallow, K.T., Nelson, C.M., Oliver, J.D., Shaw, D.K., Munderloh, U.G., Brayton, K.A. (2023). An *Anaplasma phagocytophilum* T4SS effector, AteA, is essential for tick infection. *mBio* 14, 10.1128/mbio.01711-23.
560. Phoon, W.H., Bell-Sakyi, L., AbuBakar, S., Chang, L.Y. (2023). Experimental infection of tick cells with Nipah virus. *Trop. Biomed.* 40, 29-36.

561. Rosche, K.L., Hurtado, J., Fisk, E.A., Vosbigian, K.A., Warren, A.L., Sidak-Loftis, L.C., Wright, S.J., Ramirez-Zepp, E., Park, J.M., Shaw, D.K. (2023). PERK-mediated antioxidant response is key for pathogen persistence in ticks. *mSphere* 8, e00321-23.
562. Wang, X-R., Cull, B., Oliver, J.D., Kurtti, T.J., Munderloh, U.G. (2023). The role of autophagy in tick-endosymbiont interactions: insights from *Ixodes scapularis* and *Rickettsia buchneri*. *Microbiol. Spectr.* DOI10.1128/spectrum.01086-23.
563. Wang, X-R., Burkhardt, N.Y., Price, L.D., Munderloh, U.G. (2023). An electroporation method to transform *Rickettsia* spp. with a fluorescent protein-expressing shuttle vector in tick cell lines. *JOVE*, DOI : 10.3791/64562-v.
564. Zhang, Y., Yan, Y., Li, S., Yan, F., Wen, D., Jia, N., Xiong, X., Zhang, X., Zheng, A. (2023). Broad host tropism of flaviviruses during the entry stage. *Microbiol. Spectr.* 11, DOI10.1128/spectrum.05281-22.
565. Aguilar-Diaz, H., Quiroz-Castaneda, R.E., Rios-Jasso, D., Cossio-Bayugar, R., Miranda-Miranda, E. (2024). A novel receptor binding progesterone, a possible transregulation mechanism in the *Rhipicephalus microplus*-host interaction. *Front. Biosci. (Landmark Ed)* 29, 238.
566. Artigas-Jeronimo, S., Villar, M., Estrada-Pena, A., Alberdi, P., de la Fuente, J. (2024). Subolesin knockdown in tick cells provides insights into vaccine protective mechanisms. *Vaxxcine* 42, 2801-2809.
567. Bahrain, N.N.K., Husin, N.A., Zulkifli, M.M.S., Loong, S.K., Hassandarvish, P., AbuBakar, S., Sahimin, N. (2024). *Wolbachia* infection in an *Ixodes scapularis*-derived tick cell line. *Malasian J. Microsc.* 20, 57065.
568. Bakker, J.W., Munger, E., Esser, H.J., Sikkema, R.S., de Boer, W.F., Sprong, H., Reusken, C.B.E.M., de Vries, A., Kohl, R., van der Linden, A., Stroo, A., van der Jeugd, H., Pijlman, G.P., Koopmans, M.P.G., Munnink, B.B.O., Koenraadt, C.J.M. (2024). *Ixodes ricinus* as a potential vector for Usutu virus. *PLoS Negl. Trop. Dis.* 18, e0012172.
569. Butler, L.R., Singh, N., Marnin, L., Valencia, L.M., O'Neal, A.J., Cabrera Paz, F.E., Shaw, D.K., Oliva Chavez, A.S., Pedra, J.H.F. (2024). The role of Rab27 in tick extracellular vesicle biogenesis and pathogen infection. *Parasites Vectors* 17, 57.
570. Ferm, J., Jaworski, D.C., Stoll, I., Kleinhenz, M.D., Kocan, K.M., Madesh, S., Ferm, D., Liu, H., Fitzwater, S., Schlieper, A., Ganta, R.R. (2024). Genetically modified live vaccine offers protective immunity against wild-type *Anaplasma marginale* tick-transmission challenge. *Vaccine* 42, 126069.
571. Kishimoto, M., Itakura, Y., Tabata, K., Komagome R., Yamaguchi, A., Ogasawara, K., Nakao, R., Qiu, Y., Sato, K., Kawabata, H., Kajihara, M., Monma, N., Seto, J., Shigeno, A., Horie, M., Sasaki, M., Hall, W.W., Sawa, H., Orba, Y., Matsuno, K. (2024). A wide distribution of Beiji nairoviruses and related viruses in *Ixodes* ticks in Japan. *Ticks Tick Borne Dis.* 15, 102380.
572. Kobayashi, D., Inoue, Y., Suzuki, R., Matsuda, M., Shimoda, H., Faizah, A.N., Kaku, Y., Ishijima, K., Kuroda, Y., Tatemoto, K., Virhuez-Mendoza, M., Harada, M., Nishino, A., Inumaru, M., Yonemitsu, K., Kuwata, R., Takano, A., Watanabe, M., Higa, Y., Sawabe, K., Maeda, K., Isawa, H. (2024). Identification and epidemiological study of an uncultured flavivirus from ticks using viral metagenomics and pseudoinfectious viral particles. *PNAS* 121, e2319400121.
573. Laukaitis-Yousey, H.J., Macaluso, K.R. (2024). Cat flea coinfection with *Rickettsia felis* and *Rickettsia typhi*. *Vector-borne Zoonot. Dis.* 24, 201-213.
574. Le Dortz, L.L., Rouxel, C., Leroy, Q., Ducogne, F., Boulouis, H-J., Haddad, N., Deshuillers, P.L., Lagree, A-C. (2024). Aptamer selection against cell extracts containing the zoonotic obligate intracellular bacterium, *Anaplasma phagocytophilum*. *Sci. Rep.* 14, 2465.
575. Litov, A.G., Shchetinin, A.M., Kholodilov, I.S., Belova, O.A., Gadzhikurbanov, M.N., Ivannikova, A.Y., Kovpak, A.A., Gushchin, V.A., Karganova, G.G. (2024). High-throughput sequencing reveals three rhabdoviruses persisting in the IRE/CTVM19 cell line. *Viruses* 16, 576.
576. Madesh, S., McGill, J., Jaworski, D.C., Ferm, J., Liu, H., Fitzwater, S., Hove, P., Ferm, D., Nair, A. Knox, C.A., Alizadeh, K., Thackrah, A., Ganta, R.R. (2024). Long-term protective immunity against *Ehrlichia chaffeensis* infection induced by a genetically modified live vaccine. *Vaccines* 12, 903.
577. Matsumura, R., Kobayashi, D., Faizah, A.N., Sasaki, T., Itoyama, K., Isawa, H. (2024). Screening and identification of persistent viruses in cell lines derived from medically important arthropods. *J. Med. Entomol.* 61, 741-755.

578. Migne, C.V., Heckmann, A., Monsion, B., Mohd Jaafar, F., Galon, C., Rakotobe, S., Bell-Sakyi, L., Moutailler, S., Attoui, H. (2024). Age- and sex-associated pathogenesis of cell culture-passaged Kemerovo virus in IFNAR^(-/-) mice. *Int. J. Molec. Sci.* 25, 3177.
579. Monteil, V.M., Wright, S.C., Dyczynski, M., Kellner, M.J., Appelberg, S., Platzer, S.W., Ibrahim, A., Kwon, H., Pittarokoilis, I., Mirandola, M., Michlits, G., Devignot, S., Elder, E., Abdurahman, S., Bereczky, S., Bagci, B., Youhanna, S., Aastrup, T., Lauschke, V.M., Salata, C., Elaldi, N., Weber, F., Monserrat, N., Hawman, D.W., Feldmann, H., Horn, M., Penninger, J.M., Mirazimi, A. (2024). Crimean–Congo haemorrhagic fever virus uses LDLR to bind and enter host cells. *Nature Microbiol.* 5, DOI10.1038/s41564-024-01672-3.
580. Moraes, B., Gomes, H., Saramago, L., Braz, V., Parizi, L.F., Braz, G., da Silva Vaz Jr., I., Logullo, C., Moraes, J. (2024). Aurora kinase as a putative target to tick control. *Parasitology* DOI10.1017/S003118202400101X.
581. Nogueira, C.L., Arcanjo, A.F., Lima, M.E., Moraes, B., da Silva, R.M., Gondim, K.C., Konnai, S., Ramos, I., Santos, S., Filardy, A.D., Pinto, K.G., da Silva Vaz Junior, I., Logullo, C. (2024). Starvation metabolism adaptations in tick embryonic cells BME26. *Int. J. Mol. Sci.* 26, 87.
582. Noh, S.M., Ujcz, J., Alperin, D.C., Jarvis, S.M., Solyman, M.S.M., Koku, R., Akinsulie, O.C., Hoffmann, E.A. (2024). Identification of *Anaplasma marginale* adhesins for entry into *Dermacentor andersoni* tick cells using phage display. *Infect. Immun.* 92, DOI10.1128/iai.00540-23.
583. Patel, J.G., Luo, T., Zhang, X., McBride, J.W. (2024). Immuno- and expression analysis of *Ehrlichia canis* immunoreactive proteins. *Front. Vet. Sci.* 11, 1481934.
584. Pham, M., Hoffmann, H.-H., Kurtti, T.J., Chana, R., Garcia-Cruz, O., Aliabadi, S., Gulia-Nuss, M. (2024). Validation of heat-inducible *Ixodes scapularis* HSP70 and tick-specific 3xP3 promoters in ISE6 cells. *iScience* 27, 110468.
585. Ranaweera, C.B., Shiva, S., Madesh, S., Chauhan, D., Ganta, R.R. (2024). Biochemical characterization of ClpB and DnaK from *Anaplasma phagocytophilum*. *Cell Stress Chaperon.* 29, 540-551.
586. Rolandelli, A., Laukaitis-Yousey, H.J., Bobale, H.N., Singh, N., Samadder, S., O’Neal, A.J., Ferraz, C.R., Butnaru, M., Mameli, E., Xia, B., Mendes, M.T., Butler, L.R., Marnin, L., Cabrera Paz, F.E., Valencia, L.M., Rana, V.S., Skerry, C., Pal, U., Mohr, S.E., Perrimon, N., Serre, D., Pedra, J.H.F. (2024). Tick hemocytes have a pleiotropic role in microbial infection and arthropod fitness. *Nature Comm.* 15, 2117.
587. Samadder, S., Rolandelli, A., O’Neal, A.J., Laukaitis-Yousey, H.J., Marnin, L., Singh, N., Wang, X., Butler, L.R., Rangghran, P., Kitsou, C., Cabrera Paz, F.E., Valencia, L., Ferraz, C.R., Munderloh, U.G., Khoo, B., Cull, B., Rosche, K.L., Shaw, D.K., Oliver, J., Narasimhan, S., Fikrig, E., Pal, U., Fiskum, G.M., Polster, B.M., Pedra, J.H.F. (2024). Bacterial reprogramming of tick metabolism impacts vector fitness and susceptibility to infection. *Nature Microbiol.* 9, 2278-2291.
588. Schütz, S.D., Brackmann, M., Liechti, N., Moser, M., Wittwer, M., Bruggmann, R. (2024). Functional characterization of *Francisella tularensis* subspecies *holarctica* genotypes during tick cell and macrophage infections using a proteogenomic approach. *Front. Cell. Infect. Microbiol.* 14, 1355113.
589. Singh, N., Rolandelli, A., O’Neal, A.J., Butler, L.R., Samadder, S., Laukaitis-Yousey, H.J., Butnaru, M., Mohr, S.E., Perrimon, N., Pedra, J.H.F. (2024). Genetic manipulation of an *Ixodes scapularis* cell line. *mBio* 15, DOI10.1128/mbio.02479-23.
590. Tongluan, N., Engstrom, P., Jirakanwisal, K., Langohr, I.M., Welch, M.D., Macaluso, K.R. (2024). Critical roles of *Rickettsia parkeri* outer membrane protein B (OmpB) in the tick host. *Infect. Immun.* 92, DOI10.1128/iai.00515-23
591. Vondrak, C.J., Sit, B., Suwanbongkot, C., Macaluso, K.R., Lamason, R.L. (2024). A conserved interaction between the effector Sca4 and host clathrin suggests additional contributions for Sca4 during rickettsial infection. *Infect. Immun.* 92,
592. Wang, Y., Xu, Z., Zhang, H., Zhou, Y., Cao, J., Zhang, Y., Wang, Z., Zhou, J. (2024). Towards modelling tick-virus interactions using the weakly pathogenic Sindbis virus: Evidence that ticks are competent vectors. *Front. Cell. Infect. Microbiol.* 14, 1334351
593. Weerathne, P., Reichard, M., Miller, C., Scimeca, R.C. (2024). The establishment of a novel in vitro system for culturing *Cytauxzoon felis*. *Pathogens* 13, 565.
594. Yean, S., Prasetyo, D.B., Marcombe, S., Hadi, U.K., Kazim, A.R., Tiawsirisup, S., Chinh, V.D., Matsuno, K., Low, V.L., Bonnet, S., Boulanger, N., Lam, T., Abdad, M.Y., Herbreteau, V., Chavatte, J.-M., Sum, S., Ren, T., Sakuntabhai, A., Maquart, P.-O., Rakotonirina, A., Boyer, S. (2024). Challenges for ticks and tick-borne diseases research in Southeast Asia. *PLOS Negl. Trop. Dis.* 18, e0012269.

595. Zhang, L., Xu, W., Zhao, Y., Sui, L., Song, M., Liu, Q. (2024). Identification and characterization of Jingmen tick virus from *Rhipicephalus microplus* in Hunan, China. *Acta Trop.* 260, 107378.
596. Zhang, T., Chien, R.C., Budachetri, K., Lin, M., Boyaka, P., Huang, W., Rikihisa, Y. (2024). *Ehrlichia* effector TRP120 manipulates bacteremia to facilitate tick acquisition. *mBio* 15, DOI10.1128/mbio.00476-24.
597. Zhao, Y., Sui, L., Pan, M., Jin, F., Huang, Y., Fang, S., Wang, M., Che, L., Xu, W., Liu, N., Gao, H., Hou, Z., Du, F., Wei, Z., Bell-Sakyi, L., Zhao, J., Zhang, K., Zhao, Y., Liu, Q. (2024). The segmented flavivirus Alongshan virus reduces mitochondrial mass by degrading STAT2 to suppress the innate immune response. *J. Virol.* DOI10.1128/jvi.01301-24.
598. Amarante, A.M., de Oliveira, D.M., de Souza, M.P.N.C., Fonseca-Oliveira, M., Galina, A., Rosignoli, S., Arcanjo, A.F., Moraes, B., Paiardini, A., Rotili, D., Yasumura, J.D.P.L., Henaut-Jacobs, S., Venancio, T.M., Uhl, M., Nunes-da-Fonseca, R., Parizi, L.F., Vaz Junior, I.D.S., Mermelstein, C.S., Rios, T., Tirloni, L., Logullo, C., Fantappie, M.R. (2025). Unraveling the roles of epigenetic regulators during the embryonic development of *Rhipicephalus microplus*. *Int. J. Mol. Sci.* 26, 9171. <https://doi.org/10.3390/ijms26189171>
599. Bayzid, M., Bhowmick, B., Ahmed, W., Neelakanta, G., Sultana, H. (2025). Pharmacological agent GW4869 inhibits tick-borne Langat virus replication to affect extracellular vesicles secretion. *Viruses* 17, 969.
600. Bendl, E., Lampo, G., Chlanda, P., Schnettler, E., Kochs, G., Dengjel, J., Graf, L. (2025). A novel accessory gene product of tick-borne Dhori-Orthomyxovirus, encoded by overlooked spliced transcripts of RNA segment 6. *J. Virol.* 99, e00600-25.
601. de Matos, E.R., dos Santos, P.N., Zwegarth, E.P., Jardim, T.H.A., Santos, H.A., Cordeiro, M.D., de Azevedo Baêta, B., Bell-Sakyi, L., da Fonseca, A.H., da Silva, C.B. Isolation, molecular characterization and in vitro propagation of an *Anaplasma platys*-like bacterium in tick cells. *Pathogens* 14, 901. <https://doi.org/10.3390/pathogens14090901>.
602. Dias, E., Tomaz, F., Fabi, S., Salata, C., Domingos, A., Seixas, G. (2025). Persistent infections in tick cell lines: the role of viral-derived DNA forms in Hazara virus replication and cellular survival. *Viruses* 17, 591.
603. Ergunay, K., Bourke, B.P., Linton, Y-M. (2025). Exploring the potential of tick transcriptomes for virus screening: A data reuse approach for tick-borne virus surveillance. *PLoS Negl. Trop. Dis.* 19 e0012907.
604. Furlan, G.H.F., Oliveira, D.A.S., Bertoluci, D.F.deF., Gomes, T.A., Perico, J., Martins, B.L., do Nascimento, D.C., Diorio, S.M., Soares, C.T., Wang, S., Zhang, T., Rosa, P.S., Lara, F.A., Latini, A.C.P. (2025). Assessment of TB47 as a potential novel therapeutic agent: *in vitro* and *in vivo* efficacy against *Mycobacterium leprae*. *Antimicrobial Agents Chemother.* 69, e00318-25.
605. Holoubek, J., Salát, J., Matkovic, M., Bednář, P., Novotný, P., Hradilek, M., Majerová, T., Rosendal, E., Eyer, L., Fořtová, A., Beránková, M., Bell-Sakyi, L., Överby, A.K., Cavalli, A., Bonomi, M., Rey, F.A., Růžek, D. (2025). Irreversible furin cleavage site exposure renders immature tick-borne flaviviruses fully infectious. *Nature Comm.* 16, 7491.
606. Kazim, A-R., Low, V.L., Houssaini, J., Tappe, D., Heo, C.C. (2025). Tick studies in Malaysia: Growth, stagnation, and future prospects. *AsianPacific J. Trop. Med.* 18, 195-196.
607. Laredo-Tiscareno, S.V., Garza-Hernandez, J.A., Tangudu, C.S., Dankaona, W., Rodriguez-Alarcon, C.A., Gonzalez-Pena, R., Adame-Gallegos, J.R., Barajas-Lopez, I.N., Hargett, A.M., Munderloh, U.G., Blitvich, B.J. (2025). Detection of multiple novel viruses in argasid and ixodid ticks in Mexico. *Ticks Tick Borne Dis.* 16, 102455.
608. Litov, A.G., Shchetinin, A.M., Kholodilov, I.S., Belova, O.A., Kalyanova, A.S., Gushchin, V.A., Karganova, G.G. (2025). Detection of the Liman tick virus (unclassified Chuviridae) in tick cell line HAE/CTVM8. *Problems of Virology (Voprosy Virusologii)*. 2025; 70(2): 147–153. DOI: <https://doi.org/10.36233/0507-4088-283>.
609. Mahesh, P.P., Sultana, H., Neelakanta, G. (2025). An arthropod transporter IsoATP4056 exerts inhibitory effect on its interacting membrane protein to facilitate rickettsial pathogen survival in ticks. *Cell Comm. Signal.* 23, 540.
610. Makenov, M.T., Boumbaly, S., Bondarenko, T.A., Skripnichenko, D.D., Conde, N., Sacko, N., Tolno, F.R., Sangare, M., Kholodilov, I.S., Dubrovskiy, D.V., Diallo, M.G., Belova, O.A., Kolie, B., Sycheva, K.A., Kalyanova, A.S., N'Fatoma, L.T., Camara, A., Akimkin, V.G., Morozkin, E.S. (2025). The low genetic diversity of the Jingmen tick virus in Guinea sheds light on the recent introduction of the virus to West Africa. *Parasit. Vectors* 18, 446.

611. Matsumura, R., Kobayashi, D., Yamauchi, T., Park, E., Nishino, A., Maeda, K., Kasai, S., Itoyama, K., Isawa, H. (2025). Isolation and characterization of Iwanai Valley virus, a new tick-borne nairovirus from *Ixodes ovatus* ticks in Hokkaido, Japan. *Arch. Virol.* 170, 23.
612. Namjoshi, P., Kolape, J., Patel, A., Sultana, H., Neelakanta, G. (2025). Rickettsial pathogen augments tick vesicular-associated membrane proteins for infection and survival in the vector host. *mBio* 16, e03549-24.
613. Petit, M.J., Flory, C., Gu, Q., Fares, M., Lamont, D., Score, A., Davies, K., Bell-Sakyi, L., Scaturro, P., Brennan, B., Kohl, A. (2025). Multi-omics analysis of SFTS virus infection in *Rhipicephalus microplus* cells reveals antiviral tick factors. *Nature Comm.* 16, 4732.
614. Sanches, G.S., Castro-Santiago, A.C., Bassini-Silva, R., Calchi, A.C., Simons, S.M., Mathias, L.A., Nunes, P.H., Machado, R.Z., Andre, M.R., Barros-Battesti, D.M. (2025). Propagation dynamics of *Anaplasma marginale* in a Brazilian tick cell line (RBME-6) derived from *Rhipicephalus microplus*. *Rev. Bras. Parasitol. Vet.* 34, e007025.
615. Sawai, S., Intaruck, K., Sata, S., Esaki, M., Funakoshi, K., Murakami, S., Matsuno, K., Nakao, R., Kimitsuki, K., Yahiro, T., Nishizono, A., Nao, N., Orba, Y., Takada, A., Kajihara, M., Ozawa, M., Okuya, K. (2025). Oita virus rediscovered after 50 years: isolation of genetically conserved strains from bats in Southern Japan. *Microbiol. Spect.* 13, 03158-25.
616. Sawant, D.V., Burkhardt, N.Y., Katasani, H., Cull, B., Munderloh, U.G., Wang, X-R. (2025). *Rickettsia parkeri* hypothetical protein RPATATE_1266, a homolog of exopolyphosphatase/guanosine pentaphosphate phosphohydrolase, regulates tick cell apoptosis. *Microbiol. Spect.* 13, e00151-25.
617. Silvestre, B.F., Lima, K.A., Pepino, F.P., Cosentino-Gomes, D., Fonseca, A., Bell-Sakyi, L., Atella, G.C., Pinto-da-Silva, L. (2025). Unravelling the biochemical aspects of the interaction between ticks and *Leishmania* using a tick cell line. *Med. Vet. Entomol.* <https://doi.org/10.1111/mve.70038>
618. Turck, J.W., Sultana, H., Neelakanta, G. (2025). Arthropod autophagy molecules facilitate *Anaplasma phagocytophilum* infection of *Ixodes scapularis* tick cells. *Comm. Biol.* 8, 433.
619. Vosbigian, K.A., Wright, S.J., Steiert, B.P., Rosche, K.L., Fisk, E.A., Ramirez-Zepp, E., Park, J.M., Shelden, E.A., Shaw, D.K. (2025). ATF6 enables pathogen infection in ticks by inducing stomatin and altering cholesterol dynamics. *PNAS* 122, e2501045122.
620. Wang, N., Ye, R-Z., Yu, H-J., Han, X-Y., Tian, D., Gao, W-Y., Wang, B-H., Du, L-F., Zhang, M-Z., Shi, X-Y., Zhu, D-Y., Shi, W., Jia, N., Jiang, J-F., Sun, Y., Zhao, L., Cui, X-M., Liu, Z-H., Cao, W-C. (2025). Genomic characteristics of emerging human pathogen *Rickettsia aeschlimannii* isolated from two *Hyalomma* tick species. *iScience* 28, 112080.
621. Wilson, A., Kamel, W., Davies, K., De Laurent, Z.R., Arif, R., Clarke, A.T., Bell-Sakyi, L., Lamont, D., Demyanenko, Y., Noerenberg, M., Kohl, A., Mohammed, S., Castello, A., Brennan, B. (2025). Uukuniemi virus infection causes a pervasive remodelling of the RNA-binding proteome in tick cells. *PLoS Pathog* 21(8): e1013393. <https://doi.org/10.1371/journal.ppat.1013393>.
622. Zajac, V., Bell-Sakyi, L., Wojcik-Fatla, A. (2025). Use of tick cell lines in co-infection studies with a preliminary study of co-culture of *Borrelia burgdorferi* and *Anaplasma phagocytophilum*. *Pathogens* 14, 78.
623. Zajac, V., Sroka, J., Bilska-Zajac, E., Wojcik-Fatla, A. (2025). Cultivation of *Bartonella henselae* in an *Ixodes ricinus* cell line to assess this tick as a potential reservoir of the bacterium. *J. Vet. Res.* 69, 469-475.
624. Zhang, M-Z., Bian, C., Ye, R-Z., Cui, X-M., Yang, J-H., Chu, Y-L., Su, X-L., Wu, Y-F., Ye, J-L., Liu, S-S., Shi, X-Y., Shi, W., Jia, N., Chen, Y-G., Zhao, L., Zheng, Y-C., Zheng, X-M., Jiang, J-F., Cao, W-C. (2025). A series of patients infected with the emerging tick-borne Yezo virus in China: an active surveillance and genomic analysis. *Lancet Infect. Dis* 25, 390-398.
625. Ahmed, W., Zhou, W., Bayzid, M., LoBato, D.N., Fasaie, K.D., Neelakanta, G., Sultana, H. (2026). Arthropod exosomal glycine-rich protein as a potential vaccine candidate effectively reduces tick blood-feeding and pathogen transmission. *EMBO J.* <https://doi.org/10.1038/s44318-026-00709-z>
626. Buisse, M., Ballinger, M.J., Bruley, M., Amoros, J., Grillet, J., Farassat, N., Serr, A., Lagrèze, W.A., Wennerås, C., Grankvist, A., Schön, T., Berglund, J., Bell-Sakyi, L., Sprong, H., Duron, O. (2026). A human-associated *Spiroplasma ixodetis* lineage responsible for infantile cataracts and adult febrile illness. *iScience*, doi: <https://doi.org/10.1016/j.isci.2026.115233>.
627. Rabie, E.C., Gonzalez-Garcia, A., Contreras, M., Yousif, M.D., de la Fuente, J., Murdan, S., Stutzer, C., Maritz-Olivier, C. (2026). Evaluation of host immune responses following immunization with MSP4 antigen

adsorbed onto poly(lactic-co-glycolic acid) microparticles in a BALB/c murine model. Ticks Tick Borne Dis. 17, 102619.

628. Sak, B., Fibigerova, M., Mravcova, K., Holubova, N., Sikutova, S., Fenclova, J., Bell-Saakyi, L., Kvac, M., Rudolf, I. (2026). Propagation of *Encephalitozoon cuniculi* in tick cell lines supports the plausibility of possible tick-mediated transmission of this microsporidian. Ticks Tick Borne Dis. 17, 102578.