





# Fiat Lux III



Contents	
	Nature of Light Colours of Light
Lenses and Mirrors Telescope Optics	
	Large Synoptic Survey Telescope (LSST)

UNIVERSITY OF LIVERPOOL


2



# Fiat Lux III


## Contents

<b>Sky Surveys</b>	<ul style="list-style-type: none"><li>• Why survey the sky?</li><li>• Existing surveys</li></ul>
<b>LSST</b>	<ul style="list-style-type: none"><li>• Why another survey?</li><li>• Why another telescope?</li></ul>
<b>Science</b>	<ul style="list-style-type: none"><li>• What the LSST will tell us</li><li>• The big questions</li></ul>
<b>Technology</b>	<ul style="list-style-type: none"><li>• Novel telescope optics</li><li>• Novel CCD camera</li></ul>
<b>Operation</b>	<ul style="list-style-type: none"><li>• Survey strategy</li><li>• Handling the data</li></ul>


 5

## What's Out There?

So don't **all** telescopes try to answer that question? No, not really.



Most research telescopes look in detail at **known** objects – objects that have **already** been observed and catalogued.


 6


## Sky Surveys

Surveys of everything in the sky (down to a certain limiting brightness) have been carried out at various times in the past century:

- Palomar Observatory Sky Survey (1949 – 1958)

2000 photographic plates taken on the 48" Schmidt camera at Mount Palomar



 7


## Sky Surveys


Surveys of everything in the sky (down to a certain limiting brightness) have been carried out at various times in the past century:

- Palomar Observatory Sky Survey (1949 – 1958)
- Palomar Observatory Sky Survey II (1985 – 1999)
- Sloan Digital Sky Survey (2000 – 2014)

Plates replaced by CCD cameras

1 million images taken on two telescopes with 1.8 m mirrors



 8

# Fiat Lux III

## Sky Surveys

Surveys of everything in the sky (down to a certain limiting brightness) have been carried out at various times in the past century:

- Palomar Observatory Sky Survey (1949 – 1958)
- Palomar Observatory Sky Survey II (1985 – 1999)
- Sloan Digital Sky Survey (2000 – 2014)
- Pan-STARRS (2010 – 2014)

**Pan**oramic **S**urvey **T**elescope  
and **R**apid **R**esponse **S**ystem




## Sky Surveys

Surveys of everything in the sky (down to a certain limiting brightness) have been carried out at various times in the past century:

- Palomar Observatory Sky Survey (1949 – 1958)
- Palomar Observatory Sky Survey II (1985 – 1999)
- Sloan Digital Sky Survey (2000 – 2014)
- Pan-STARRS (2010 – 2014)
- Large Synoptic Survey Telescope (2020 – 2032)



## Why Another Sky Survey?



## Wide – Fast – Deep

Why can't an existing telescope be used?

To be able to survey the sky a telescope/camera must have three basic characteristics:

- **Wide** – it must have a wide field of view
- **Fast** – the optics must be fast to keep exposures short
- **Deep** – it must be able to detect faint objects

A little bit of horse-trading between these characteristics might be possible, but for a telescope to be an effective instrument to survey the sky it must excel in each of these categories.

# Fiat Lux III

## Aside – What Does 'Fast' Mean?

What does 'fast' mean in this context?



The word is often used when describing camera lenses or telescope optics and is quantified by the ratio of the focal length to the diameter of the lens or mirror (the '*f*-number')

$$f = \frac{\text{Focal Length (FL)}}{\text{Diameter (D)}}$$

A lens or mirror with a low *f*-number has a larger diameter (relative to its focal length) and so produces a brighter image. This means that photographic exposures can be shorter. The resultant faster shutter speeds led to such optics being labelled 'fast'.

## Aside – What Does 'Fast' Mean?

	Exposure	<i>f</i> -number	
Faster ↑	1 min	<i>f</i> /2	<
	2	<i>f</i> /2.8	<
	4	<i>f</i> /4	<
	8	<i>f</i> /5.6	
	15	<i>f</i> /8	
	30	<i>f</i> /11	
	60	<i>f</i> /16	< EELT
Slower ↓	120	<i>f</i> /22	< HST



HST = Hubble Space Telescope

D = 2.4 m FL = 57 m

EELT = European Extremely Large Telescope


D = 40 m FL = 750 m

## Why a New Telescope?

	Wide	Fast	Deep
DSLR + wide-angle lens	✓	?	✗
DSLR + telephoto lens	✗	?	✓
Hubble Space Telescope	✗	✗	✓
Extremely Large Telescope	✗	✗	✓
Large Synoptic Survey Telescope	✓	✓	✓

Hence the mantra of the LSST is "Wide–Fast–Deep"

## Why a New Telescope?



# Fiat Lux III

## Why a Survey Telescope?

One of the key aspects of the LSST project is that the whole sky will be imaged **every three nights**.

Hence every patch of sky will be imaged many times during the 10-year project and so changes (in position, brightness or colour) of all the objects imaged will be recorded and catalogued.



This idea of making a survey that is comprehensive in terms of both the **number** of objects catalogued and the **time scale** over which the survey runs makes the LSST project unique.

## Why a Survey Telescope?

The LSST project will survey the sky and provide scientists with a wealth of data on:

- Objects within the Solar System
- Stars in the Milky Way
- Galaxies throughout the Universe



The project will involve the development of novel telescope optics, the largest digital camera yet constructed, and push data processing capabilities to the limit.

The LSST will generate the largest catalogue of astronomical objects ever compiled and the data will underpin many strands of scientific research to improve our understanding of the Universe.

## LSST Science

What are the principal scientific aims of the LSST project?

On a (relatively) local scale...

### **Solar System**

- Take an inventory of the Solar System
- Clarify the formation history of our Solar System
- Understand how other solar systems may form

### **Milky Way**

- Determine the structure and evolution of the Milky Way
- Find the properties of all the stars in the Sun's neighbourhood

## LSST Science

On a galactic scale...

### **Galaxies**

- Catalogue 20 billion galaxies
- Understand galaxy collisions and star formation processes

### **Dark Matter**

- Use gravitational lensing to find and study dark matter
- Determine how it is distributed throughout the Universe

### **Dark Energy**

- Understand what is ripping the Universe apart by studying ...
- Thousands of supernova and billions of galaxies




# Fiat Lux III

## LSST Science – Solar System

In a **single** exposure LSST could detect up to **5000** moving objects!


Over the 10-year survey it is expected to find many **millions** of asteroids and trans-Neptunian objects, plus over 100,000 NEOs (Near-Earth Objects).

About 10% of these are the biggest ones that we already know about. It's the smaller ones that we need to keep an eye on.




## LSST Science – Solar System

Some of the potentially hazardous asteroids known




## LSST Science – Solar System




## LSST Science – Milky Way

Observing a galaxy from the *inside* is not easy. For example, even the question of whether the Milky Way has 4 spiral arms or 2 has only been settled relatively recently (it has 4).



Herschel's structure of the Milky Way (1785)

# Fiat Lux III




## LSST Science – Milky Way

Observing a galaxy from the *inside* is not easy. For example, even the question of whether the Milky Way has 4 spiral arms or 2 has only been settled relatively recently (it has 4).

A **single** exposure of the survey area (taken over three nights) will map a volume more than 10 times larger than all previous surveys.

Over the 10-year survey it will map a volume 1000 times larger.


## LSST Science – Milky Way



## LSST Science – Milky Way

Another spin-off (rather than a primary aim) of the survey of stars is the identification of potentially thousands of new exoplanets.

Although not what the LSST was designed for, the fact that it will monitor the brightness of many billions of stars as a function of time means that it will inevitably find some planets that happen to transit their parent stars.



If the star is in one of the Magellanic Clouds, then this would be the first discovery of a planet in another galaxy.


# Fiat Lux III

## LSST Science – Galaxies


Interactions between galaxies are more common than we first thought.



## LSST Science – Galaxies



## LSST Science – Galaxies



## LSST Science – Dark Universe

It seems that only about 5% of the Universe is made up of 'ordinary' matter with which we are so familiar.

27% is mysterious **dark matter**.

We know it's out there. We don't know *what* it is or exactly *where* it is.

68% is the even more mysterious **dark energy**.


It is thought to be why the expansion of the Universe is accelerating. Eventually, it will rip the Universe apart. We don't know *what* it is.

If this so-called 'dark sector' accounts for 95% of the Universe, we really ought to understand more about it.




# Fiat Lux III


## LSST Science – Dark Matter



## LSST Science – Dark Matter




## LSST Science – Dark Energy




Simulation of foreground  
galaxies (orange) lensing  
background galaxies (blue).

Same again, but this time  
with dark matter added to  
the foreground galaxies.



## LSST Science – Dark Energy



# Fiat Lux III

## Delivering the Science

How can the science be delivered? It will need ...

- A unique optical design for the telescope
- The world's largest CCD camera
- An outstanding observatory site

The best observatory sites in the world are volcanic islands (Hawaii, La Palma and Tenerife) and the Atacama desert in Chile. The latter was chosen as the site for LSST.




## Cerro Pachón



## The Site



## The Observatory



# Fiat Lux III

## Optical Design


Creating an aberration-free field of view over such a wide field ( $> 3^\circ$ ) required a novel **three**-mirror design.

Primary mirror diameter = 8.4 m


Effective focal length = 10.3 m

Telescope focal ratio =  $f/1.2$


## Optical Design



## Primary (and Tertiary) Mirror



## Primary (and Tertiary) Mirror







# Fiat Lux III

**Camera CCD**

Camera module from a mobile phone



... and at the same scale




16 Mpix  
CCD detector in  
the Hubble  
Space Telescope

40 mm

UNIVERSITY OF LIVERPOOL

45

**Camera CCD**



189 CCD  
image  
sensors

8 CCD  
guide  
sensors

4 CCD  
wavefront  
sensors

Array is  
0.6x0.6 m


Image is  
3 Gpixels

Readout  
in 2 sec

UNIVERSITY OF LIVERPOOL

46

**Camera CCD**




This simulated image is about a Mpixel, or 0.03% of the full-sized image captured by the camera, and gives an idea of what can be expected to be seen in a single 15 sec exposure.

UNIVERSITY OF LIVERPOOL

47

**Camera CCD**

Size of Hubble Deep Field on the Sky



Moon to scale

HST

Field of view of the LSST camera to the same scale

Digitized Sky Survey (ground-based image) for comparison


1°

UNIVERSITY OF LIVERPOOL


48

# Fiat Lux III


## Camera Filters



## Camera Filters



## LSST Operation



## LSST Data

The LSST will generate shed-loads of data.

A reminder of disk storage options for personal computers...

Floppy disks can store about a MB  
(1 MB = 1 million bytes)



(barely enough for  
one digital photo)

DVDs can store a few GB  
(1 GB = 1000 MB)




(enough for 1000s  
of digital photos)

For personal use DVDs can be used to store thousands of images from our digital cameras, but how quickly would the LSST fill them up?



# Fiat Lux III

**LSST Data**




~ 30 mins

UNIVERSITY OF LIVERPOOL

53

**1 TB = 1000 GB**




1 TB disk

200 DVDs

UNIVERSITY OF LIVERPOOL

54

**LSST Data**



One night of observations will need **20 TB** of disk space.

Multiply that by the number of nights in a year (say 300+) and then again by the 10 years that the survey project will run.

Add in other technical data, and the total disk space needed is about **500,000 TB**.


That's a lot of disks.

UNIVERSITY OF LIVERPOOL

55

**Data Transmission**

Every 30 seconds ...



~ 15 GB

100 Gb/s intranet

1 s

Base Site  
La Serena (Chile)

4 s

2 x 40 Gb/s internet

NCSA  
Champaign (USA)

10 million 'events' per night

Catalogue  
20 billion galaxies  
17 billion stars

UNIVERSITY OF LIVERPOOL

56


# Fiat Lux III

## There's An App For That

What is the LSST doing right now?

What was found last night?

What are the totals to date?



What does the LSST look like?

Where are the objects of interest?

## Summary

### Sky Surveys

- Why survey the sky?
- Existing surveys

### LSST

- Why another survey?
- Why another telescope?

### Science

- What the LSST will tell us
- The big questions

### Technology

- Novel telescope optics
- Novel CCD camera

### Operation

- Survey strategy
- Handling the data

## Fiat Lux Trilogy

Understanding the Universe



Nature of Light



See the Universe



Make Telescopes

# fiat Lux III

<http://www.liv.ac.uk/~sdb/Talks>

Dr Steve Barrett

BASoc 15 Jan 2018