


# The End of Everything



## Contents

### Prologue

### The Future

... of the Earth, Sun and Solar System

### The Far Future

... of Stars and Galaxies

### The Far, Far, Far Future

... and the Ultimate Fate of the Universe

### Epilogue



2

### The Story So Far

At the unimaginably early time of  $10^{-36}$  seconds, after its creation, the Universe has expanded to the size of a golf ball.

Just like a golf ball, the Universe is not perfectly smooth, but has 'lumps' in it.

Eventually, when the Universe is much, much bigger, these lumps will give rise to variations in the density of matter spread across the Universe. These will result in the formation of large-scale structures such as clusters of galaxies.

The Universe has cooled to  $T = 1$  billion K.

It is now too cold for protons and neutrons to easily keep back and forth. Protons are a little lighter than neutrons (by  $\sim 1\%$ ), ...

... and so protons outnumber neutrons in the ratio 75:25.

Nucleons are unstable and some decay into protons.

The ratio of protons to neutrons is now  $\sim 34:2$ .

The Universe has cooled to  $T = 100$  million K. Nuclei can now form.

12 nuclei of  $H$  + 2 nuclei of  $He$

After 3 minutes, the relative abundance of  $H$  and  $He$  is determined.

The 'lumpier' in the cosmic web has given rise to the variations in the CMB.

... and over billions of years collapsed into a cosmic web of filaments and voids.

Now that we have had a long time to see what we can understand.

There are still some details of cosmic evolution to be worked out, but you get the basic idea.

### Future Timeline

0	1	2	3	4	5	6	7	8	9	10	11	12
			$10^3$			$10^6$			$10^9$			
			1000 (thousand) years			1000000 (million) years			1000000000 (billion) years			

Each small box in the timeline above means 10 times further into the future than the previous


Acknowledgements to Fred Adams and Gregory Laughlin who published calculations of the timescales on which many astrophysical phenomena are predicted to occur  
*Rev. Mod. Phys.* **69** (1997) 337



4


# The End of Everything

## Earth Rotation Slows





Leap seconds would need to be added to the clocks every few weeks.



## Antares Supernova



## Vega Becomes the Pole Star







## Vega Becomes the Pole Star



Variations in the Earth's climate due to changes in the Earth's spin axis or its orbit around the Sun are called Milankovitch cycles.


# The End of Everything



# The End of Everything

## Eta Carinae Supernova

0	1	2	3	4	$10^5$	6	7	8	9	10	11	12
---	---	---	---	---	--------	---	---	---	---	----	----	----




APOD 20 Feb 2019

UNIVERSITY OF LIVERPOOL

13

## Betelgeuse Supernova

0	1	2	3	4	$10^5$	6	7	8	9	10	11	12
---	---	---	---	---	--------	---	---	---	---	----	----	----




Petr Hordas Photography — Ondřejov Observatory, Prague

UNIVERSITY OF LIVERPOOL

14

## Gamma-Ray Burst

0	1	2	3	4	$10^5$	6	7	8	9	10	11	12
---	---	---	---	---	--------	---	---	---	---	----	----	----



Wolf-Rayet 104  
7000 light-years away  
Its death may result in a radiation burst more powerful than a supernova


Rapid rotation produces jets  
If the jets point towards Earth then it could evaporate our biosphere

UNIVERSITY OF LIVERPOOL

15

## Gliese 710 Passes By

0	1	2	3	4	5	$10^6$	7	8	9	10	11	12
---	---	---	---	---	---	--------	---	---	---	----	----	----



Oort cloud

Gliese 710

The disruption to the Oort cloud will result in naked-eye comets every month ... for a million years

UNIVERSITY OF LIVERPOOL

16



# The End of Everything

## Gliese 710 Passes By

0	1	2	3	4	5	10 <sup>6</sup>	7	8	9	10	11	12
---	---	---	---	---	---	-----------------	---	---	---	----	----	----



## Meteor Crater

0	1	2	3	4	5	10 <sup>6</sup>	7	8	9	10	11	12
---	---	---	---	---	---	-----------------	---	---	---	----	----	----



## Apollo Footprints

0	1	2	3	4	5	10 <sup>6</sup>	7	8	9	10	11	12
---	---	---	---	---	---	-----------------	---	---	---	----	----	----


The Moon is constantly bombarded with micro-meteorites.

Eventually, all evidence of the Apollo landings will be erased.



## Pioneer 10 Plaque


0	1	2	3	4	5	6	10 <sup>7</sup>	8	9	10	11	12
---	---	---	---	---	---	---	-----------------	---	---	----	----	----




# The End of Everything


**Saturn's Rings**

0	1	2	3	4	5	6	7	$10^8$	9	10	11	12
---	---	---	---	---	---	---	---	--------	---	----	----	----



Did the moon Mimas  
make Saturn's rings?






UNIVERSITY OF LIVERPOOL

21

**Saturn's Rings**

0	1	2	3	4	5	6	7	$10^8$	9	10	11	12
---	---	---	---	---	---	---	---	--------	---	----	----	----

John Dubinski, Canadian Institute for Theoretical Astrophysics



If a moon is smashed by a collision  
with a comet, what would  
happen to the debris?


UNIVERSITY OF LIVERPOOL

22

**Saturn's Rings**

0	1	2	3	4	5	6	7	$10^8$	9	10	11	12
---	---	---	---	---	---	---	---	--------	---	----	----	----

John Dubinski, Canadian Institute for Theoretical Astrophysics



Over millions of years  
debris migrates inward


UNIVERSITY OF LIVERPOOL

23

**Saturn's Rings**

0	1	2	3	4	5	6	7	$10^8$	9	10	11	12
---	---	---	---	---	---	---	---	--------	---	----	----	----

John Dubinski, Canadian Institute for Theoretical Astrophysics



Eventually, all the ring  
particles will fall into Saturn


UNIVERSITY OF LIVERPOOL

24

# The End of Everything

## Solar System Unpredictable

0	1	2	3	4	5	6	7	<b>10<sup>8</sup></b>	9	10	11	12
---	---	---	---	---	---	---	---	-----------------------	---	----	----	----




On these timescales, the solar system is chaotic

UNIVERSITY OF LIVERPOOL

25

## Sun Moves Into Spiral Arm


0	1	2	3	4	5	6	7	<b>10<sup>8</sup></b>	9	10	11	12
---	---	---	---	---	---	---	---	-----------------------	---	----	----	----



As the Milky Way rotates, the Sun will move from a low-density region in between two spiral arms into a higher-density region of a spiral arm, where it will have many more stellar neighbours.


UNIVERSITY OF LIVERPOOL

26



## Extinction Level Event

0	1	2	3	4	5	6	7	<b>10<sup>8</sup></b>	9	10	11	12
---	---	---	---	---	---	---	---	-----------------------	---	----	----	----



This will be bad news for Italy ... and probably the rest of Earth.

Species will be exterminated.

Will that include us?

UNIVERSITY OF LIVERPOOL

28




# The End of Everything

## Nearby Supernova

0	1	2	3	4	5	6	7	<b>10<sup>8</sup></b>	9	10	11	12
---	---	---	---	---	---	---	---	-----------------------	---	----	----	----

A supernova within 100 ly would be a danger to Earth



If less than 20 ly distant it might end all life on Earth


UNIVERSITY OF LIVERPOOL

29

## Nearby Supernova

0	1	2	3	4	5	6	7	<b>10<sup>8</sup></b>	9	10	11	12
---	---	---	---	---	---	---	---	-----------------------	---	----	----	----

Supernovae within 100 ly have left deposits of the isotope <sup>60</sup>Fe in Earth sediments.




After a few million years <sup>60</sup>Fe decays into nickel and so any <sup>60</sup>Fe found on Earth must have 'arrived' relatively recently.

UNIVERSITY OF LIVERPOOL

30

## Distance to Moon Increases

0	1	2	3	4	5	6	7	<b>10<sup>8</sup></b>	9	10	11	12
---	---	---	---	---	---	---	---	-----------------------	---	----	----	----



Through tidal friction, the Moon continues to rob the Earth of some of its angular momentum (spin) and increase the size of the Moon's orbit.

The length of a day is now 25 hours.



The distance from the Earth to the Moon will soon be so large that ...

UNIVERSITY OF LIVERPOOL

31

## No More Total Solar Eclipses

0	1	2	3	4	5	6	7	8	<b>10<sup>9</sup></b>	10	11	12
---	---	---	---	---	---	---	---	---	-----------------------	----	----	----


UNIVERSITY OF LIVERPOOL

32




# The End of Everything

## Earth Axis Tilt Unstable



Changes in Obliquity (Tilt)  
41,000-year cycles




The Moon has a stabilising influence on the tilt of the Earth's axis (aka *obliquity*).


Historically, the tilt has varied by  $\pm 1^\circ$  either side of  $\sim 23.5^\circ$

However, if the Moon is 25% further away the Earth's axial tilt could change erratically, resulting in wild variations in the Earth's climate.

## Voyager Gold Disc



## Greenhouse Effect




The Sun's luminosity slowly increases as it evolves and moves towards its Red Giant phase.





The greenhouse effect drives the surface of the Earth to a balmy  $80^\circ\text{C}$ .



## Sun Becomes a Red Giant




# The End of Everything



# The End of Everything


## Earth Rotation Slows



1 day = 1 month



The Earth is now tidally locked to the Moon.

One side of the Earth now always faces the Moon (mirroring what the Moon has been doing for billions of years).





Deep Space Climate Observatory


## All Galaxies in Local Group Merge



## Galaxies Move Beyond Our Horizon




Even if receding from us at twice the speed of light, galaxies can be imaged




Hubble Ultra Deep Field

## Universe Runs Out of Hydrogen



It took **3 minutes** to make all the hydrogen in the Universe.

After a **trillion years** it is nearly all gone and so there will be no new star formation.





# The End of Everything

## Aside – Frozen Stars

0 1 2 3 4 5 6 7 8 9 10 11 **10<sup>12</sup>**



With the hydrogen nearly all gone, stars might form from gas having a greater proportion of the heavier elements.

Some may have nuclear fusion reactions in their cores even though the surface temperatures are as low as  $\sim 273\text{ K} = 0^\circ\text{C}$ .


Frozen stars!

## Cosmological Models


0 1 2 3 4 5 6 7 8 9 10 11 **10<sup>12</sup>**

Before going any further into the future we need to consider what the expansion of the Universe will look like





## Cosmological Models



## Cosmological Models



# The End of Everything



# The End of Everything


## White Dwarf Stars Go Dark

12	18	24	30	36	42	48	54	60	66	72	78	84
----	----	----	----	----	----	----	----	----	----	----	----	----

$10^{24}$

With no nuclear reactions to keep them hot, white dwarf stars cool down.

Eventually they become black dwarves.



UNIVERSITY OF LIVERPOOL

53

## SMBH Feed On Everything

12	18	24	30	36	42	48	54	60	66	72	78	84
----	----	----	----	----	----	----	----	----	----	----	----	----

$10^{30}$



Any stars not ejected from the galaxy will be eaten by the central SMBH.


UNIVERSITY OF LIVERPOOL

54


## SMBH Feed On Everything

12	18	24	30	36	42	48	54	60	66	72	78	84
----	----	----	----	----	----	----	----	----	----	----	----	----

$10^{30}$



The magnetic fields in NGC 1097 have been mapped out by SOFIA.



Matter follows these magnetic field lines into the SMBH at the centre of the galaxy.

UNIVERSITY OF LIVERPOOL

55

## Protons Decay


12	18	24	30	36	42	48	54	60	66	72	78	84
----	----	----	----	----	----	----	----	----	----	----	----	----

$10^{36}$

Protons are charged particles that are a part of every atomic nucleus.

If protons decay, then all atoms will fall apart.

The timescale over which this is expected to happen is not known.



UNIVERSITY OF LIVERPOOL

56




# The End of Everything

## Black Dwarf Stars Evaporate

12	18	24	30	36	$10^{42}$	48	54	60	66	72	78	84
----	----	----	----	----	-----------	----	----	----	----	----	----	----

Assuming that protons don't decay, atoms may survive for a while longer ...

... but even black dwarf stars will evaporate (a quantum effect) leaving no atoms in the Universe.




UNIVERSITY OF LIVERPOOL

57

## Iron Stars

12	18	24	30	36	$10^{42}$	48	54	60	66	72	78	84
----	----	----	----	----	-----------	----	----	----	----	----	----	----



It has been hypothesised that all the elements in dead stars will fuse to make iron stars.

Nuclear fusion at low temperatures is a very improbable event, but given enough time ... ?


UNIVERSITY OF LIVERPOOL

58

## SMBH Grow

12	18	24	30	36	42	48	$10^{54}$	60	66	72	78	84
----	----	----	----	----	----	----	-----------	----	----	----	----	----

Black hole mergers allow supermassive black holes to grow to trillions of solar masses



UNIVERSITY OF LIVERPOOL

59


## BH Evaporate

12	18	24	30	36	42	48	54	60	$10^{66}$	72	78	84
----	----	----	----	----	----	----	----	----	-----------	----	----	----

Black holes are not eternal. They evaporate ...

... providing that you wait for a *really* long time.

Why do they evaporate?



UNIVERSITY OF LIVERPOOL


60

# The End of Everything

**BH Evaporate**

12	18	24	30	36	42	48	54	60	$10^{66}$	72	78	84
----	----	----	----	----	----	----	----	----	-----------	----	----	----

Quantum Mechanics allows particles and antiparticles to be created from borrowed energy, as long as they annihilate and pay back the borrowed energy on very short time scales.




UNIVERSITY OF LIVERPOOL

61

**BH Evaporate**

12	18	24	30	36	42	48	54	60	$10^{66}$	72	78	84
----	----	----	----	----	----	----	----	----	-----------	----	----	----

How is this particle-antiparticle creation relevant to the lifetime of BH? What might happen if they are created *just* outside the event horizon?



There is a net flux of particles radiating from the event horizons of BH called **Hawking radiation**. This radiation increases with decreasing mass, so smaller BH evaporate faster than larger ones.


UNIVERSITY OF LIVERPOOL

62

**BH Evaporate**

12	18	24	30	36	42	48	54	60	$10^{66}$	72	78	84
----	----	----	----	----	----	----	----	----	-----------	----	----	----

As a BH evaporates the radiation levels increase until it finally disappears in a flash of radiation.



UNIVERSITY OF LIVERPOOL


63

**SMBH Evaporate**

12	18	24	30	36	42	48	54	60	66	72	$10^{84}$
----	----	----	----	----	----	----	----	----	----	----	-----------

Even the supermassive BH lurking at the centres of most galaxies will evaporate eventually...

... though it will take trillions of times longer than for stellar-mass BH.



UNIVERSITY OF LIVERPOOL

64

# The End of Everything

The End of Time?


12	18	24	30	36	42	48	54	60	66	72	78	84
----	----	----	----	----	----	----	----	----	----	----	----	----

$10^{100} = \text{Googol}$ 

No, not ...  
Google

After a googol years the last BH has evaporated.

After this, **NOTHING** happens, and so time becomes ... meaningless.

UNIVERSITY OF LIVERPOOL

65


Epilogue

We live in a Golden Age ...

The **Sun** is middle-aged and well-behaved

The **Moon** is at the right distance to stabilise the Earth's axis and seasons ... and give us the spectacle of a total solar eclipse

We are able to **explore** and **discover** and **understand** the Universe by visiting our closest neighbours ... or seeing galaxies billions of light-years distant

UNIVERSITY OF LIVERPOOL

66

Epilogue


**The Past**

Humankind could not have arisen in the very early Universe, as generations of stars were needed to make the heavier elements that were essential for life to evolve.

**The Future**

Trillions of years from now the Universe will be empty and boring.

Hence, the best time to exist is ... **NOW**

UNIVERSITY OF LIVERPOOL

67

The End of Everything

[www.liverpool.ac.uk/~sdb/Talks](http://www.liverpool.ac.uk/~sdb/Talks)

Dr Steve Barrett

MCAG 15 Jun 2022