

# Warping Space and Time



Contents
A Brief History
Science Fact
Science Fiction
The Future

UNIVERSITY OF LIVERPOOL

2

### A Brief History

Black Hole [definition]:  
**A region of space from which nothing, not even light, can escape.**


When did the concept of a black hole originate? Earlier than you think.

Rev John Michell (1783) – "If [the size of] a sphere of the same density of the Sun were to exceed that of the Sun in the proportion of 500 to 1 ... all light emitted from such a body would be made to return towards it by its gravity."

In the 1800s the idea of such '**dark stars**' was largely ignored.


UNIVERSITY OF LIVERPOOL

3




# Warping Space and Time


## A Brief History




Einstein (1915)  
General Theory of Relativity




Schwarzschild (1916)  
Calculation of gravity of a compact mass



Eddington (1926)  
Stars compressed to the 'Schwarzschild radius'




Chandrasekhar (1931)  
Massive stars at the end of their lives will collapse



Oppenheimer (1939)  
Nothing can stop the collapse of massive stars

General Relativity predicts that time stops at the Schwarzschild radius and so such collapsed stars were called '**frozen stars**'.



5

## A Brief History

Finkelstein (1958)  
At the Schwarzschild radius there is an event horizon – a 'one-way membrane'



Golden Age of GR and BH (~ 1960 – 1975)  
Kerr / Newman / Penrose / Hawking


1964 First use of the term '**black hole**'

1967 Discovery of pulsars

1969 Identified as neutron stars

Gravitational collapse of stars is not just a hypothetical possibility!







6


## Pieces of the Puzzle

Escape Velocity      General Relativity



**We will look at each of these pieces of the puzzle in turn**


Stars and Galaxies      Detecting Gravity




7

## Pieces of the Puzzle

Escape Velocity





8

# Warping Space and Time


**Escape Velocity**

What goes up must come down? Right?

Wrong, not if it goes up fast enough.

The threshold speed needed for an object to escape the gravitational pull of a body is called the **escape velocity**. If you throw something up with a speed less than the escape velocity then it will fall back.

The force of gravity pulling an object (like you) towards a body (like the Earth) depends on both of the masses involved and the distance between them. The escape velocity does not depend on the mass of the object — the escape velocity for a 1 kg satellite is the same as for a 1 ton satellite or even a 1000 ton space station.



UNIVERSITY OF LIVERPOOL

9

**Escape Velocity**

The escape velocity at the surface of a body depends on the ratio of the mass to the radius

$$\frac{M}{R}$$

Some escape velocities:

Velocity to escape the **Moon** = 2 km/s (= 5,000 mph)

Velocity to escape the **Earth** = 11 km/s (= 25,000 mph)

Velocity to escape the **Sun** = 600 km/s (> 1,000,000 mph)


600 km/s may sound like a lot, but it is only 0.2% of the speed of light

UNIVERSITY OF LIVERPOOL

10

**Escape Velocity**

Let's compress the Sun to smaller sizes and see what happens to the escape velocity.



Event Horizon at Schwarzschild radius of 3 km

UNIVERSITY OF LIVERPOOL

11

**Escape Velocity**


If we compress the Sun into a sphere of radius 3 km then we form a black hole.

What if we start with a body with a different mass?

For the **Earth** the Schwarzschild radius is ~ cm

**Moon** ~ 0.1 mm

**Mt Everest** ~ atom




We know of no way that this can happen for any mass smaller than that of a star, but that doesn't mean that it's impossible.

UNIVERSITY OF LIVERPOOL


12


# Warping Space and Time


 **Escape Velocity**

Although all sizes are possible, small BH don't last.

Aside: Quantum Mechanics\* allows particles and antiparticles to be created from borrowed energy, as long as they annihilate and pay back the borrowed energy on very short time scales.




 \* See "The Weird World of the Very Very Small" 13


 **Escape Velocity**


Although all sizes are possible, small BH don't last.

How is this particle-antiparticle creation relevant to the lifetime of BH?  
What might happen if they are created *just* outside the event horizon?




There is a net flux of particles radiating from the event horizon of the BH called **Hawking radiation**. This radiation increases with decreasing mass, so small BH evaporate! More about this later in the talk.

 14


 **Escape Velocity**

What happens if we compress an object to a size *smaller* than the Schwarzschild radius?


The event horizon, the point at which the escape velocity is equal to the speed of light, is still the same (the Schwarzschild radius). → 


For massive stars ( $M > 10M_{\odot}$ ) nothing that we know of can stop the core collapse during a supernova and so all the mass is compressed to an infinitely small point – a **singularity**.

We cannot tell if this is what actually happens inside a BH because it is all hidden inside the event horizon. Could we ever see a "naked" singularity? Not according to the **Cosmic Censorship Hypothesis**.

 15

**General Relativity**



 16

# Warping Space and Time

**General Relativity**


Einstein's General Theory of Relativity  
First presented in 1915 and published in 1916

What does it say?  $G = 8\pi T$

The main principle of GR can be expressed by this one equation that looks deceptively simple.

$G$  is the geometry of space  
 $T$  is the distribution of mass

Mass distorts space!



UNIVERSITY OF LIVERPOOL

17

**General Relativity**

$G = 8\pi T$

The equation is sometimes reduced to the more prosaic description

**Mass** tells **space** how to **curve**  
**Space** tells **mass** how to **move**

What do we mean by curved space?

Any image trying to explain this uses the analogy of 2-dimensional space curving into a third dimension.


To warp or curve 3-dimensional space we need a fourth dimension which humans, not unnaturally, find very difficult to imagine.

UNIVERSITY OF LIVERPOOL

18

**General Relativity**

Black holes produce infinitely warped space




UNIVERSITY OF LIVERPOOL


19

**Predictions of General Relativity**

The precession of the orbit of Mercury



Gravitational lensing



Stars seen during the total solar eclipse of 1919 were found to be slightly shifted in position.


UNIVERSITY OF LIVERPOOL

20

# Warping Space and Time

## Predictions of General Relativity

Time slows down in a gravitational field




UNIVERSITY OF LIVERPOOL

21

## Gravitational Waves

One of the predictions of GR is gravitational waves.




The ripples in spacetime are tiny — 1 part in  $10^{20}$

UNIVERSITY OF LIVERPOOL

22

## Gravitational Waves

Merger of two neutron stars




UNIVERSITY OF LIVERPOOL

23

## Gravitational Waves

If binary pulsars emit gravitational waves they must be slowly losing energy, and this would mean that they would be expected to slow down (black line). This is precisely what is observed (blue points).




UNIVERSITY OF LIVERPOOL

24



# Warping Space and Time

Stars and Galaxies




UNIVERSITY OF LIVERPOOL

25

**Black Holes Are Born**

Core collapse of a massive star – Supernova\*




UNIVERSITY OF LIVERPOOL

\* See "The ABC of Stellar Evolution"

26

**Black Holes Feed**

Infalling matter forms an accretion disk




UNIVERSITY OF LIVERPOOL

27

**Black Holes Feed**

Accretion disk and x-ray jets



Accretion disks form because objects passing close to the BH are ripped apart by huge tidal forces. The effect is more popularly known as spaghettification or the noodle effect.


UNIVERSITY OF LIVERPOOL

28

# Warping Space and Time

**Black Holes Feed**

Accretion disk and x-ray jets



The infalling matter is heated by the tidal forces and emits light and x-rays.

The accretion process can convert more than 25% of the infalling mass into energy.

Compare this to nuclear fusion in stars, where less than 1% of the mass is converted into energy.

UNIVERSITY OF LIVERPOOL

29

**Black Holes Feed**


Is this how black holes feed on neighbouring stars?



UNIVERSITY OF LIVERPOOL

30

**Black Hole Jets**



HERCULES A


HTTP://CHANDRA.SI.EDU

UNIVERSITY OF LIVERPOOL

31

**Supermassive Black Holes**

Zooming in to the centre of the Milky Way



UNIVERSITY OF LIVERPOOL


32



# Warping Space and Time

**Supermassive Black Holes**

Stars orbiting the BH at the centre of the Milky Way




UNIVERSITY OF LIVERPOOL

33

**Supermassive Black Holes**

How big is the SMBH at the centre of the Milky Way?

From the orbits of the stars the SMBH mass is determined to be 4 million  $M_{\odot}$




Other SMBH are much larger:

Andromeda Galaxy	250 million $M_{\odot}$
Sombrero Galaxy	1 billion $M_{\odot}$
Largest SMBH	> 20 billion $M_{\odot}$

UNIVERSITY OF LIVERPOOL

34

**Detecting Gravity**




UNIVERSITY OF LIVERPOOL

35

**Measuring Curved Space**

Gravity Probe B  
2004





UNIVERSITY OF LIVERPOOL


36

# Warping Space and Time

**Detecting Extreme Gravity**

SWIFT  
Gamma-Ray Burst Mission  
2004





FERMI  
Gamma-Ray Space Telescope  
2008


UNIVERSITY OF LIVERPOOL

37

**Detecting Extreme Gravity**





The gamma-ray cycle of PG 1553+113




UNIVERSITY OF LIVERPOOL

38

**Detecting Gravity Waves**




LIGO  
Laser  
Interferometer  
Gravitational  
Wave  
Observatory



UNIVERSITY OF LIVERPOOL

39

**Detecting Gravity Waves**






UNIVERSITY OF LIVERPOOL

40

# Warping Space and Time

**Detecting Gravity Waves**



UNIVERSITY OF LIVERPOOL

41

**Detecting Gravity Waves**

LISA = Laser Interferometer Space Antenna

**LISA Pathfinder Mission Timeline**

- LPF separates from Launcher
- LPF begins Apogee Raising Manoeuvres
- LPF launch on 03-Dec-2015 at 04:15 UTC
- LPF Power Up for Launch Countdown
- LPF reaches Lagrange Point L1
- Operations begin with IOC on 03-Mar-2016
- Test Mass 1 Release 15-Feb-2016 at 12:00 UTC
- Test Mass 2 Release 15-Feb-2016 at 12:00 UTC
- Propulsion Module Separation

LPF journeys to Lagrange Point L1


Dec 2015 Jan Feb Mar Apr

UNIVERSITY OF LIVERPOOL

42

**Detecting Gravity Waves**

eLISA = Evolved Laser Interferometer Space Antenna




UNIVERSITY OF LIVERPOOL

43


**Detecting Gravity Waves**

eLISA = Evolved Laser Interferometer Space Antenna

LIGO is sensitive to waves with periods of less than a second. This means that it can detect waves created by the merger of two neutron stars, but this does not happen very often.



By comparison, eLISA will be sensitive to waves with much longer periods, from seconds to hours. This should mean that eLISA can detect signals from BH within our galaxy and SMBH in other galaxies.



It is also hoped that eLISA will be able to detect the gravitational waves created by the biggest singularity of them all – the Big Bang.\*


UNIVERSITY OF LIVERPOOL

\* See "The Beginning of Everything"

44

# Warping Space and Time

**Measuring an Event Horizon**




Event Horizon Telescope

UNIVERSITY OF LIVERPOOL

45

**Pieces of the Puzzle**



Escape Velocity

General Relativity

Stars and Galaxies

Detecting Gravity

**We have looked at the science facts**  
**Now let's look at the science fiction**

UNIVERSITY OF LIVERPOOL

46

**Science Fiction**

Does Hollywood ever get it right?



Ship is parked right next to the event horizon


Ship is pulled in to a planetary black hole

Ship is powered by an onboard black hole

UNIVERSITY OF LIVERPOOL

47

**Science Fiction**



Is a BH-powered star drive possible?

For BH with mass **less** than a kg, not much energy is available ( $E=mc^2$ ).

For BH with a mass **more** than that of Mount Everest, Hawking radiation is very weak.

For BH with mass  $\sim 1$  million tons the power in the Hawking radiation would be equivalent to the output of  $\sim 100$  million nuclear power stations and the BH would last  $\sim 100$  years.

If the radiation from such a BH, smaller than an atom, could be captured or directed, then that is enough energy to power a starship.

UNIVERSITY OF LIVERPOOL


48



# Warping Space and Time

## Science Fiction

What about shortcuts through space?  
Wormholes?  
Hyperspace?



## Science Fiction

What about shortcuts through space?  
Wormholes?  
Hyperspace?



## Science Fiction

What about time travel?



## Science Fiction

What about time travel?

Hawking proposed the  
**Chronology Protection Conjecture**

A wormhole allowing time travel will  
collapse before anything has time to  
travel through it.

"Making the Universe safe for historians"





# Warping Space and Time

## The Problem

There's a problem.

**General Relativity** (GR) works really well for **massive** objects (like stars).  
**Quantum Mechanics** (QM) works really well for **tiny** objects (like atoms).\*

But, what if the object is massive **and** tiny?  
Then we need (drum roll) ... **Quantum Gravity**.

The problem: GR and QM are not good bedfellows.  
A universal 'Theory of Everything' has proven to be elusive.



\* See "The Weird World of the Very Very Small"

53

## The Future



Maybe quantum mechanics will prevent a singularity from forming, thus avoiding the horrible properties like infinite density and infinitely warped space.

For instance, String Theory describes a ten-dimensional universe in which the fundamental building blocks are 'strings' rather than the more familiar 'particles'.

If String Theory is right, black holes are 'fuzzballs' without a singularity at their core. They are just 'balls of string'.

But, is the universe described by String Theory the one in which we live?




54

## The Future

Einstein never really believed that quantum mechanics was the right description of the microscopic world.

He spent most of his later years wrestling with a Theory of Everything.

If a genius like Einstein could not get his head around the problem, what will it take?



Maybe some unexpected discoveries, for instance from LIGO or eLISA, will point the way forward to a better understanding of black holes.



55

# Warping Space and Time

<http://www.liv.ac.uk/~sdb/Talks>

Dr Steve Barrett

15 Feb 2016